

Product datasheet for **RG214342**

RIPK4 (NM_020639) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RIPK4 (NM_020639) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RIPK4
Synonyms:	ANKK2; ANKRD3; CHANDS; DIK; NKRD3; PKK; PPS2; RIP4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG214342 representing NM_020639
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGAGGGCGACGGCGGGACCCCATGGGCCTGGCGCTGCTGCGCACCTTCGACGCGGGCGAGTTACGG
 GCTGGGAGAAGGTGGGCTCGGGCGCTTCGGGCAGGTGTACAAGGTGCGCCATGTCCACTGGAAGACCTG
 GCTGGCCATCAAGTGCTCGCCAGCCTGCACGTGACGACAGGGAGCGCATGGAGCTTTTGAAGAAGCC
 AAGAAGATGGAGATGGCCAAGTTTCGCTACATCCTGCCTGTGTATGGCATCTGCCGCAACCTGTCGGCC
 TGGTCAATGGAGTACATGGAGACGGGCTCCCTGGAAAAGCTGCTGGCTTCGGAGCCATTGCCATGGGATCT
 CCGGTTCCGAATCATCCACGAGACGGCGGTGGGCATGAACTTCCTGCACTGCATGGCCCCGCCACTCCTG
 CACCTGGACCTCAAGCCCGCAACATCCTGCTGGATGCCACTACCACGTCAAGATTTCTGATTTTGGTC
 TGGCCAAGTGAACGGGCTGTCCACTCGCATGACCTCAGCATGGATGGCCTGTTTGGCACAATCGCCTA
 CCTCCCTCCAGAGCGCATCAGGGAGAAGAGCCGGCTCTTCGACACCAAGCAGCATGTATACAGCTTTGCG
 ATCGTCATCTGGGGCGTCTCACACAGAAGAAGCCGTTTGCAGATGAGAAGAATCCTGCACATCATGG
 TGAAGGTGGTGAAGGGCCACCGCCCGAGCTGCCGCCGTGTGCAGAGCCGGCCGCGCGCTGCAGCCA
 CCTGATACGCCTCATGCAGCGGTGCTGGCAGGGGGATCCGCGAGTTAGGCCACCTTCCAAGAAATTACT
 TCTGAAACCGAGGACCTGTGTGAAAAGCCTGATGACGAAGTGAAGAAGAACTGCTCATGATCTGGACGTGA
 AAAGCCCCCGGAGCCAGGAGCGAGGTGGTGCCTGCGAGGCTCAAGCGGGCCTTCGCCCCACCTTCGA
 TAACGACTACAGCCTCTCCGAGCTGCTCTCACAGCTGGACTCTGGAGTTTCCCAGGCTGTCGAGGGCCCC
 GAGGAGCTCAGCCGAGCTCCTCTGAGTCCAAGCTGCCATCGTCCGGCAGTGGGAAGAGGCTCTCGGGGG
 TGTCTCGGTGGACTCCGCTTCTTCCAGAGGATCACTGTCGCTGCTTTTGGCAGGAACTCAAC
 CAGCGATCTGGGACACACAGACGTCCAGAAGAAGAAGCTTGTGGATGCCATCGTGTCCGGGGACACCAGC
 AAAGTGTGAAGATCCTGCAGCCGAGGACGTGGACCTGGCACTGGACAGCGGTGCCAGCCTGCTGCACC
 TGGCGGTGGAGGCCGGCAAGAGGAGTGCGCCAAGTGGCTGCTGCTCAACAATGCCAACCCCAACCTGAG
 CAACCGTAGGGGCTCCACCCGTTGCACATGGCCGTGGAGAGGAGGGTGCGGGTGTCGTGGAGCTCCTG
 CTGGCGCGGAAGATCAGTGTCAACGCCAAGGATGAGGACCAGTGGACAGCCCTCCACTTTGCAGCCAGA
 ACGGGGACGAGTCTAGCACACGGCTGCTGTTGGAGAAGAAGCCTCGGTCAACGAGGTGGACTTTGAGGG
 CCGGACGCCATGCACGTGGCCTGCCAGCACGGGCAGGAGAATATCGTGGCATCCTGCTGCGCCGAGGC
 GTGGACGTGAGCCTGCAGGGCAAGGATGCCTGGCTGCCACTGCACTACGCTGCCTGGCAGGGCCACCTGC
 CCATCGTCAAGCTGCTGGCCAAGCAGCCGGGGTGTGAGTGTGAACGCCAGACGCTGGATGGGAGGAGCC
 ATTGCACCTGGCCGCACAGCGCGGGCACTACCGCTGGCCCGCATCCTCATCGACCTGTGCTCCGACGTC
 AACGTCTGCAGCCTGCTGGCACAGACACCCTGCACGTGGCCGCGGAGACGGGGCACACGAGCACTGCCA
 GGCTGCTCCTGCATCGGGGCGCTGGCAAGGAGGCCATGACCTCAGACGGCTACACCGCTCTGCACCTGGC
 TGCCCCGAACGGACACCTGGCCACTGTCAAGCTGCTTGTGAGGAGAAGGCCGATGTGCTGGCCCGGGGA
 CCCCTGAACCAGACGGCGCTGCACCTGGCTGCCGCCACGGGCACTCGGAGGTGGTGGAGGAGTTGGTCA
 GCGCCGATGTATTGACCTGTTTCGACGAGCAGGGGCTCAGCGCGCTGCACCTGGCCGCCAGGGCCGGCA
 CGCACAGACGGTGGAGACTCTGCTCAGGCATGGGGCCACATCAACCTGCAGAGCCTCAAGTTCCAGGGC
 GGCCATGGCCCCGCCACGCTCCTGCCGCAAGCAAGACC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG214342 representing NM_020639
Red=Cloning site Green=Tags(s)

```
MEGDGGTPWALALLRTFDAGEFTGWKVGSGGFGQVYKVRHVHWKTWLAIKCSPSLHVDDRRERMELLEEA
KKMEMAKFRYILPVYIGICREPVGLVMEYMETGSLEKLLASEPLPWDLRFRIIETHETAVGMNFLHCMAPLL
HLDLKPANILLDAHYYVKISDFGLAKCNGLSHSHDLSMDGLFGT IAYLPPERIREKSRLFDTKHDVYSFA
IVIWGLVTQKKPFADENILHIMVKVVKGHRPELPPVCRARPRACSHLIRLMQRCWQGDPRVRPTFQEIT
SETEDLCEKPDDEVKETAHDLDVKSPPEPRSEVVPARLKRASAPTFDNDYSLSELLSQLDSGVSQAVEGP
EELSRSSSESKLPSSSGSKRLSGVSSVDSAFSSRGSLSL SFEREPSTSDLGTTDQVKKLVDAIVSGDTS
KLMKILQPQDVLALDSGASLLHLAVEAGQECAKWL LNNANPNLSNRRGSTPLHMAVERRVRGVVELL
LARKISVNAKDEDQWTALHFAAQNGDESSTRLLLEKNASVNEVDFEGRTPMHVACQHGENIVRILLRRG
VDVSLQGKDAWLPLHYAAWQHLPVVKLLAKQPGVSVNAQTL DGRTPHLAAQRGHYRVARILIDLCSDV
NVCSLLAQTPLHVAETGHTSTARLLLHRGAGKEAMTSDGYTALHLAARNGHLATVKLLVEEKADVLARG
PLNQ TALHAAAHHGSEVVEELVSADVIDLFDEQGLSALHLAAQRHAQT VETLLRHGAHINLQSLKFQG
GHGPAATLLRRSKT
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_020639

ORF Size: 2352 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_020639.3
RefSeq Size:	3890 bp
RefSeq ORF:	2355 bp
Locus ID:	54101
Cytogenetics:	21q22.3
Domains:	pkinase, TyrKc, ANK, S_TKc
Protein Families:	Druggable Genome, Protein Kinase
Gene Summary:	<p>The protein encoded by this gene is a serine/threonine protein kinase that interacts with protein kinase C-delta. The encoded protein can also activate NFkappaB and is required for keratinocyte differentiation. This kinase undergoes autophosphorylation. [provided by RefSeq, Jul 2008]</p>

Product images:



Circular map for RG214342