

Product datasheet for **RG214400**

Metabotropic Glutamate Receptor 1 (GRM1) (NM_000838) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Metabotropic Glutamate Receptor 1 (GRM1) (NM_000838) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Metabotropic Glutamate Receptor 1
Synonyms:	GPRC1A; GRM1A; mGlu1; MGLUR1; MGLUR1A; SCAR13
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG214400 representing NM_000838 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGTCGGGCTCCTTTTGTTTTTTTTCCAGCGATCTTTTTGGAGGTGTCCCTTCTCCCCAGAAGCCCCG
GCAGGAAAGTGTGCTGGCAGGAGCGTCGTCAGCGCTCGGTGGCCAGAATGGACGGAGATGTCATCAT
TGGAGCCCTCTTCTCAGTCCATCACCAGCCTCCGGCCGAGAAAGTGCCCGAGAGGAAGTGTGGGAGATC
AGGGAGCAGTATGGCATCCAGAGGGTGGAGGCCATGTTCCACACGTTGGATAAGATCAACCGGACCCGG
TCCTCCTGCCAACATCACCTGGCAGTGAGATCCGGGACTCCTGCTGGCACTTCTCCGTGGCTCTGGA
ACAGAGCATTGAGTTCATTAGGGACTCTCTGATTTCCATTTCGAGATGAGAAGGATGGGATCAACCGGTG
CTGCTGACGGCCAGTCCCTCCCCCAGGCAGGACTAAGAAGCCATTGCGGGAGTGATCCGTCCCGGCT
CCAGCTCTGTAGCCATTCAAGTGCAGAACCTGCTCCAGCTCTTCGACATCCCCCAGATCGTTATTCAGC
CACAAGCATCGACCTGAGTGACAAAACCTTTGTACAAAATACTTCTGAGGGTTGTCCCTTCTGACACTTTG
CAGGCAAGGGCCATGCTTGACATAGTCAAACGTTACAATTGGACATATGCTCTGCGAGTCCACACGGAA
GGAATTATGGGGAGAGCGGAATGGACGCTTTCAAAGAGCTGGCTGCCAGGAAGGCTCTGTATCGCCCA
TTCTGACAAAATCTACAGCAACGCTGGGAGAAGAGCTTTGACCGACTCTTGCGAAAACCTCCGAGAGAG
CTTCCCAAGGCTAGAGTGGTGGTCTGCTTCTGTGAAGGCATGACAGTGGCAGGACTCCTGAGCGCCATGC
GGCGCCTTGGCGTCGTGGGCGAGTCTCACTCATTGGAAGTGATGGATGGGCAGACAGAGATGAAGTCAT
TGAAGGTTATGAGGTGGAAGCCAACGGGGGAATCACGATAAAGCTGCAGTCTCCAGAGGTCAGGTCATTT
GATGATTATTTCTGAAACTGAGGCTGGACACTAACACGAGGAATCCCTGGTTCCCTGAGTCTGGCAAC
ATCGGTTCCAGTGCCGCTTCCAGGACACCTTCTGGAAAATCCCAACTTTAAACGAATCTGCACAGGCAA
TGAAAGCTTAGAAGAAAATATGTCCAGGACAGTAAGATGGGGTTTGTCAATGCCATCTATGCCATG
GCATATGGGCTGCAGAACATGCACCATGCCCTCTGCCCTGGCCACGTGGGCTCTGCGATGCCATGAAGC
CCATCGACGGCAGCAAGCTGCTGGACTTCTCATCAAGTCCCTCATTGAGGATCTGGAGAGGAGGT
GTGGTTTGTATGAGAAAGGAGACGCTCCTGGAAGGTATGATATCATGAATCTGCAGTACACTGAAGCTAAT



[View online »](#)

CGCTATGACTATGTGCACGTTGGAACCTGGCATGAAGGAGTGCTGAACATTGATGATTACAAAATCCAGA
TGAACAAGAGTGGAGTGGTGCAGTGTGCTGTGAGCCTTGCTTAAAGGGCCAGATTAAGGTTATACG
GAAAGGAGAAGTGAAGTGGTGGATTGACGGCCTGCAAAGAGAATGAATATGTGCAAGATGAGTTC
ACCTGCAAAGCTTGTGACTTGGGATGGTGGCCCAATGCAGATCTAACAGGCTGTGAGCCATTCTGTGC
GCTATCTTGAGTGGAGCAACATCGAATCCATTATAGCCATCGCCTTTTCATGCCTGGGAATCCTTGTAC
CTTGTTTGTACACCTAATCTTTGTACTGTACCGGGACACACCAGTGGTCAAATCCTCCAGTCGGGAGCTC
TGCTACATCCTAGCTGGCATCTTCTTGGTTATGTGTGCCATTCACTCTCATTGCCAAACCTACTA
CCACCTCTGCTACCTCCAGCGCCTCTTGGTTGGCCTCTCCTCTGCGATGTGCTACTCTGCTTTAGTGAC
TAAAACCAATCGTATTGCACGCATCCTGGCTGGCAGCAAGAAGAAGATCTGCACCCGGAAGCCAGGTTT
ATGAGTGCCTGGGCTCAGGTGATCATTGCCTCAATTCTGATTAGTGTGCAACTAACCCCTGGTGGTAACCC
TGATCATCATGGAACCCCTATGCCATTCTGTCTACCAAGTATCAAGGAAGTCTACCTTATCTGCAA
TACCAGCAACCTGGGTGTGGTGGCCCTTTGGGCTACAATGGACTCCTCATCATGAGCTGTACCTACTAT
GCCTTCAAGACCCGCAACGTGCCGCCAACTTCAACGAGGCCAAATATATCGCGTTCACCATGTACACCA
CCTGTATCATCTGGCTAGCTTTTGTGCCATTTACTTTGGGAGCAACTACAAGATCATCACAACCTGCTT
TGCAGTGAGTCTCAGTGTAAAGTGGCTCTGGGTGCATGTTCACTCCCAAGATGTACATCATTATTGCC
AAGCCTGAGAGGAATGTCCGAGTGCCTTCAACCTCTGATGTTGTCCGCATGCATGTTGGCGATGGCA
AGCTGCCCTGCCGCTCCAACACTTTCCTCAACATCTTCCGAAGAAGAAGGCAGGGGCAGGGAATGCCAA
TTCTAATGGCAAGTCTGTGTGATGGTCTGAACCAGGTGGAGGACAGGTGCCCAAGGGACAGCATATGTGG
CACCGCCTCTCTGTGCACGTGAAGACCAATGAGACGGCCTGCAACCAAACAGCCGTATCAAGCCCTCA
CTAAAAGTTACCAAGGCTCTGGCAAGAGCCTGACCTTTTTCAGATACCAGCACCAAGACCCCTTACAACGT
AGAGGAGGAGGAGGATGCCAGCCGATTTCGCTTTAGCCCGCCTGGTAGCCCTTCCATGGTGGTGCACAGG
CGCGTGCCAAGCGCGGCGACCACTCCGCCTCTGCCGTCCCACCTGACCGCAGAGGAGACCCCTTCC
TGGCCGAACAGCCCTCCCAAGGGCTTGCCCTCCTCTCCAGCAGCAGCAGCAACCCCTCCACAGCA
GAAATCGCTGATGGACCAGCTCCAGGGAGTGGTACGCAACTTCACTACCGCGATCCCGGATTTTCACGCG
GTGCTGGCAGGCCCGGGGTCCCGGAACGGGCTGCGGTCCCTGTACCCGCCCCGCCACCTCCGCGAGC
ACCTGCAGATGCTGCCGCTGCAGCTGAGCACCTTTGGGAGGAGCTGGTCTCCCCGCCGCGGACGACGA
CGACGACAGCGAGAGGTTAAGCTCCTCCAGGAGTACGTGTATGAGCACGAGCGGAAGGGAACACGGAA
GAAGACGAACTGGAAGAGGAGGAGGAGGACCTGCAGGCGGCCAGCAAAGTACCCCGGATGATTGCGCTG
CGCTGACGCTCCGTCGCTTTCCGCGACTCGGTGGCCTCGGGCAGCTCGGTGCCAGCTCCCCGCTGTC
CGAGTCGGTGCTCTGCACCCCTCCAACGTATCCTACGCCTCTGTATTCTGCGGGACTACAAGCAAAGC
TCTTCCACCCTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG214400 representing NM_000838
 Red=Cloning site Green=Tags(s)


```

MVGLLLFFFPALFLEVSLLPRSPGRKVLLAGASSQRSVARMDGDVIGALFSVHHQPPAEKVPERKCGEI
REQYGIQRVEAMFHTLDKINADPVLLPNITLGEIRDSCWHSSVALEQSIIEFIRDSLISIRDEKDGINRC
LPDQSLPPGRTKKPIAGVIGPGSSVAIQVQNLQLFDIPQIAYSATSIDLSDKTLKYFLRVVPSDTL
QARAMLDIVKRYNWTYVSAVHTEGNYGESGMDAFKELAAQEGLCIAHSDKIYSNAGEKSFDRLLRKLRLR
LPKARVVVCFCEGMYRGLLSAMRRLGVVGEFSLIGSDGWADRDEVEIEGYEVEANGGITIKLQSPEVRSF
DDYFLKLRDLTNRNPFPEFWQHRFQCRLPGHLLNPNFKRICTGNESLEENYVQDSKMGFVINAIYAM
AHGLQNMHHALCPGHVGLCDAMKPIDGSKLLDFLIKSSFIVSGEEVWFDEKGDAPGRYDIMNLQYTEAN
RYDYVHVGTWHEGVLNIDYKIQMNKSGVVRVCSEPCQIKVIRKGEVSCCWICTACKENEYVQDEF
TCKACDLGWPNADLTGCEPIPVRYLEWSNIESIIAIAFSCLGILVTLFVTLIFVLYRDPVVKSSSREL
CYIILAGIFLGYVCPFTLIAKPTTSCYLQRLVGLSSAMCYSALVTKNRIARILAGSKKIKTRKPRF
MSAWAQVIIASILISVQLTLVVTIIMEPPMPILSYPSIKEVYLICNTSNLGVVAPLGYNGLLIMSCYY
AFKTRNVPANFNEAKYIAFTMYTTCIIWLAFFVPIYFGSNYKIITTCFAVSLSVTVALGCMFTPKMYIIIA
KPERNVRSFAFTSDVVRMHVGDGKLPKRSNTFLNIFRRKKAGAGNANSNGKSVSWSEPPGGQVPGQHMW
HRLSVHVKTNETACNQTAVIKPLTKSYQSGSKSLTFSDTSTKTLYNVEEEEDAQPIRFSPPGSPSMVHR
RVPSAATTPPLPSHLTAETPLFLAEPALPKGLPPPLQQQQPPPPQKSLMDQLQGVVSNFSTAIPDFHA
VLGAPGGPGNGLRSLYPPPPPPQHLQMLPLQLSTFGEELVSPPADDDDDSERFKLLQEYVYEHHEREGNT
EDELEEEEDLQAASKLTPDDSPALTPSPFRDSVASGSSVSPVSESVLCTPPNVSYASVILRDYKQS
SSTL
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_000838

ORF Size: 3582 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_000838.2 , NP_000829.1
RefSeq Size:	6619 bp
RefSeq ORF:	3584 bp
Locus ID:	2911
Cytogenetics:	6q24.3
Domains:	7tm_3, ANF_receptor
Protein Families:	Druggable Genome, GPCR, Transmembrane
Protein Pathways:	Calcium signaling pathway, Gap junction, Long-term depression, Long-term potentiation, Neuroactive ligand-receptor interaction

Gene Summary:

This gene encodes a metabotropic glutamate receptor that functions by activating phospholipase C. L-glutamate is the major excitatory neurotransmitter in the central nervous system and activates both ionotropic and metabotropic glutamate receptors. Glutamatergic neurotransmission is involved in most aspects of normal brain function and can be perturbed in many neuropathologic conditions. The canonical alpha isoform of the encoded protein is a disulfide-linked homodimer whose activity is mediated by a G-protein-coupled phosphatidylinositol-calcium second messenger system. This gene may be associated with many disease states, including schizophrenia, bipolar disorder, depression, and breast cancer. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, May 2013]

Product images:


Circular map for RG214400