

Product datasheet for **RG214456**

STARD13 (NM_178007) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: STARD13 (NM_178007) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: STARD13
Synonyms: ARHGAP37; DLC2; GT650; LINC00464
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG214456 representing NM_178007
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCTGGAACCTCCTCAGTTCTCCATGCAAACGTTAACCAGGCCCTTTGTGGTGCTTGGTGCTGCGCT
 GGTGCAGAGAATGCAAAGACTGTCTGTGGTGGGAAACAGAAAAGCAGAGTGAACCACACATCCAGCG
 CCGGAAATTGAGGCAAAGAAGCATGTGACTGGCTCCGTGCTGCCGGTTCCCGAATACGCTCAGTTA
 TATGAGGATTCACAATTTCCCATCAACATTGTGGCTGTCAAGAATGATCATGATTTTCTGAAAAGGACC
 TTGTAGAACCTCTTTCAGACGACTAAATACGTTGAACAAGTGTGCCTCAATGAACTTGATGTGAACTT
 CCAAAGGAAAAAGGGTGACGACTCCGATGAGGAAGATCTTTGTATCAGCAACAAATGGACTTTCCAAAGA
 ACCAGTCGCAGGTGGTCTCGTGTGGACGACCTCTACACGCTGCTCCCTCGAGGAGACAGAAATGGGTAC
 CGGGAGGCACGGGGATGAGGAACACGACCAGCAGTGTGAGAGCGTCCCTCACAGACCTGAGCGAGCCTGAGGT
 CTGCTCCATTACAGCGAAAGCAGTGGAGGCAGCGACAGTGCAGCCAGCCGGGCCAGTGTGTACAGAC
 AACCCGGTCATGCTGGATGCCCACTCGTCAGCAGCAGCTCCCACAGCCCCCAGAGATGTCTCAACC
 ACCCTTCCACCCCAAGAATGAGAAGCCCACGAGGGCTAGGGCCAATCATTTTTGAAACGCATGGAAC
 ACTCCGAGGGAAGGGAGCCCACGGGAGGCATAAGGGTCTGGCGGACAGGTGGCTGGTGTGATCAGTGGG
 CCCATGTTGCAGCAGGAGCCAGAGTCTTTAAGGCTATGCATGCCAATACCAATGGAGATCTCC
 AGAATTCGCCGCCACCTGCCTGCAGAAAAGGGCTCCCATGCTCTGGCAAGTCGAGTGGCGAGAGCAGCCC
 GTCGGAGCACAGCAGCAGCGGGGTGAGCAGCCCTGCCTGAAGGAACGCAAGTGCACGAGGCCAACAAAG
 CGCGGGGGCATGTACTTGGAGGACCTAGATGTGCTGGCGGGACAGCACTGCCGGATGCAGGGGACCAAA
 GCCGTATGCATGAATTTCACTCCCAAGAGAATTTGGTGGTGCATATCCCAAGGATCACAAACCAGGAAC
 ATTCCCAAGGCACTTTCTATTGAAAGCCTCTCTCCACAGATAGTAGCAATGGGGTTAATTGGAGGACC
 GGTAGCATCTCCCTGGGCAGAGAGCAGGTCCCTGGTGCCAGGGAGCCCCGGCTCATGGCGTCTGCCACA
 GAGCCAGCCGAGTCAGTATCTATGACAATGTCCCTGGCTCCCATCTGTATGCCAGCACAGGAGATCTTTT
 GGACTTGAGAAAAGATGACCTTTTCCCTCACTTGGATGACATTCTGCAGCATGTCAATGGCTCCAAG



[View online >](#)

```
GTAGTCGATGACTGGTCCAAAGATGTCTTGCTGAACTGCAAACCTCATGATACATTGGTTGGGGAACCTG
GCTTATCCACCTTTCCATCTCCTAATCAGATCACCTTAGATTTTGAAGGTAACCTGTCTCAGAAGGTGCG
GACGACACCCAGTGATGTGGAAGAGATGTAACATCTCTTAATGAATCTGAGCCTCCTGGGGTCAGAGAC
AGGAGGGATTCTGGTGTAGGGGCTCTCTGACCAGGCCAAACAGGCGACTCCGATGGAACAGTTCCAGC
TGTGCGACCAGCCCCGGCCGGCCAGCATCGCCACATCAGCAGCCAGACGGCCAGCCAGCTGAGCCT
GCTCCAGCGCTTCTCACTGCTCCGCCTCAGGCCATCATGGAGAAGCACTCCATGTCCAACAAGCAGCCGC
TGGACATGGTCAGTTCCAAGTTTCAATGAAGAGGATGAAAGTCCCGACTACAAAGACAAGGCTGCTTTTG
CGGTTCTCTCATAGTCCACGTCCAAGAACGGGACAGCCCTGCCTCAAAGTATTACAGCAAGCACTGAG
ATATCTACGCAGCAACTGCCTCGATCAGGTGGGTCTTTTTCGCAAATCAGGAGTGAAGTCTCGAATCCAT
GCCCTTCGCCAAATGAATGAAAACCTCCCTGAGAACGTCAACTATGAAGACCAGTCTGCTTATGATGTGG
CGGATATGGTGAACAGTTCTTCCGGGACCTCCCTGAGCCTCTTTTACCACAAAGCTCAGTGAGACCTT
TCTCCATATCTATCAGTATGTCTCAAAGAGCAGCGGCTGCAGGCCGTGCAGGCTGCCATCTGCTACTG
GCCGATGAGAACAGGGAGGTCTGCAGACGCTCTGTGTTTCTGAACGACGTGCTCAACTTGGTGAAG
AGAATCAGATGACGCCATGAACCTGGCAGTGTGTCTGGCCCCCTCCCTCTTTCATTTAATTTATTGAA
GAAAGAAAGCTCTCCACGAGTCATACAGAAGAAATATGCCACTGGGAAGCCAGATCAAAGGACCTCAAC
GAGAATCTGGCAGCAGCTCAGGGCTAGCGCACATGATCATGGAATGCGCAGACTTTTTGAGGTTCCAC
ACGAGTTGGTGGCCAGTCTCGTAACTCGTATGTGGAGGCTGAGATCCACGTGCCAACCCCTGGAAGAATT
GGGGACACAGCTGGAGGAGAGTGGGGCAACTTTCCACACTTACCTGAACCATCTCATCCAGGGCCTCCAG
AAAGAAGCCAAGGAGAAGTTCAAAGGATGGGTCACGTGCTCCAGCACGGACAATACAGATCTTGTCTTCA
AAAAGGTGGGCGACGGGAACCCGCTGAAGCTGTGGAAGGCTTCTGTGGAGGTGGAAGACCCCCCTCAGT
GGTCTGAACCGCTGCTGAGAGAGCGCCACCTGTGGGACGAGGACTTGTGCAGTGAAGGTTGTGGAA
ACTCTAGACAGGCAAACAGAGATCTACCAGTATGTGCTGAACAGCATGGCTCCCCATCCCTCCAGAGGA
TTGTGGTTCTCAGGACCTGGAAAACCTGATTTGCCCAAAGGAATGTGTACCCTGGTGTCCCTCTCCGTGGA
GCATGAGGAAGCCAGCTCTGGGTGGTGTGCGAGCAGTGGTGTGACTCGCAGTACTGTATAGAACCG
TGTGGCTCTGGCAAGTCAAGACTGACTCACATCTGCAGGATAGACCTGAAAGGTCACTCCCAGAATGGT
ACAGCAAAGGCTTTGGACATCTGTGTGCAGCAGAAGTTGCCAGGATTAGAAACTCTTTCCAGCCCCTCAT
TGCTGAGGGCCAGAAAATAAAATC
```

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG214456 representing NM_178007
 Red=Cloning site Green=Tags(s)

```
MLEPSSVLHANVNQAPLWCLVLRWCRECKDTCVCGGKQKSRVNHTFQRREIEAKEACDWLRAAGFPQYAQL
YEDSQFPINIVAVKNDHDFLEKDLVEPLCRRNLNLNKCASMKLDVNFQRKKGDDSDDEDLCSNKWTFQR
TSRRWSRVDDL YTL LPRGDRNGSPGGTGM RNTTSSESVL TDLSEPEVCSIHSESSGSDRSQPQCCTD
NPVMLDAPLVSSSLPQP PRDVLNHPFHPKNEKPTRARAKSFLKRMETLRGKGAHGRHKSGRTGGLVISG
PMLQQEPESEFKAMQCIQIPNGDLQNSPPPACRKG LPCSGKSSGESSEHSSSGVSTPCLKERKCHEANK
RGGMYLEDLDVLAGTALPDAGDQSRMHEFH SQENLVVHIPKDHKPGTFPKALSIESLSPTDSSNGVNWRT
GSI SLGREQVPGAREPRLMASCHRASRVSIYDNVPGSHLYASTGDLLDLEKDDLFPHLDDILQHVNLQEQE
VVDWSDKDVLPQLQTHDTLVGEPGLSTFPSPNQITLDFEGNSVSEGRTPSDVERDVTSLNESEPPGVRD
RRDSGVGASL TRPNRRLRWNSFQLSHQPRPAPASPHISSQTASQLSLLQRFSLRLTAIMEKHSMSNKHG
WTWSVPKFMKRMKVPDYKDKAVFGVPLIVHVQRTGQPLPQSIQQALRYLRSNCLDQVGLFRKSGVKSRIH
ALRQMNFENFPENVYEDQSA YD VADMVKQFFRDLPEPLFTNKLSETFLHIYQYVSKEQRLQAVQAAILLL
ADENREVLQTL LCF LNDVVNLVEENQMPMNLAVCLAPSLFHLNLLKKESSPRVIQKKYATGKPDQKDLN
ENLAAAQGLAHMIMECDRLFEVPHELVAQSRNSVVEAEIHVPTLEELGTQLEESGATFHTYLNHLIQGLQ
KEAKEKFKGWVTCSTDNTDLAFKKGVDGNPLKLVKASVEVEAPPSVVLNRVLRERHLWDEDFVQWKVVE
TLDRQTEIYQYVLNSMAPHPSRDFVVLRTWKTDLPKGMCTLVSLSVEHEEAQLLGGVRAYVMDSQYLIEP
CGSGKSRLTHICRIDLKGHSPEWYSKGFGLCAA EVARIRNSFQPLIAEGPETKI
```

TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-MluI

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_178007.3</u>
RefSeq Size:	5836 bp
RefSeq ORF:	3318 bp
Locus ID:	90627
UniProt ID:	<u>Q9Y3M8</u>
Cytogenetics:	13q13.1-q13.2
Gene Summary:	This gene encodes a protein which contains an N-terminal sterile alpha motif (SAM) for protein-protein interactions, followed by an ATP/GTP-binding motif, a GTPase-activating protein (GAP) domain, and a C-terminal STAR-related lipid transfer (START) domain. It may be involved in regulation of cytoskeletal reorganization, cell proliferation, and cell motility, and acts as a tumor suppressor in hepatoma cells. The gene is located in a region of chromosome 13 that is associated with loss of heterozygosity in hepatocellular carcinomas. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Aug 2011]