

Product datasheet for **RG214478**

ITIH5 (NM_032817) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ITIH5 (NM_032817) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ITIH5
Synonyms:	ITI-HC5; PP14776
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG214478 representing NM_032817
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCGGAAGTATGATTCTGGGCCTCCCCATCTACTGTCTAATACCAAAATGAAACATTTGCCAACATAA
 TTTTAAACCTACTGTAGTACAACAAGCCAGGATTGCCAGAAATGGAATTTGGGAGACTTTATCATTAG
 ATATGACGTCAATAGAGAACAGAGCATTGGGGACATCCAGTTCTAAATGGCTATTTTGTGCACTACTTT
 GCTCCTAAAGACCTTCTCCTTTACCCAAGAAATGTGGTATTCTGTGCTTGACAGCAGTGCTTCTATGGTGG
 GAACCAAACCTCCGGCAGACCAAGGATGCCCTTTCACAATTCTCCATGACCTCCGACCCAGGACCGTTT
 CAGTATCATTGGATTTTCCAACCGGATCAAAGTATGGAAGGACCCTTGATATCAGTCACTCCAGACAGC
 ATCAGGGATGGGAAAGTGTACATTCACCATATGTACCCACTGGAGGCACAGACATCAACGGGGCCCTGC
 AGAGGGCCATCAGGCTCCTCAACAAGTACGTGGCCACAGTGGCATTGGAGACCGGAGCGTGTCCCTCAT
 CGTCTTCTGACGGATGGGAAGCCACGGTCCGGGAGACGCACACCTCAAGATCCTCAACAACACCCGA
 GAGGCCGCCGAGGCCAAGTCTGCATCTTACCATTGGCATCGGCAACGACGTGGACTTCAGGCTGCTGG
 AGAAACTGTGCTGGAGAAGTGTGGCCTCACACGGCGCTGCACGAGGAGGAGGACGCAGGCTCGCAGCT
 CATCGGTTTCTACGATGAAATCAGGACCCCGCTCCTCTGACATCCGCATCGATTATCCCCCAGCTCA
 GTGGTGCAGGCCACCAAGACCCTGTTCCCAACTACTTCAACGGCTCGGAGATCATCATTGCGGGGAAGC
 TGGTGGACAGGAAGTGGATCACCTGCAGTGGAGGTACCGCCAGCAACAGTAAGAAATTCATCATCTCT
 GAAGACAGATGTGCTGTGCGGCCTCAGAAGGCAGGAAAGATGTACAGGAAGCCAGGCTGGAGGC
 GATGGAGAGGGGGACCAACCACATCGAGCGTCTCTGGAGTACCTCACCACAAAGGAGCTGTGAGCT
 CCTGGCTGCAAAAGTGACGATGAACCGGAGAAGGAGCGGCTGCGGCAGCGGGCCAGGCCCTGGCTGTGAG
 CTACCGTTCCTCACTCCCTTACCTCCATGAAGCTGAGGGGGCCGGTCCACGCATGGATGGCCTGGAG
 GAGGCCACGGCATGTGCGCTGCCATGGGACCCGAACCGTGGTGCAGAGCGTGCAGGAGCTGGCACGC
 AGCCAGGACCTTTGCTCAAGAAGCCATACCAGCCAAGAATTAATACTCTAAAACATCAGTGGATGGTGA
 TCCCCACTTTGTTGTGGATTTCCCCCTGAGCAGACTCACCGTGTGCTTCAACATTGATGGGAGCCCGG
 GACATCCTCAGGCTGGTCTGTGATCACAGGACTCTGGTGTACAGTGAACGGAGAGTTAATTGGGGCAC
 CCGCCCTCCAAATGGCCACAAGAAACAGCGCACTTACTTGCCTACTATCACCATCCTCATCAACAAGCC
 AGAGAGATCTTATCTCGAGATCACACCGAGCAGAGTCTTGGATGGTGGGACAGACTGGTGTCTCCC
 TGCAACCAGAGTGTGGTGGTGGGAGCTGGGGCTGGAGGTGTCCGTGTCTGCCAACGCCAATGTCACCG
 TCACCATCCAGGGCTCCATAGCCTTTGTATCCTCATCCACCTTACAAAAGCCGGCGCCCTTCCAGCG
 ACACCACCTGGGTTTCTACATTGCCAACAGCGAGGGCCTTTCCAGCAACTGCCACGGACTGCTGGGTGAG
 TTCTGAATCAGGATGCCAGACTCACAGAAGACCTGCAGGGCCAGCCAGAACCCTCACTCACCTCTGC
 TCCTTCAGGTGGGAGAGGGGCTGAGGCCGTCTAACAGTGAAGGCCACCAAGTCCCAGTGGTCTGGAA
 GCAAAGGAAGATTTACAACGGGAAGAGCAGATAGACTGCTGGTTTCCAGGAACAATGCCGCAAACCTG
 ATTGACGGGGAGTACAAGGATTACCTGGCATTCCATCCATTTGACACAGGGATGGACACTTGCCCGGGGA
 ATGTCCAGGGAGCTCTGAAGCTGGCAGCCTTAAAGATGCAAGTGCATGAAGGACAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >RG214478 representing NM_032817
Red=Cloning site Green=Tags(s)

```
MRNYDSGPPPSTVINQNETFANIIFKPTVVQQARIAQNGILGDFIIRYDVNREQSIGDIQVLNGYFVHYF
APKDLPLPKNVVFLDSSASMGVTKLRQTKDALFTILHDLRPQDRFSIIGFSNRIVKVDHLISVTPDS
IRDGKVIYIHMSPSTGGTDINGALQRAIRLLNKYVAHSGIGDRSVSLIVFLTDGKPTVGETHTLKILNNTR
EAARGQVCIFTIGIGNDVDFRLLLEKLSLENCGLTRRVHEEEDAGSQLIGFYDEIRTPLLSDIRIDYPPSS
VVQATKTLFPNYFNGSEIIAGKLVDRKLDHLHVEVTASNSKKFIILKTDVPVRPQKAGKDVTSRPPGG
DGEEDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRMDGLE
EAHGMSAAMGPEPVVQSVRGAGTQPGPLLKPKYQPRIKISKTSVDGDPHFVDFPLSRLTVCFNIDGQPG
DILRLVSDHRDSGVTVNGELIGAPAPPNGHKKQRTYLRTITILINKPERSYLEITPSRVILDGGDRLVLP
CNQSVVVGSWGLEVSANANVTVTIQGSIAFVILIHLYKKPAPFQRHHLGFYIANSEGLSSNCHGLLGQ
FLNQDARLTEDPAGPSQNLTHPLLLQVGEAPEAVLTVKGHVVPVWKQRKIYNGEEQIDCWFARNNAKL
IDGEYKDYLAHFHFDGTMDTWPGNVQGALKLAALKMQVHEGQ
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_032817

ORF Size: 2226 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_032817.4](#)

RefSeq Size: 5659 bp


RefSeq ORF: 2187 bp

Locus ID: 80760

Cytogenetics: 10p14

Gene Summary: This gene encodes a heavy chain component of one of the inter-alpha-trypsin inhibitor (ITI) family members. ITI proteins are involved in extracellular matrix stabilization and in the prevention of tumor metastasis. They are also structurally related plasma serine protease inhibitors and are composed of a light chain and varying numbers of heavy chains. This family member is thought to function as a tumor suppressor in breast and thyroid cancers. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2011]

Product images:



Circular map for RG214478