

Product datasheet for **RG214714**

PCDHAC1 (NM_031882) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	PCDHAC1
Synonyms:	PCDH-ALPHA-C1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



ORF Nucleotide Sequence: >RG214714 representing NM_031882
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGTGGGCTGTGGGTGGCAGTTTTATGTTTGTGGGTTTCCTGCGGCGCTGCAGCGGGACAGCTCGAGT
ACTCAGTGCCGGAGGAGACGGAGCGGGGCGTAGCCGTAGGCAATCTCTCCGCGGACTTGAGGCTGCCAGC
GGCCGCTATGTCTCGCGGAACTTTCGTTCTTTCCAGCCACCGCGAGCTCTACTTCGGGGTGGATCTA
CCCAGCGGCAATTTGGTGGTCAGAGAGCCGGCGGACCGCAACAGCTGTGCAGGGCCAAAGCTGCCTGCG
TCTTGACCTACGACCTGGTGTCTGAGGACCCGCTGGAGCTGCACAAGATTCCGATTACAGTCTCGGACAC
CAATGACAACCTCAGCTCTCTTTCTGCCGCGACGTGCAGCTGCACATCCCCGAGTTCTTGACGCCCGGA
GCCCCGTTTACTCTCCGAATGCCAAGATGACGACGAGGGAAGCAATGGGATACTAAGCTACAGCCTAA
GCCCCAGTCAGCACTTTCGCTGGACATGGGATCGCGGTTGACGGCAGCGAATACCCGAGTTGGTGTT
GGAGAAAGCACTGGATCGCAACAGCGGCCACCCACCTGCTGGTGCTTACAGCTCGGGACGGCGGGCTA
CCTGCCCGCTCAGGAGACGCACAAGTCACCATCATTGTGGTGGACACAAATGACAACGCGCCTGTATTTG
AGCGCTCCGTATACCGCACCAAGTTCCAGAGACTGCACCCAATGGGACTGTGTTATTCCGAGTTCAAGC
CTTGGATCCAGATGAAGGTCCTAATGGGGAAGTCCAGTACTCCCTAAGCAACAGCAGCAAGCAGAGCTG
CGACACCGCTTTCAGTGCACCCTAAAAGTGGGGAGGTGCAAGTAGCTGCTTCACTAGGTCGCGCTGAAA
CGCTCTTGGAGGCATACATTGAGGCGAGGGACGAAGGTGTCTTTGGTTTATGCTAGCACCGCTAAACTGCT
GGTGGAGGTGACTGACGTGAACGATCATGCCCCGAACTGGACTTCTGACTCTTTCGAACCCAGTACCT
GAGGACGCTGCCCTGGCACAGTGATTGCTCTCTTTAGTGTAAGGATGAAGACCTCGATTCTAATGGTA
GGGTCAATTTGGCATGTCTAGTGCAGGCCCTTTTCAGCTGACGGCTTCTTTGACAACTACTACAGCCT
GCTGATTGATGGGCCCCCTGGACCGGGAGCAGATCAGTGAATACCAAGTCCTGATCACGGCCTCAGATAGT
GGCTCACCCCCACTTAGCACCCGAAGGACAATCACTGTGTCAGTTGCTGATGTGAATGACAATACACAA
ACTTTCTCAACCCAGCAGGAACTTTTCGTTGCTGAAAACAAATGGCCCTGGGGCCTCTCTAGGCCGAGT
GTTTGCCAGGACCCGACCTGGGGAAGATGGCCTTGTCTTATGAGCTGTTGGATGTTATCTCTGAA
GGGCCATCAGCCTCTAGCTTGCTGGCAGTGGAATCATCCAGTGGGGCCATCACTGCCAAAACCTTCCCTTG
ACTTTGAGCAGCTCAGGGGTTTCATTTCCAAGTAGAAGGCCGGGATGGTGGCATTCTCCAGAAGTGC
AACAGTGACTATAAACTTGTGTGGTAGATAGGAATGACAATTATCCGGTTATCTTGTTTCCCTTGCCC
AGAAATGGTTCTGTCCCAGTGAAAATTGTGCCCGCTCTGCCAGGACTGGACACTTGGTCACAAAAGTGG
TAGCAGAGGATGCTGACAGTGGTTCTAATGCCTGGCTTTCCTACCACATCTCCCGGGCGTCTGACTCTAG
TCTCTTTAGAAATTCAGCCAATATAGGTGAGCTCCGTAAGTCTCGCTTAGTTCTTCCCACTGATGCAGTT
AAGCAGAGGGTGGTGGTAGTGGTTCGGGACCATGGAGACCCACCACTTTCCTCTCTGTCACTCTGGGTG
TGCTGTTGAGCAACTCTGTCCCTCAGTTACTTCCAGACTTTGAAGATGTCTGGGAACCAGGAGGGCAGCT
TTCTGCCCAGAACTTGATTTTAGTAATTGCCTTGGCTTGATTTCTCTTTTATTTCTGGGGTGCTTACTT
TTCTTCGTGTGTACCAAGTTGCACCAGAGCCAGGCTGTTGCGCTCAGAGCTGCTGTCGCTCTACAGAGG
ATCTGAGGTATGGAAGTAAGATGGTTTCAAATCCTTGCATGACATCAGCCACCATAGATGTCACTACAGT
TGAGAGACTTTCTCAGACTTATCTCTATCGGGCCTCTCTGGGACTTGGTTCTGATAATAACAGTTTGCTG
TTGCGTGGGGAGTACAATGCTGCCGACCTGCGAAATCTTGCCACTGGGGTAGGACTGAATTTGCCAATAT
CCTGTATTAGATTGGAATAGGAAAGGGATCACGCTAATGTCAATGCCATGGTAAGCAAAATTTATAGG
AATT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG214714 representing NM_031882

Red=Cloning site Green=Tags(s)


MVGCQVAVLCLWVSCGAAAGQLEYSVPEETERGVAVGNLSADLRLPAAAMSSRNFRFLSSHRELYFGVDL
PSGNLVVREPADREQLCRAKAAACVLTYDLVLEDPLELHKIRIHVLDNDNSPLFPAGDVQLHIPEFLTPG
ARFTLPNAQDDDEGSNGILSYSLSPSQHFRLDMGSRVDGSEYPELVLEKALDREQRATHLLVLTARDGGL
PARSGDAQVTIIVVDNDNAPVFERSVYRTKVPETAPNGTVLFRVQALDPDEGSNGEVQYSLSNSTQAE
RHRFHVHPKSGEVQVAASLGPPETLLEAYIEARDEGVFGLASTAKLLVEVTDVNDHAPELDFLTLSNPVP
EDAAPGTVIALFSVKDEDLDSNGRVICGMSSAGPFQLTASFQDNYYSLLIDGPLDREQISEYQVLITASDS
GSPPLSTRRTITVSADVNDNTPNFPQPQQLFVAENNGPGASLGRVFAQDPDLGKNGLVSYELLDVISE
GPSASSLLAVESSGAITAKTSFDFEQLRGFHFQVEGRDGGIPRSATVTINLFVVDNRNDNYPVILFPLP
RNGSVPVEIVPRSARTGHLVTKVVAEDADSGSNWLSYHISRASDSSLFRISANIGELRTARLVLPDVA
KQRVVVVVRDHGDPPLSSSVTLGVLLSNSVPQLLPDFEDVWEPGGQLSAQNLYLVIALACISFLFLGCLL
FFVCTKLHQSPGCCAQSCCRSTEDLRYGSKMVSNPCMTSATIDVTTVERLSQTYLYRASLGLGSDNNSLL
LRGEYNAADLRNLATGVGLNLPISCIQIRNRKGDHANVNAMVSKFYGI

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN:

NM_031882

ORF Size:

2454 bp

OTI Disclaimer:


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_031882.3
RefSeq Size:	3084 bp
RefSeq ORF:	2457 bp
Locus ID:	56135
Cytogenetics:	5q31.3
Protein Families:	Transmembrane
Gene Summary:	This gene is a member of the protocadherin alpha gene cluster, one of three related gene clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG214714