

Product datasheet for **RG214781**

Stabilin 2 (STAB2) (NM_017564) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Stabilin 2 (STAB2) (NM_017564) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Stabilin 2
Synonyms:	FEEL2; FELE-2; FELL2; FEX2; HARE; SCARH1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



CTATAGGGCGCGCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCCGCGCGCCAGATCT

EcoRI BamHI KpnI RBS Kozac Consensus SgfI AscI

CAAGCTTAAGTCTAGCGGACCG ACG CGT ACG CGG CCG CTC GAG ATG GAG AGC GAC --- ---

HindIII NheI RsrII MluI NotI XhoI GFP Tag

T R T R P L E M E S D - - -

--- GAA GAA AGA GTT TAA ACGGCCGCCGCGAGCT

- - E E R V stop

ACCN: NM_017564


ORF Size: 7653 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_017564.9 , NP_060034.9
RefSeq Size:	8266 bp
RefSeq ORF:	7656 bp
Locus ID:	55576
UniProt ID:	Q8WWQ8
Cytogenetics:	12q23.3
Protein Families:	Druggable Genome, Transmembrane
Gene Summary:	This gene encodes a large, transmembrane receptor protein which may function in angiogenesis, lymphocyte homing, cell adhesion, or receptor scavenging. The protein contains 7 fasciclin, 15 epidermal growth factor (EGF)-like, and 2 laminin-type EGF-like domains as well as a C-type lectin-like hyaluronan-binding Link module. The protein is primarily expressed on sinusoidal endothelial cells of liver, spleen, and lymph node. The receptor has been shown to bind and endocytose ligands such as hyaluronan, low density lipoprotein, Gram-positive and Gram-negative bacteria, and advanced glycosylation end products. Supporting its possible role as a scavenger receptor, the protein has been shown to cycle between the plasma membrane and lysosomes. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG214781