

CTGTGCCAGGAGAAGCCCCGGTGAAGAAACGCAAGGGCAAGTTCAGGAAGAGCCGGCTGAAGCTCAAGG
 ATGGCAACCCGCATCAGCCTCCCTTCTGATTTCCAGCACAAGTTCACGGTGCAGGCCCTCCCCTACCATGGA
 TAAAGGAAGAGTCTTATCAACAGCCGCTCCAGTCCCTCTGCAAGCCCCACCATCATTCTCGCCTTCGA
 GCCATCCAGTTGACACCAGGTGAAAGCAGCAAAACCTGGGGCAGGAGCTCAGTCGTCCTCAAGGAGGAAG
 GGGAGGAGGAGAAGAGGGCCCCAAAGAAGAAGGGACGGACGTGGGGCCAGGGACGCTTGGTCAGAA
 GGAGCTTGCCCGGGAGATGAAGGATCCCTCAGAGACGTGAGAAAGTAATGGTTAAGTACCCCATCA
 GAATCTCCACATTTCCACTTGGCCCTCAAGTCCCTGGTAGATGGATATAAGCAGTGGTCCAGTCCGCCC
 CCAACCTGGTGAAGGGCCCAAGGAGTAGCCCGCCCTGCCAGGGTTCACCAGCCTTATGGAGATGGCCTT
 GCTGGCAGCCAGTTGGTGGTGCCCATCGACATTGAAGAGGATGAGGACAGTGAAGGCCAGGGAGTGGA
 GAGAGTCGCCTACAGCATTACCCAGCCAGTCTACCTCTGTATCCCATTCCCTCGTGGAGAGGATGGCG
 ATGGCCCTCCAGTGATGGAATCCATGAGGAGCCACCCAGTCAACTCGCCACGAGTACCCCTCAGCT
 GACGCCAACCAACAGCCTCAAGCGGGCGGTGCCACCACCGCCGCTGCGAGGTGGCTCTGCTCGGCTGT
 GGGGCTGTTCTGGCAGCCACAGGCCTAGGGTTGACTTGTGGAAGCTGGCAAGTCCAGCTGCTTCCCC
 TGGAGGAGCCTGAGCCACCAGCCGGGAGGAGAAGAAAAGACGGGAGGGTCTTTTTCAGAGGTCCAGCCG
 TCCTCGTCGGAGCACCAGCCCCCATCCCGAAAGCTTTTCAAGAAGGAGGAGCCATGCTGTTGCTAGGA
 GACCCCTCTGCCTCCCTGACGCTGCTCTCCTCTCCTCCATCTCCGAGTGCAACTCCACACGCTCCCTGC
 TGCCTCCGACAGCGATGAAATTGTCGTGTATGAGATGCCAGTCAGCCCAGTCGAGGCCCTCCCCTGAG
 TCCATGTACCCACAACCCCTGGTCAATGTCCGAGTAGAGCGCTTCAAACGAGATCCTAACCAATCTCTG
 ACTCCCACCCATGTCACCCTCACCACCCCTCGCAGCCAGCAGTACCAGCGGACTCCTTCTGATGGGG
 CCCTTAAGCCAGAGACTCTCTAGCCAGCAGGAGCCCTCCAGCAATGGGTTGAGCCCCAGTCTGGAGC
 AGGAATGTTGAAAACCCAGTCCAGCCGAGACCCAGGTGAATCCCCCGTCTCCCTGACCCCAATGTG
 GTCTTCCCCCAACCCCAAGCGCTGGAACACTCAGCAGGACTTACCTTGGAGAGACCAAGACTCTGG
 AGTTTCTGCCTCGGCCGCTCTTCTGCCAACCGGCAACGGCTGGACCCCTGGTGGTTGTGTCCCCAG
 CCATGCCCGCAGCACTCCCGAGCCAAACAGTCCAGCACAGAGACGCCAGCAACCTGGACTCCTGCTTT
 GCTAGCAGTAGCAGCACTGTAGAGGAGCGGCTGGACTTCCAGCCCTGCTCCCGTTCAGGCAGGGCCG
 TGCCCCGACTGAGCGGACGCTCCTGGACTGGATGCAGAGGGCAGAGTCAGGACAGCACCCTGCCGCT
 GTGCAGAGCGGAAGTGAACACACAGGCCTGCCCTTATGAGATCCAGCAGGAGTTCTGGTCT

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG215441 representing NM_033141
 Red=Cloning site Green=Tags(s)

MEPSRALLGLASAAAAAPPGEDGAGAGAEEEEEEEAAAVGPGELGCDAPLYWTVAFYEAAAGEDE
 LTLRLGDVVEVL SKDSQVSGDEGWWTGQLNQRVGI FPSNYVTPRASFSSRCQPGGEDPSCYPPIQLLEID
 FAELTLEEIIGIGGFGKYYRAFWIGDEVAVKAAARHDPDEDISQTIENVRQEAFLFAMLKHPNIIALRGVC
 LKEPNLCLVMEFARGGPLNRVL SGKRIPDILVNWAVQIARGMNYLHDEAIVPIIHRDLKSSNILILQKV
 ENGDL SNKILKITDFGLAREWHRTTKMSAAGTYAWMAPEVIRASMF SKGSDVWSYGVLLWELLTGEVPPFR
 GIDGLAVAYGVAMNKLALPI PSTCPEPFAKLMEDCWNPDPHSRPSFTNILDQLTTIEESGFFEMPKDSFH
 CLQDNWKHEIQEMFDQLRAKEKELRTWEEEL TRAAALQQKNQEELRRREQELAEREIDILEREINIIHQ
 LCQEKPRVKKRKGKFRKSRLKLDGNRISLPSDFQHKFTVQASPTMDKRKSLINRSPPASPTIIPRLR
 AIQLTPGESSKTWGRSSVVPKEEGEEEEKRAPKKKGRTWGPGLGQKELASGDEGSPQRREKANGSTPS
 ESPHFHLGLKSLVDGYKQWSSAPNLVKGPRSSPALPGFTSLMEMALLAASWVVPIDIEEDEDSEGPSSG
 ESRLQHSPSQSYLCIPFPRGEDGDPSSDGIHEEPTPVNSATSTPQLTPTNSLKRGAHRRRCEVALLGC
 GAVLAATGLGFDLLEAGKCQLLPLEEPEPPAREEKKRREGLFQRSSRPRRSTSPPSRKLFKKEEPMLLLG
 DPSASLTLLSLSSI SECNSTRSLLRSDSDEIVVYEMPVSPVEAPPLSPCTHNPLVNVVRVERFKRDPNQL
 TPTHVTLTTPSQSSHRRTPSDGALKPETLLASRSPSSNGLSPSPGAGMLKTPSPSRDPGEFPRLPDPNV
 VFPPTPRRWNTQQDSTLERPKTLEFLPRRPSANRQRLDPWWFVSPSHARSTSPANSSSTETPSNLDSCF
 ASSSSTVEERPGLPALLPFQAGPLPPTERTLLDLDAEQSQDSTVPLCRAELNTHRPAPYIEIQEFWS


TRTRPLE – GFP Tag – V

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:


Plasmid Map:

ACCN: NM_033141

ORF Size: 3354 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)
OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

| | |
|-------------------------------|--|
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM_033141.4</u> |
| RefSeq Size: | 5602 bp |
| RefSeq ORF: | 3357 bp |
| Locus ID: | 4293 |
| UniProt ID: | <u>P80192</u> |
| Cytogenetics: | 14q24.2 |
| Protein Families: | Druggable Genome, Protein Kinase |
| Gene Summary: | Serine/threonine kinase which acts as an essential component of the MAP kinase signal transduction pathway. Plays an important role in the cascades of cellular responses evoked by changes in the environment. Once activated, acts as an upstream activator of the MKK/JNK signal transduction cascade through the phosphorylation of MAP2K4/MKK4 and MAP2K7/MKK7 which in turn activate the JNKs. The MKK/JNK signaling pathway regulates stress response via activator protein-1 (JUN) and GATA4 transcription factors. Plays also a role in mitochondrial death signaling pathway, including the release cytochrome c, leading to apoptosis.[UniProtKB/Swiss-Prot Function] |