

Product datasheet for **RG215921**

PCDHA1 (NM_031410) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHA1 (NM_031410) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PCDHA1
Synonyms:	PCDH-ALPHA1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG215921 representing NM_031410
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGTGTTTTCTAGGAGAGGGGGCTGGGAGCCCGGATCTGCTTCTTTGGCTTCTGCTCCTCGCAGCCT
 GGGAGGTGGGAGCGGCCAGCTCCACTACTCGATCCCGAGGAAGCCAAACACGGCACCTTCGTTGGCCG
 CGTTGCTCAGGACCTGGGACTGGAGCTGGCGGAGCTGGTGCCTCGCCTGTTCCGGGTGGCGTCCAAAACA
 CACAGGGACCTTCTGGAGGTAAATCTGCAGAATGGCATTGTTGTTGTGAATTCTCGGATCGATCGCGAGG
 AGCTGTGCCAGTGGAGCGCGGAGTGCAGCATCCACCTGGAGTTGATCGCCGACAGGCCGCTGCAGGTTTT
 CCATGTGGAGGTGAAGGTGAAAGACATTAACGATAATCCACCCGCTTTCAGGGGCAGAGAACAAATAATA
 TTTATTCCTGAATCTAGACTCCTGAATTCGCGTTTTCCGATAGAAGGAGCTGCTGATGCAGACATTGGTG
 CTAACGCTCTTCTAACGTACACGCTCAGCCGAGTGATTATTTCTTTGGATGTAGAGGCAAGTGATGA
 ACTGAGTAAATCTCTTTGGCTTGAATTGAGAAAATATTTGGATAGAGAAGAAACACCAGAACTTCACCTTA
 TTAAGTACTGCCACTGATGGGGGCAAACCGGAGCTGCAAGGTACAGTTGAGCTGCTGATCACCGTCTCG
 ACGTTAATGATAACGCCCACTGTTTGACCAAGGCCGTATACAGAGTCCACTTGTTAGAGACTACAGCAAA
 TGGAACATTAGTGACCACATTAAATGCCTCTGATGCTGACGAAGGTGTAATGGTGAAGTCGTCTTTTCC
 TTTGACAGTGGTATTTCTCGTGACATTCAAGAAAAATTCAAAGTTGATTCCAGCTCAGGAGAAATAGGT
 TAATTGATAAACTGGATTATGAAGAAACAAATCCTACGAAATTCAGTAAGAGCAGTTGATAAAGGAAG
 TCCTCCGATGTCAAATCACTGTAAGGTTTTGGTGAAAGTGCTGGATGTAATGATGATGCTCCAGAACTG
 GCGGTCACTTCATTGTATTTGCCTATCAGAGAGGACGCTCCACTCAGCACCGTCATCGCCCTCATCACCG
 TGTCTGACCGTGACTCAGGTGCCAACGGGCAGGTGACTTGCTCCTTAATGCCCCACGTCCCCTTCAAGCT
 GGTGTCCACCTTCAAGAATTACTACTCGTTGGTGTGGACAGCGCCCTGGATCGCGAGAGCCTGTGCGGT
 TATGAGCTGGTGGTGACCGCGCGGACGGGGGCTCGCCTTCGCTGTGGGCCACGGCCAGGTGTCCGTGG
 AGGTGGCCGACGTGAATGACAACGCGCTGCGTTGCGCGAGCCGAGTACACAGTATTCGTGAAGGAGAA
 CAACCCGCGGGCTGCCACATCTTCACGGTGTCTGCGCGGACGCGGACGCGCAGGAGAACGCGTGGTG
 TCCTATTCGCTGGTGGAACGGCGGGTGGGCGAGCGCGCTGTGAACTACGTGTGAGTGCAGCGGAGAG
 GCGGCAAGGTGTACGCACTGCAGCCCTGGACCACGAGGAGCTGGAGCTGCTGCAGTTCCAGGTGAGCGC
 GCGGGATGCGGGCGTGCCGCTCTGGGCGAGCAACGTGACGCTGCAGGTGTTGCTGCTGGACGAGAACGAC
 AACGCGCCGGCGCTGCTGGCGCTCGAGTGGGTGGCACTATTGGTGCAGTCAGTGAAGTGGTGCCGCGAT
 TGGTGGGTGCGGGTCATGTGGTGGCGAAGGTGCGCGCAGTGGACGCCGACTCGGGCTACAACGCGTGGCT
 GTCCTATGAAGTGCAGCCGGCAGCAGGCGCGCGCATCCCCTTCCGCTGGGGCTGTACACGGGCGAG
 ATCAGCACGACTCGTGTCTGGACGAGGCTGACTTGTGCGCTACCGCCTTCTGGTGCTAGTGAAGGATC
 ACGGTGAGCCGGCGCTGACAGCCACGGCCACTGTGCTTGTATCTCTGGTGGAGAGCGGCCAGGCGCCAAA
 GGCGTCTTCGCGGGCGTCGGTGGGTGTGCGGGGCCAGAGGCGGCGCTGGTGGATGTCAACGTGTACCTG
 ATCATCGCCATCTGCGCGGTGTCCAGCCTGCTGGTGTCTACACTGCTGCTGTACACGGCGCTGCGGTGCT
 CAGTGCCGCCCCTGAGGGTGCGTATGTGCGGGCAAGCCCACTCTGGTGTGCTCCAGCGCGTTGGGGAG
 CTGGTCAAGTCAACGAGAGGCGGCAGAGGGTGTGCTCTAGCGAGGGCCACCCAAGACCGACCTCATG
 GCCTTCAGCCCAGGCCTATCTCAAGTCTTAACAGTCAAGAAAGAAATGAACAACCAAGCAAAATTTGG
 ATCTTTCTGTAATGTAAGTCCAACCTTCGAGTTTGGCTT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG215921 representing NM_031410
 Red=Cloning site Green=Tags(s)

```


MVFSRRGGLGARDLLLWLLLLAAWEVGSGQLHYSIPEEAKHGTFVGRVAQDLGLELAELVPRLFRVASKT
HRDLLEVNLRNGILFVNSRIDREELCQWSAECSEHLELIADRPLQVFHVEVKVKDINDNPPVFRGREQII
FIPESRLLNSRFPIEGAADADIGANALLTYTLSPSDYFSLDVEASDELKSLWLELRKYLDREETPELHL
LLTATDGGKPELQGTVELLITVLDVNDNAPLFDQAVYRVHLETTANGTLVTTLNASDADEGVNGEVVFS
FDSGISRDIQEKFKVDSSSGEIRLIDKLDYEETKSYEIQVKAVDKGSPMSNHCKVLVKVLDVNDNAPEL
AVTSLYLPIREDAPLSTVIALITVSDRDSGANGQVTCSLMPHVPFKLVSTFKNYSLVLDSDALDRESLSV
YELVVTARDGGSPSLWATARVSVEVADVNDNAPAFAPQPEYTVFVKENNPFGCHIFTVSARDADAQENALV
SYSLVERRVGERALSNYVSVHAESGKVYALQPLDHEELELLQFQVSARDAGVPPLGSNVTLQVFLDEND
NAPALLAPRVGGTIGAVSELVPRLVGAGHVVAKRAVDADSGYNWL SYELQPAAGGARIPFRVGLYTGE
ISTTRVLDEADLSRYRLLVLKDHGEPALTATATVLVSLVESGQAPKASSRASVGVAGPEAALVDVNVYL
IIAICAVSSLLVLTLLLYTALRCSVPPTGAYVPGKPTLVCSALGSWSNSQRRQRVCSEGPCKTDL
AFSPGLSPSLNTSERNEQPEANLDL SGNVSPTFEFWL
  
```

SGP^{TR}RRLE – GFP Tag – V

Restriction Sites:

Sgfl-RsrII


Cloning Scheme:



ACCN:	NM_031410
ORF Size:	2421 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_031410.2</u>
RefSeq Size:	2571 bp
RefSeq ORF:	2424 bp
Locus ID:	56147
UniProt ID:	<u>Q9Y5I3</u>
Cytogenetics:	5q31.3
Protein Families:	Transmembrane
Gene Summary:	This gene is a member of the protocadherin alpha gene cluster, one of three related gene clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG215921