

## **Product datasheet for RG216126**

## FBXO44 (NM\_033182) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** FBXO44 (NM\_033182) Human Tagged ORF Clone

Tag: TurboGFP Symbol: FBXO44

Synonyms: FBG3; FBX6A; FBX30; Fbx44; Fbxo6a

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG216126 representing NM\_033182

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com **Protein Sequence:** >RG216126 representing NM\_033182

Red=Cloning site Green=Tags(s)


MAVGNINELPENILLELFTHVPARQLLLNCRLVCSLWRDLIDLVTLWKRKCLREGFITEDWDQPVADWKI FYFLRSLHRNLLHNPCAEEGFEFWSLDVNGGDEWKVEDLSRDQRKEFPNDQVKKYFVTSYYTCLKSQVVD LKAEGYWEELMDTTRPDIEVKDWFAARPDCGSKYQLCVQLLSSAHAPLGTFQPDPATIQQKSDAKWREVS HTFSNYPPGVRYIWFQHGGVDTHYWAGWYGPRVTNSSITIGPPLP


TRTRPLE - GFP Tag - V

**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





**ACCN:** NM\_033182

ORF Size: 765 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 033182.7</u>

 RefSeq Size:
 2948 bp

 RefSeq ORF:
 768 bp

 Locus ID:
 93611

 UniProt ID:
 Q9H4M3

Cytogenetics: 1p36.22

Domains: F-box, FBA

**Protein Families:** Druggable Genome


**Gene Summary:** This gene encodes a member of the F-box protein family which is characterized by an

approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of the ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbxs class. It is also a member of the NFB42 (neural F Box 42 kDa) family, similar to F-box only protein 2 and F-box only protein 6. Several alternatively spliced transcript variants encoding two distinct isoforms have been found for

this gene. [provided by RefSeq, Feb 2015]



## **Product images:**



Circular map for RG216126