

Product datasheet for **RG216199**

PHF12 (NM_001033561) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	PHF12
Synonyms:	PF1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



ORF Nucleotide Sequence: >RG216199 representing NM_001033561
Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTGAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGTGGGAGAAAATGGAGACCAAGACGATCGTGTACGACTTGGACACATCAGGGGGGCTGATGGAGCAAA
TCCAAGCTCTGCTGGCTCCCCCAAGACGACGAGGCAGAAAAGCGCAGTCGGAAGCCTGAGAAGGAGCC
CCGGAGAAGCGGACGGGCCACCAACACGACAGCTGCGATAGCTGCAAGGAAGTGGAGATCTCCTGTGC
TGCGACCACTGCCCGGCTGCCTTCCACCTCCAGTGTGTAACCTCCACTGAGTGAAGAAATGTTGCCTC
CTGGAGAGTGGATGTGTACCGGTGCACTGTTCCGCCGAAAGAAACGAGAGCAGAAAAAGGAGCTGGGTCA
TGTC AATGGACTGGTGGACAAATCTGGCAACGGAATACATCCCCAGCAGTGACACTGACTTGTGGAC
AGATCGGCCAGCAAACTGAACTAAAGGCCATTGCCATGCCCGGATCCTGGAAGGAGAGCCAGCAGGC
CTGGCACACCCACATCCAGCGCCAGCAGAGACTCCACCTCTGAGCAGAATGATGTCGACGAAGACAT
CATTGACGTGGATGAGGAACCACTAGCAGCGGAGCCAGACTATGTGCAGCCCCAGCTGAGGCGGCCCTTT
GAGCTGCTGATTGCTGCCGCAATGGAGCGGAACCCACCAATTTTCAGTTGCCCAATGAACTGACTTGT
CCACTGCACTACCAAGTTCTAGCAAGAGGAGAAGAAAGGAGGAAACACAGGAAAAATGTTAAGAAGAC
ACAGCATGAATTAGATCACAATGGTCTCGTTCCTTACCCGTCAAAGTCTGCTTACGTGTAAACAGGAGT
TGCCGTGTGGCTCCTCTCATCAGTGTGACTATTGCCCTCTCTGTTTCACATGGATTGCCTCGAGCCGC
CGCTCACTGCCATGCCCTGGGCAGATGGATGTGTCCGAATCACATCGAACATGTGGTGTGAACACAGAA
GAATATGACACTGAGCAATCGGTGCCAGGTGTTGATCGTTTCCAGGACACCGTTTCGAGCATGTCGTC
AAAGTGGACTTCTGAACCGAATCCACAAGAAGCACCCCCCTAACCGGCGTGTGCTCCAGTCGGTCAAAA
GAAGAAGCTTGAAGTTCTGATGCTATAAAATCTCAGTACCAGTTTCCACCCCTCTCATTGCACCCGC
GGCCATTCCGGACGGGAGCTGATCTGCAATGGGATCCCTGAGGAATCACAGATGCACCTTTTGAATCT
GAGCACTTAGCCACCCAAGCAGAGCAGCAAGAGTGGCTCTGTAGTGTGTTGCGCTCCAGTGCAGCATAT
TGAAACATTTATCTGCTAAGCAGATGCCTTCGCATTGGGACTCTGAACAGACAGAGAAGGCTGATATTAA
GCCTGTATTGTGACTGACAGCTCAGTACCACCTCCCTGCAACAGCTGACAAGACACCTACACCTTCC
CACTACCCCTTGTCTGCCCTCAGGGATTAGCACCCAGAATTCCTGAGCTGCTCTCCACCCACCACT
CCCCAGCCCTAGAGGACATCGGTGCACTTCTTGTGCGGAAAAATCCAAGAAAAACCCCTTGTGGGACTGC
CAATGGGCCAGTGAACACAGAGGTGAAGCTAATGGCCACACCTCTACAGCAGCCCTACTGATTCCACG
GACCCCGGCGACTTCCAGGCGCTAACCCCCACTACCAGGCTCTCACACCGCAAGGCTGGCCCCGGC
CCCTCAGCCACCAGCGCTGGGGGCTTCAGAACACACCGTCGGCATCATTGTGAAGACAGAGAATGC
CACTGGCCCCAGCTCTTCCCCCAGAGGAGTTTGGTTCCTGTCCCAAGCCTGCCCTTCCATTCCCAGC
TCTTGTGCCAGCATCGAGAACCAGCACTTTGCAAGAAAGACTGTCCAATCACAGATAGGACCTCCGT
TGACAGATTCAAGGCCACTGGGCTCACCCCAACGCCACCCGGGTGCTCACTCCCCGCAAGCAGCAGG
AGATGGTATCTTGGCCACAACAGCCAACCAACGATTACGCTCACCAGCGCCATCGTCAGATGGCAAGGTC
AGCCCCGGCACGTTATCCATAGGAAGCGCTTAACCGTACCCTCTTCCAGCCAACCTACTGCCATGG
TGGACCTCACCAACTCACTTCGAGCATTTATGGATGTCAATGGAGAAATCGAGATAAATATGCTGGACGA
GAAGCTGATCAAGTTTCTGGCCTTGACAGAGAATACATCAGCTTTTCCCTCCCGGTCCAACCTTACCG
GGCAGTGTCCGGACACATCAGCTGGCTTCTGGAGGGCACACATAGAAGTGCAAGAAAGGAGGTACAGG
CCCGAGCTGTGTTCTACCCCTCTTAGGGTTGGGAGGAGCTGTGAACATGTGCTATCGAACCTCTACAT
CGGGACAGGAGCTGACATGGATGTGTGCCTTACAACTATGGTCACTGTAACACGTGTCGGGAAACAT
GCCTGCATATTCTACGATGAGAATACCAACATTATGAGCTGTTAACTACAGTGAGCATGGGACAACGG
TGGACAATGTGCTGTATTATGTGACTTCTCGGAGAAGACCCGCCAACCCCAAGCAGTATTGTTGC
CAAAGTGCAGAGTGTATCAGGCGCCGCCGACCAAGAACAGGACGAAGGCAAGTGAGGAGGACGCC
ATGATGAGTTCAGGCCCAGGGCCGACGCGGAGACCCTGCAATTGCAAGGCCAGCAGCTCGAGCTTGA
TTGGGGGACAGTGGGGCCGGCTGGGAGGGCACAGCCTTACTGCACCATGGCAGCTACATCAAGCTGGGCTG
CCTGCAAGTTTGTCTTACGATCACTGAGTTTGCACCAACAGCCCAAGGCGATGCCAGCCTGCTGCAG
GATGGGGTCTTGGCCGAGAAGCTCTCTCAAGCCCCACCAGGGCCCTGTGCTGCGCTCCAACCTCTGTTCT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG216199 representing NM_001033561

Red=Cloning site Green=Tags(s)


MWEKMETKTIVYDLDTSGGLMEQIQALLAPPKTDEAEKRSRKPEKEPRRSGRATNHDSKDSCKEGGDLLC
CDHCPAAFLQCCNPPLSEMLPPGEWMCHRCTVRRKKREQKKELGHVNLVDKSGKRTTSPSSDSDLDD
RSASKTELKAIHARILERRASRPGTPTSSASTETPTSEQNDVDEDIIDVDEEPVAAEPDYVQQLRRPF
ELLIAAMERNPTQFQLPNELTCTTALPGSSKRRRKEETTGNVKKTQHELDHNLVPLPVKVCFTCNRS
CRVAPLIQCDCYCPLLFHMDCLEPPLTAMPLGRWMCPNHIEHVVLNQKNMTLSNRCQVFDRFQDTSVQHV
KVDFLNRHKKHPNRRVLQSVKRRSLKVPDAIKSQYQFPPPLIAPAAIRDGELICNGIPEESQMHLNS
EHLATQAEQEWLCSVALQCSILKHLSAKQMPSHWDEQTEKADIKPVIIVTSSVTSLQTADKTPTPS
HYPLSCPSGISTQNSLSCSPPHQSPALEDIGCSSCAEKSCKTTCGTANGPVNTEVKANGPHLYSSPTDST
DPRRLPGANTPLPGLSHRQGWPRPLTPPAAGGLQNHTVGIIVKTENATGPSSCPQSLVPVPSLPPSIPS
SCASIENTSTLQRKTVQSQIGPPLTDSRPLGSPNATRVLTTPQAAGDGILATTANQRFSSPAPSSDGKV
SPGTLSIGSALTVPSFPANSTAMVDLTNSLRAFMDVNGEIEINMLDEKLIKFLALQRIHQLFSPRVQPS
GSVGTQLASGGHHIEVQRKEVQARAVFYPLLGLGAVNMCYRTL YIGTGADMDVCLTNYGHCNYSVSGKH
ACIFYDENTKHYELLNYSEHGTTVDNVLVSCDFSEKTPPTPPSSIVAKVQSVIRRRRHQKQDEEPSEEA
MMSSQAQGPQRRPCNCKASSSLIGGSGAGWEGTALLHHGSYIKLGCLQVFVFSITEFATKQPKGDASLLQ
DGVLAEKLSLKPHQGPVLRNSVP

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACC�:


NM_001033561

ORF Size:

3012 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001033561.2
RefSeq Size:	4475 bp
RefSeq ORF:	3015 bp
Locus ID:	57649
UniProt ID:	Q96QT6
Cytogenetics:	17q11.2
Protein Families:	Druggable Genome, Transcription Factors
Gene Summary:	Acts as a transcriptional repressor. Involved in recruitment of functional SIN3A complexes to DNA. Represses transcription at least in part through the activity of an associated histone deacetylase (HDAC). May also repress transcription in a SIN3A-independent manner through recruitment of functional TLE5 complexes to DNA.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG216199