

Product datasheet for **RG216224**

TJP1 (NM_175610) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TJP1 (NM_175610) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	TJP1
Synonyms:	ZO-1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG216224 representing NM_175610 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCCGCCAGAGCTGCGGCCGCAAGAGCACAGCAATGGAGGAAACAGCTATATGGGAACAACATACAG
TGACGCTTCACAGGGCTCCTGGATTTGGATTTGGAATTGCAATATCTGGTGGACGAGATAATCCTCATT
TCAGATGGGGAAACGTCAATAGTGATTCAGATGTGCTGAAAGGAGGACCAGCTGAAGGACAGCTACAG
GAAAATGACCGAGTTGCAATGGTTAACGGAGTTTCAATGGATAATGTTGAACATGCTTTTCTGTTCCAGC
AACTAAGGAAAAGTGGGAAAAATGCAAAAATTACAATTAGAAGGAAGAAGAAAGTTCAAATACCAGTAAG
TCGTCCTGATCCTGAACCAAGTATCTGATAATGAAGAAGATAGTTATGATGAGGAAATACATGATCCAAGA
AGTGGCCGGAGTGGTGTGGTTAACAGAAGGAGTGAGAAGATTTGGCCGAGGGATAGAAGTCAAGTAGAG
AGAGGAGCTTGTCCCGCGGTACAGACAGGCGGTACGTGGCTTCCAGCCAGCCTGTAAACCTACTAAAGT
CACACTGGTGAATCCCGGAAAAATGAAGAATATGGTCTTCGATTGGCAAGCCATATATTTGTTAAGGAA
ATTTCAACAAGATAGTTTGGCAGCAAGAGATGGCAATATCAAGAAGGTGATGTTGTATTGAAGATAAATG
GTACTGTGACAGAAAATATGTCATTGACAGATGCAAAAGACATTGATAGAAAGGTCTAAAGGCAAAATTA
AATGGTAGTTCAAAGAGATGAACGGGCTACGCTATTGAATGTCCCTGATCTTTCTGACAGCATCCACTCT
GCTAATGCCTCTGAGAGAGACGACATTTAGAAAATTCAGTCACTGGCATCAGATCATTCTGGTCGATCAC
ACGATAGGCCTCCCGCCGCGAGCCGGTACGATCTCCTGACCAGCGGTACAGGCCTTCTGATCATTCCAG
GCACTCGCCGAGCAGCAAGCAATGGCAGTCTCCGGAGTAGAGATGAAGAGAGAATTTCTAAACCTGGG
GCTGTCTCAACTCCTGTAAGCATGCTGATGATCACACCTAAAACAGTGAAGAAGTTACAGTTGAAA
GAAATGAGAAACAACACCTTCTCTCCAGAACCAAGCCTGTGTATGCCCAAGTTGGGCAACCAGATGT
GGATTTACCTGTCAGTCCATCTGATGGTGTCTACCTAATTCAACTCATGAAGATGGGATTCTTCGGCCC
AGCATGAAATGGTAAAATTCAGAAAAGGAGATAGTGTGGGTTTGGCGCTGGCTGGTGGAAATGATGTTG
GAATTTGTAGCTGGCCTTCTAGAAGATAGCCCTGCAGCAAGGAAGGCTTAGAGGAAGGTGATCAAT
TCTCAGGTAACAACGTAGATTTTACAATATCATAAGAGAAGAAGCCGTCCTTTCTGCTTGACCTC



[View online »](#)

CCTAAAGGAGAAGAAGTGACCATATTGGCTCAGAAGAAGAAGGATGTTTATCGTCGCATTGTAGAATCAG
 ATGTAGGAGATTCTTTCTATATTAGAACCATTTTGAATATGAAAAGGAATCTCCCTATGGACTTAGTTT
 TAACAAAGGAGAGGTGTTCCGTGTTGTGGATACCTTGTACAATGGAAAAGTGGGCTTGGCTTGCTATT
 CGAATTGGTAAAAATCATAAGGAGGTAGAACGAGGCATCATCCCTAATAAGAACAGAGCTGAGCAGCTAG
 CCAGTGTACAGTATACACTTCCAAAAACAGCAGGCGGAGACCGTGCTGACTTCTGGAGATTGAGAGGCT
 TCGCAGCTCCAAGAGAAATCTTCGAAAAAGCAGAGAGGATTTGTCCGCTCAGCCTGTTCAAACAAAGTTT
 CCAGCTTATGAAAGAGTGGTTCTTCGAAAGCTGGATTTCTGAGGCCTGTAAACATTTTTGGACCAATAG
 CTGATGTTGCCAGAGAAAAGCTGGCAAGAGAAGAACAGATATTTATCAAATTGCAAAGAGTGAACCACG
 AGACGCTGGAACAGCAACGTAGCTCTGGCATTATTCGCTGCATACAATAAAGCAAATCATAGATCAA
 GACAAACATGCTTTATTAGATGTAACACCAAATGCAGTTGATCGTCTTAACTATGCCAGTGGTATCCAA
 TTGTTGATTTCTTAAACCCTGATTCTAAGCAAGGAGTAAAAACAATGAGAATGAGGTTATGTCCAGAATC
 TCGGAAAAGTGCCAGGAAGTTATACGAGCGATCTCATAAACTTCGTAATAAATCACCATCTTTTTACA
 ACTACAATTAACCTAAATTCATGAATGATGGTTGGTATGGTGCCTGAAAGAAGCAATTAACAACAGC
 AAAACCAGCTGGTATGGGTTTCCGAGGGAAAGGCGGATGGTGCTACAAGTATGACCTTGATTTGCATGA
 TGATCGTCTGTCTACCTGTGCTCAGCTCCAGGTAGTGAATACTCAATGTATAGCACGGACAGTAGACACT
 TCTGACTATGAAGACACAGACACAGAAGCGGGGCTACACTGATCAAGAACTAGATGAAACTCTTAATG
 ATGAGGTTGGGACTCCACCGGAGTCTGCCATTACACGGTCTCTGAGCCTGTAAGAGAGGACTCCTCTGG
 AATGCATCATGAAAACCAAACATATCCTCTTACTCACCACAAGCGCAGCCACAACCAATTCATAGAATA
 GACTCCCTGGATTTAAGCCAGCCTCTCAACAGGTGTATAGAAAAGGATCCATATCCCAGGAAAATGATGA
 GGCAGAACCATGTTTTGAAACAGCCAGCCGTTAGTCAACCAGGGCACAGGCCAGACAAAGAGCCTAATCT
 GACCTATGAACCCCAACTCCCATACGTAGAGAAAACAAGCCAGCAGAGACCTCGAGCAGCCACATACAGA
 TACGAGTCTCAAGCTATACGGACCAGTTTTCTCGAACTATGAACATCGTCTGCGATACGAAGATCGCG
 TCCCCATGTATGAAGAACAGTGGTCAATTTATGATGACAACAGCCCTACCCATCTCGGCACCTTTTGA
 TAATCAGCACTCTCAAGACCTTGACTCCAGCAGCATCCCGAAGAGTCTCAGAACGAGGGTACTTTCCA
 CGTTTTGAAGAGCCAGCCCTCTGTCTTACGACAGCAGACCAGTTACGAACAGGCACCTAGAGCATCCG
 CCCTGCGGCACGAAGAGCAGCCAGCTCCTGGGTATGACACACATGGTAGACTCAGACCGGAAGCCAGCC
 CCACCCTCAGCAGGGCCCAAGCCTGCAGAGTCCAAGCAGTATTTTGGCAATATTCACGCGATTACGAG
 CAAGTACCACCCCAAGGATTTACCTCTAGAGCAGGTCAATTTGAGCCTCTCCATGGTGTGACAGTGTCC
 CTCGCTGATACCTTCATCTCAGCATAAGCCAGAAGCTCTGCCTTCAAACACCAAACCACTGCCTCCACC
 CCCAACTCAAACCGAAGAAGAGGAAGATCCAGCAATGAAGCCACAGTCTGTACTACCAGAGTTAAGATG
 TTTGAAAACAAAAGATCTGCATCCTTAGAGACCAAGAAGGATGTAATGACACTGGCAGTTTTAAGCCTC
 CAGAAGTAGCATCTAAACCTTCAAGTGTCCCATCATTGGTCCCAAACCACTTCTCAGAATCAATTCAG
 TGAACATGACAAAACCTGTACAGGATCCAGAACCTCAAAAACCTCAACTGAAGCCACCTGAAGATATT
 GTTCGGTCCAATCATTATGACCCTGAAGAAGATGAAGAATATTATCGAAAACAGCTGTACTTTGACC
 GAAGAAGTTTTGAGAATAAGCCTCCTGCACACATTGCCGCGAGCCATCTCTCCGAGCCTGCAAAGCCAGC
 GCATTCTCAGAATCAATCAAATTTTTCTAGTTATTTCTTCAAAGGGAAAGCCTCCTGAAGCTGATGGTGTG
 GATAGATCATTGGCGAGAAACGCTATGAACCCATCCAGGCCACTCCCCCTCCTCCTCATTGCCCTCGC
 AGTATGCCAGCCATCTCAGCCTGTACCAGCGCTCTCTCCACATACATTCTAAGGGAGCACATGGTGA
 AGGTAATTCAGTGTCAATGGATTTTCAGAATTCCTTAGTGTCAAACAGACCCACCTCCATCTCAGAAT
 AAGCCAGCAACTTTCAGACCACCAACCCGAGAAGATACTGCTCAGGCAGCTTTCTATCCCCAGAAAAGTT
 TTCAGATAAAGCCCAAGTTAATGGAACGAAACAGACTCAGAAAACAGTCACTCCAGCATACAATCGATT
 CACACCAAACCATATACAAGTTCTGCCGACCATTTGAACGCAAGTTTGAAGTCTCAAATTCATCAC
 AATCTTCTGCCAAGTGAACCTGCACATAAACCTGACTTGTCTTCAAACCTCCACTTCTCCAAAACCTC
 TTGTGAAATCGCACAGTTTGGCACAGCCTCCTGAGTTTGACAGTGGAGTTGAAACTTTCTCTATCCATGC
 AGAGAAGCCTAAATATCAAATAAATAATATCAGCACAGTGCCTAAAGCTATTCTGTGAGTCTTCCAGT
 GTGGAAGAGGATGAAGATGAAGATGGTCATACTGTGGTGGCCACAGCCCGAGGCATATTTAACAGCAATG
 GGGCGTGTGAGTTCCATAGAAACTGGTGTAGTATAATTATCCCTCAAGGAGCCATCCCGAAGGAGT
 TGAGCAGGAAATCTATTTCAAGGTCTGCCGGGACAACAGCATCTTCCACCTTTAGATAAAGAGAAAGGT
 GAAACACTGTGAGTCTTTGGTGTGTGGTCCCCATGGCCTCAAGTTCTGAAAGCCTGTGGAGCTGC
 GCTTACCACACTGTGATCCTAAACCTGGCAAAAACAAGTGTCTTCCCGGAGATCCAAATTCCTGTTGG
 AGCAAACCTGTGTTTCTGTCTTATTGACCATTT

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG216224 representing NM_175610
 Red=Cloning site Green=Tags(s)

MSARAAAAKSTAMEETAWEQHTVTLHRAPGFGFGIAISGGRDNPHFQSGETSIVISDVLKGGPAEGQLQ
 ENDRVAMVNGVSMNDNEHAFVAVQQLRKSGKNAKITIRRRKKVQIPVSRPDPEVSDNEEDSYDEEIHDP
 SGRSGVNNRRSEKIWPRDRSASRERSLSPRSRRSVASSQPAPKPTKVTLVKSARKNEEYGLRLASHIFVKE
 ISQDLSAARDGNIQEGDVVLKINGTVTENMSL TDAKTLIERSKGGKLMVVQORDERATLLNVPDLSDSIHS
 ANASERDDISEIQSLASDHSGRSHDRPPRRSRSPDQRSEPSDHSRHSPPQPSNGSLRSRDEERISKPG
 AVSTPVKHADDHTPKTVEEVTVERNEKQTPSLPEPKPVYAQVGGQPDVDPVSPSDGVLPNSTHEDGILRP
 SMKLVKFRKGDSVGLRLAGGNDVGI FVAGVLEDSPAAGEEGDQILRVNNVDF TNI IREEAVL FLLDL
 PKGEEVTILAQKKKDVYRRIVESDVGDSFYIRTHFEYEKESPYGLSFNKGEVFRVVDL YNGKLGSLAI
 RIGKNHKEVERGIIPKNRAEQLASVQYTLPKTAGGDRADFWRFRGLRSSKRNLKRSREDLSAQPVQTKF
 PAYERVVLEAGFLRPVTIFGPIADVAREKLAREEPDIYQIAKSEPRDAGTDQRSSGIIRLHTIKQIIDQ
 DKHALLDVTPNAVDRNLNYAQWYPIVVFLNPDASKQGVKTMRMRLCPE SRKSARKL YERSHKL RKNHHLFT
 TTINLSMNDGWYGALKEAIQQQQNLVWVSEKADGATSDDLLDHDRLSYLSAPGSEYSMYSTDSRHT
 SDYEDTDEGGAYTDQELDETLNDEVTGPPESAITRSSEPVREDSGMHENQTYPPYSPQAQPPIHRI
 DSPGFKPASQVYRKDPYPEEMMRQNHVLKQPAVSHPGHRPDKEPNLTYPQLPYVEKQASRDLEQPT
 YESSSYTDQFSRNYEHLRYEDRVPMYEEQWSYDDKQPYPSRPPFDNQHSQDLDSRQHPEESSERGYFP
 RFEAPAPLSYDSRPRYEQAPRASALRHEEQPAPGYDTHGRLRPEAQPHPSAGPKPAESKYFEQYSRYE
 QVPPQGFTRAGHFEPLHGAAPVPLIPSSQHKPEALPSNTKPLPPPPTQTEEEEDPAMKQSVL TRVKM
 FENKRSASLETKKDVNDTGSFKPPEVASKPSGAPIIGPKPTSQNFSEHDKTLYRIPEPQPKLPKPPEDI
 VRSNHYPDEEYRQQLSYFDRRSFENKPPAHTAASHLSEPAKPAHSQNSNFSSYSSKGPPEADGV
 DRSFGEKRYEPIQATPPPPPLPSQYAQPSQPVTSASLHIHSGKAHGEGNSVSLDFQNSLVSKPDPSPSN
 KPATFRPPNREDTAQAAYFPQKSFDPKAPVNGTEQTQKTVTPAYNRFTPKPYTSSARPFERKFESPKFNH
 NLLPSETAHKPDLSKKTPTSPKTLVKSHSLAQPFEDSGVETFSIHAEKPKYQINNI STVPKAI PVS
 PA VEDEDEDGHTVVATARGIFNSGGVLSSETGVSIIPQGAIPGEVEQEIYFKVCRDNSILPLDKEKG
 ETLLSPLVMCGPHGLKFLKPVLELRPHCDPKTWQNKCLPGDPNYLVGANCVSVLIDHF


TRTRPLE – GFP Tag – V


Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:


ACCN: NM_175610

ORF Size: 5004 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_175610.4
RefSeq Size:	6925 bp
RefSeq ORF:	5007 bp
Locus ID:	7082
UniProt ID:	Q07157
Cytogenetics:	15q13.1
Protein Families:	Druggable Genome
Protein Pathways:	Adherens junction, Epithelial cell signaling in Helicobacter pylori infection, Gap junction, Tight junction, Vibrio cholerae infection
Gene Summary:	<p>This gene encodes a member of the membrane-associated guanylate kinase (MAGUK) family of proteins, and acts as a tight junction adaptor protein that also regulates adherens junctions. Tight junctions regulate the movement of ions and macromolecules between endothelial and epithelial cells. The multidomain structure of this scaffold protein, including a postsynaptic density 95/disc-large/zona occludens (PDZ) domain, a Src homology (SH3) domain, a guanylate kinase (GuK) domain and unique (U) motifs all help to co-ordinate binding of transmembrane proteins, cytosolic proteins, and F-actin, which are required for tight junction function. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Aug 2017]</p>