


Product datasheet for **RG216376**

PKD1L1 (NM_138295) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	PKD1L1
Synonyms:	HTX8; PRO19563
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
Restriction Sites:	SgfI-RsrII
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



EcoRI BamHI KpnI RBS Kozac Consensus SgfI AscI
 CTATAGGCGCGCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGATCGCCGCGCGCCAGATCT
 HindIII NheI RsrII MluI NotI XhoI GFP Tag
 CAAGCTTAAGTAGCTAGCGGACCG ACG CGT ACG CGG CCG CTC GAG ATG GAG AGC GAC --- ---
 T R T R P L E M E S D - - -
 --- GAA GAA AGA GTT TAA ACGGCCGCCCGCGGAGCT
 - - E E R V Stop

ACCN:	NM_138295
ORF Size:	8547 bp



OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_138295.5
RefSeq Size:	9001 bp
RefSeq ORF:	8550 bp
Locus ID:	168507
UniProt ID:	Q8TDX9
Cytogenetics:	7p12.3
Protein Families:	Druggable Genome, Transmembrane

Gene Summary:

This gene encodes a member of the polycystin protein family containing 11 transmembrane domains, a receptor for egg jelly (REJ) domain, and a polycystin-1, lipoxygenase, alpha-toxin (PLAT) domain. The encoded protein may play a role in the male reproductive system. Alternative splice variants have been described but their biological nature has not been determined. [provided by RefSeq, Jul 2008]