

Product datasheet for **RG216448**

Phospholipase C gamma 1 (PLCG1) (NM_002660) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Phospholipase C gamma 1 (PLCG1) (NM_002660) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Phospholipase C gamma 1
Synonyms:	NCKAP3; PLC-II; PLC1; PLC148; PLCgamma1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG216448 representing NM_002660 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGGGCGCCGCTCCCTTGCGCCAACGGCTGCGGGCCCGCGGCCCTCGGACGCCGAGGTGCTGC
ACCTCTGCCGAGCCTCGAGGTGGGCACCGTCATGACTTTGTTCTACTCCAAGAAGTCGACAGCGACCCGA
GCGGAAGACCTCCAGGTCAAGCTGGAGACGCCAGATCACGTGGAGCCGGGGCCGACAAGATCGAG
GGGGCCATTGACATTCGTGAAATTAAGGAGATCCGCCAGGAAGACCTCACGGGACTTTGATCGCTATC
AAGAGGACCCAGCTTCCGGCCGACCAGTCACATTGCTTTGTCATTCTCTATGGAATGGAATTTGCTC
GAAAACGCTGAGCCTGCAAGCCACATCTGAGGATGAAGTGAACATGTGGATCAAGGGCTTAACCTGGCTG
ATGGAGGATACATTGCAGGCACCCACACCCTGCAGATTGAGAGGTGGCTCCGGAAGCAGTTTTACTCAG
TGGATCGGAATCGTGAGGATCGTATATCAGCCAAGGACCTGAAGAACATGCTGTCCAGGTCAACTACCG
GGTCCCCAACATGCGCTTCTCCGAGAGCGGCTGACGGACCTGGAGCAGCGCAGCGGGGACATCACCTAC
GGGCAGTTTGCTCAGCTGTACCGCAGCCTCATGTACAGCGCCAGAACAGATGGACCTCCCTTCTTGG
AAGCCAGTACTCTGAGGGCTGGGAGCGGCCGAGCTTTGCCAGTGTCCCTTCTGAGTCCAGCAGTT
CCTTCTTGACTACCAGGGGAGCTGTGGCTGTGATCGCCTCCAGGTGCAGGAGTTCATGCTCAGCTTC
CTCCGAGACCCCTTACGAGAGATCGAGGAGCCATACTTCTCTGGATGAGTTTGTACCTCCTGTTC
CCAAAGAGAACAGTGTGTGAACTCGCAGCTGGATGCAAGTATGCCCGACACCATGAACAACCCCTTTTC
CCTACTGATCTCCTCCTCGCACAAACAGTACCTGACCGGGGACCAGTTCTCCAGTGAGTCTCCTTGG
GAAGCCTATGCTCGCTGCCTGCGGATGGGCTGTCGCTGCATTGAGTTGGACTGCTGGGACGGCCGGATG
GGATGCCAGTTATTTACCATGGGCACACCCTTACCACCAAGATCAAGTTCTCAGATGTCCTGCACACCAT
CAAGGAGCATGCCTTTGTGGCTCAGAGTACCCAGTCATCCTGTCCATTGAGGACCACTGCAGCATTGCC
CAGCAGAGAAACATGGCCCAATACTTCAAGAAGGTGCTGGGGACACACTCCTACCAAGCCCGTGGAGA
TCTCTGCCGACGGCTCCCTCACCAACCAGCTTAAGAGGAAGATCCTCATCAAGCACAGAAGCTGGC
TGAGGGCAGTGCCTACGAGGAGGTGCCTACATCCATGATGTACTCTGAGAACGACATCAGCAACTCTATC



[View online »](#)

AAGAATGGCATCCTCTACCTGGAGGACCCTGTGAACCACGAATGGTATCCCCACTACTTTGTTCTGACCA
GCAGCAAGATCTACTACTCTGAGGAGACCAGCAGTGACCAGGGCAACGAGGATGAGGAGGAGCCCAAGGA
GGTCAGCAGCAGCACAGAGCTGCACTCCAATGAGAAGTGGTTCCATGGGAAGCTAGGGGCAGGGCGTGAC
GGGCGTCACATCGCTGAGCGCCTGCTTACTGAGTACTGCATCGAGACCGGAGCCCTGACGGCTCCTTCC
TCGTGCGAGAGAGTGAGACCTTCGTGGGCGACTACACGCTCTCTTCTGGCGGAACGGGAAAAGTCCAGCA
CTGCCGTATCCACTCCCGCAAGATGCTGGGACCCCAAGTTCTTCTTGACAGACAACCTCGTCTTTGAC
TCCCTCTATGACCTCATCAGCACTACCAGCAGGTGCCCTGCGCTGTAATGAGTTTGAGATGCGACTTT
CAGAGCCTGTCCACAGACCAACGCCCCACGAGAGCAAAGAGTGGTACCACGCGAGCCTGACCAGAGCACA
GGCTGAGCACATGCTAATGCGCGTCCCTCGTGATGGGGCCTTCTGTTGCGGAAGCGGAATGAACCAAC
TCATATGCCATCTCTTTCCGGGTGAGGGCAAGATCAAGCATTGCCGTGCCAGCAAGAGGGCCAGACAG
TGATGCTAGGGAACCTCGGAGTTCGACAGCCTTGTGACCTCATCAGTACTATGAGAAACACCCGTATA
CCGCAAGATGAAGCTGCGCTATCCCATCAACGAGGAGGCACTGGAGAAGATTGGCACAGCTGAGCCTGAC
TACGGGGCCCTGTATGAGGGACGCAACCCTGGCTTCTATGTAGAGGCAAACCTATGCCAACTTTCAAGT
GTGCACTCAAAGCCCTTTGACTACAAGGCCAGAGGGAGGACGAGCTGACCTTCATCAAGAGCGCCAT
CATCCAGAATGTGGAGAACAAGAGGGAGGCTGGTGGCGAGGGGACTACGGAGGGAAGAAGCAGCTGTGG
TTCCCATCAAACCTACGTGGAAGAGATGGTCAACCCCGTGGCCCTGGAGCCGGAGAGGGAGCACTTGACG
AGAACAGCCCCCTAGGGGACTTGCTGCGGGGGTCTTGGATGTGCCGGCTTGTGAGATTGCCATCCGTCC
TGAGGGCAAGAACAACCGGCTCTTCGTCTTCTCCATCAGCATGGCGTCCGTGGCCACTGGTCCCTGGAT
GTTGCTGCCGACTCACAGGAGGAGCTGCAGGACTGGGTGAAAAAGATCCGTGAAGTGGCCAGACAGCAG
ACGCCAGGCTCACTGAAGGGAAGATAATGGAACGGAGGAAGAAGATTGCCTGGAGCTCTCTGAACTTGT
CGTCTACTGCCGGCTGTCCCTTTGATGAAGAGAAGATTGGCACAGAACGTGCTTGCTACCGGGACATG
TCATCCTTCCCGAAACCAAGGCTGAGAAATACGTGAACAAGGCCAAAGGCAAGAAGTTCCTTCAGTACA
ATCGACTGCAGCTCTCCCGCATCTACCCCAAGGGCCAGCGACTGGATTCCCTCAACTACGATCCTTTGCC
CATGTGGATCTGTGGCAGTCAGCTTGTGGCCCTCAACTTCCAGACCCCTGACAAGCCTATGCAGATGAAC
CAGGCCCTCTTCATGACGGGCAGGCACTGTGGCTACGTGCTGCAGCCAAGCACCATGCGGGATGAGGCCT
TCGACCCCTTTGACAAGAGCAGCCTCCGCGGGCTGGAGCCATGTGCCATCTCTATTGAGGTGCTGGGGC
CCGACATCTGCCAAGAATGGCCGAGGCATTGTGTGCTCTTTTGTGGAGATTGAGGTGGCTGGAGCTGAG
TATGACAGCACC AAGCAGAAGACAGAGTTTGTGGTGGACAATGGACTCAACCCTGTATGGCCAGCCAAGC
CCTTCCACTTCCAGATCAGTAACCCTGAATTTGCCTTTCTGCGCTTCGTGGTGTATGAGGAAGACATGTT
TAGTGACCAGAATTTCTGGCTCAGGCTACTTTCCAGTAAAAGGCCTGAAGACAGGATACAGAGCAGTG
CCTTTGAAGAACAACCTACAGTGAGGACCTGGAGTTGGCCTCCCTGCTGATCAAGATTGACATTTTCCCTG
CCAAGCAGGAGAATGGTGACCTCAGTCCCTTCAAGTGGTACGTCCCTGCGGGAGCGGGGCTCAGATGCCTC
AGGCCAGCTGTTTCATGGCCGAGCCCGGAAGGCTCCTTTGAATCCCGCTACCAGCAGCCGTTTGGAGAC
TTCCGCATCTCCAGGAGCATCTCGCAGACCATTTTACAGTCGAGAACGAAGGGCCCAAGAAGGACTC
GGTCAATGGAGACAACCCCTC

ACGCGTACGCGGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG216448 representing NM_002660
 Red=Cloning site Green=Tags(s)

```
MAGAASPCANGCGPGAPSDAEVLHLCRSLEVGTVMTLFYSKKSQRPERKTFQVKLETRQITWSRGADKIE
GAI DIREIKEIRPGKTSRDFDRYQEDPAFRPDQSHCFVILYGMFRLKTL SLQATSEDEVNMWIKGLTWL
MEDTLQAPTPLQIERWLRKQFYVSDRNREDRISAKDLKNMLSQVNYRVPMRFLRERLTDLEQRSGDITY
GQFAQLYRSLMYS AQKTMDFLEASTLRAGERPEL CRVSLPEFQQFLLDYQGELWAVDRLQVQEFMLS F
LRDPLREIEEPYFFLDEFVTF LFSKENS VNSQLDAVCPDTMNNPLSHYWISSSHNTYLTGDQFSSESSL
EAYARCLRMGCRCIE LDCWDGPDGMPVIYHGHTLTTKIKFSDVLHTIKEHAFVASEYPVILSIEDHCSIA
QQRNMAQYFKKVLGDTLLTKPVEISADGLPSPNQLKRKILIKHKKLAEGSAYEEVPTSMYSENDISNSI
KNGILYLEDPVNHEWYPHYFVL TSSKIYYSEETSSDQNEDEEPEKVSSTELHSNEKWFHGKLGAGR
GRHIAERLLTEYCIETGAPDGSFLVRESETFVGDYTL SFWRNGKVQHCRIHSRQDAGTPKFFLDNLFVD
SLYDLITHYQQVPLRCNEFEMRLSEVPVQTNAHESKEWYHASLTRAQAEHMLMRVPRDGAFLVRKRNEPN
SYAISFRAEGKIKHCRVQEQGVMLGNSEFDSLVDLISYYEKHPLYRKMMLRYPINEEAEKIGTAEPD
YGALYEGRNPGFYVEANPMPTFKCAVKALFDYKAQREDELTFIKSAIQNVEKQEGGWWRGDYGGKKQLW
FPSNYVEEMVNPVALEPEREHLDENSP LGDLLRGVLDVPACQIAIRPEGKNNRLFVFSISMASVAHWSLD
VAADSQEELQDWYKKIREVAQTADARL TEGIMERRKIALELSELVVYCRPVPFDEEKIGTERACYRDM
SSF PETKAEKYVNKAKGKFLQYNRLQLSRIYPKGQRLDSSNYDPLPMWICGSQLVALNFQTPDKPMQMN
QALFMTGRHCYVLPSTMRDEAFDPFDKSSLRGLEPCAISIEVLGARHLPKNGRIGVCPFVEIEVAGAE
YDSTKQKTEFVVDNGLNPVWPAKPFHFQISNPEFAFLRFVVEEDMFSQNF LAQATFPVKGLKTGYRAV
PLKNNYSEDL ELASLLIKIDIFPAKQENGDLSPFSGTSLRERGS DASGQLFHGRAREGSFESRYQQPFED
FRISQEH LADHFDSRERRAPRRTRVNGDNRL
```

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_002660

ORF Size: 3873 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002660.3
RefSeq Size:	5205 bp
RefSeq ORF:	3876 bp
Locus ID:	5335
UniProt ID:	P19174
Cytogenetics:	20q12
Domains:	C2, PI-PLC-X, SH2, SH3, PI-PLC-Y, PH
Protein Families:	Druggable Genome
Protein Pathways:	Calcium signaling pathway, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Glioma, Inositol phosphate metabolism, Leukocyte transendothelial migration, Metabolic pathways, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer, Phosphatidylinositol signaling system, T cell receptor signaling pathway, VEGF signaling pathway, Vibrio cholerae infection
Gene Summary:	The protein encoded by this gene catalyzes the formation of inositol 1,4,5-trisphosphate and diacylglycerol from phosphatidylinositol 4,5-bisphosphate. This reaction uses calcium as a cofactor and plays an important role in the intracellular transduction of receptor-mediated tyrosine kinase activators. For example, when activated by SRC, the encoded protein causes the Ras guanine nucleotide exchange factor RasGRP1 to translocate to the Golgi, where it activates Ras. Also, this protein has been shown to be a major substrate for heparin-binding growth factor 1 (acidic fibroblast growth factor)-activated tyrosine kinase. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG216448