

Product datasheet for **RG216724**

HIF1 beta (ARNT) (NM_001668) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	HIF1 beta (ARNT) (NM_001668) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	HIF1 beta
Synonyms:	bHLHe2; HIF-1-beta; HIF-1beta; HIF1-beta; HIF1B; HIF1BETA; TANGO
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG216724 representing NM_001668
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCGGCGACTACTGCCAACCCCGAAATGACATCAGATGTACCATCACTGGGTCCAGCCATTGCCTCTG
 GAAACTCTGGACCTGGAATTC AAGGTGGAGGAGCCATTGTCCAGAGGGCTATTAAGCGGCGACCAGGGCT
 GGATTTTGATGATGATGGAGAAGGGAACAGTAAATTTTTGAGGTGTGATGATGATCAGATGTCTAACGAT
 AAGGAGCGGTTTGCCAGGTGGATGATGAGCAGAGCTCTGCGGATAAAGAGAGACTTGCCAGGGAAAATC
 ACAGTGAAATTGAACGGCGGCGACGGAACAAGATGACAGCCTACATCACAGAAGTGTGATATGGTACC
 CACCTGTAGTGCCTGGCTCGAAAACCAGACAAGCTAACCATCTTACGCATGGCAGTTTCTCACATGAAG
 TCCTTGCGGGGAACTGGCAACACATCCACTGATGGCTCTATAAGCCGCTTTTCTCACTGATCAGGAAC
 TGAACATTTGATCTTGGAGGCAGCAGATGGCTTTCTGTTTATTGTCTCATGTGAGACAGGCAGGGTGGT
 GTATGTGTCTGACTCCGTGACTCCTGTTTTGAACCAGCCACAGTCTGAATGGTTTGGCAGCACACTCTAT
 GATCAGGTGCACCAGATGATGTGGATAAACTTGGTGAGCAGCTTCCACTTCAGAAAATGCCCTGACAG
 GCGTATCCTGGATCTAAGACTGGAACAGTGA AAAAGGAAGGTGAGCAGTCTTCCATGAGAATGTGTAT
 GGGCTCAAGGAGATCGTTTATTTGCCGAATGAGGTGTGGCAGTAGCTCTGTGGACCCAGTTTCTGTGAAT
 AGGCTGAGCTTTGTGAGGAACAGATGCAGGAATGGACTTGGCTCTGTAAGGATGGGGAACCTCACTTCG
 TGGTGGTCCACTGCACAGGCTACATCAAGGCTGGCCCCAGCAGGTGTTTCCCTCCAGATGATGACCC
 AGAGGCTGGCCAGGAAGCAAGTTTTGCCTAGTGGCCATTGGCAGATTGCAGGTAAGTCTCCCAAC
 TGTACAGACATGAGTAAATGTTTGTCAACCAACAGAGTTCATCTCCCGACACAACATTGAGGGTATCTTCA
 CTTTTGTGGATCACCGCTGTGTGGCTACTGTTGGCTACCAGCCACAGAACTCTTAGGAAAGAATATTGT
 AGAATTCTGTATCCTGAAGACCAGCAGCTTCTAAGAGACAGCTTCCAACAGGTAGTGAAATTAAGGC
 CAAGTGTCTGTCTGATGTTCCGGTTCGGTCTAAGAACCAAGAATGGCTCTGGATGAGAACCAGCTCCT
 TTACTTTCCAGAACCCTTACTCAGATGAAATTGAGTACATCATCTGTACCAACACCAATGTGAAGAATC
 TAGCCAAGAACCACGGCCTACACTCTCCAACACAATCCAGAGGCCACAACCTAGGTCCCACAGCTAATTTA
 CCCCTGGAGATGGGCTCAGGACAGCTGGCACCCAGGCAGCAGCAACAGCAAAACAGAATTGGACATGGTAC
 CAGGAAGAGATGGACTGGCCAGCTACAATCATTCCAGGTGGTTCAGCCTGTGACAACCACAGGACCAGA
 ACACAGCAAGCCCCTTGAGAAGTCAGATGGTTTATTTGCCAGGATAGAGATCCAAGATTTTCAGAAATC
 TATCACAACATCAATGCGGATCAGAGTAAAGGCATCTCCTCCAGCACTGTCCCTGCCACCCAACAGCTAT
 TCTCCAGGGCAACACATTCCTCTACCCCCGCGCCGAGAGAATTCAGGAATAGTGGCCTAGCCCC
 TCCTGTAACCATTGTCCAGCCATCAGCTTCTGCAGGACAGATGTTGGCCAGATTTCCCGCCACTCCAAC
 CCCACCAAGGAGCAACCCCAACTTGGACCCCTACTACCCGCTCAGGCTTTTCTGCCAGCAGGTGGCTA
 CCCAGGCTACTGCTAAGACTCGTACTTCCAGTTTGGTGTGGGCAGCTTTCAGACTCCATCCTCCTTCAG
 CTCCATGTCCCTCCCTGGTGCCCAACTGCATCGCCTGGTGTGCTGCCTACCCTAGTCTACCAATCGT
 GGATCTAACTTTGCTCCTGAGACTGGACAGACTGCAGGACAATTCAGACACGGACAGCAGAGGGTGTGG
 GTGTCTGGCCACAGTGGCAGGGCCAGCAGCCTCATCATCGTTCAAGTTCTAGTGAGCAACATGTTCAACA
 ACCGCCAGCACAGCAACCTGGCCAGCCTGAGGTCTTCCAGGAGATGCTGTCCATGCTGGGAGATCAGAGC
 AACAGCTACAACAATGAAGAATTCCTGATCTAACTATGTTTCCCCCTTTTCAGAA

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG216724 representing NM_001668
Red=Cloning site Green=Tags(s)

```

MAATTANPEMTSDVPSLGPASGNSGPGIQGGGAIQVQRAIKRRPGLDFDDDGEGNSKFLRCDDQMSND
KERFARSDDEQSSADKERLARENHSEIERRRRNKMTAYITELSDMVPTCSALARKPKLTI LRMAVSHMK
SLRGTGNTSTDGSYKPSFLTDQELKHLILEAADGFLFIVSCETGRVVYVSDSVTPVLNQPSSEWFGSTLY
DQVHPDDVDKLRQLSTENAL TGRILD LKTGTVKKEGQQSSMRMCMGSRRSFICRMRCGSSSDVPVSVN
RLSFVRNRCRNLGSKVDGEPHFVVVHCTGYIKAWPPAGVSLPDDPEAGQGSKFCLVAIGRLQVTSSPN
CTDMSNVCQPTEFISRHNIEGIFTFVDHRCVATVGYQPQELLGKNIVEFCHPEDQQLLRDSFQQVVKLKG
QVLSVMFRFRSKNQEWLWMRTSSFTFQNPYSDEIEYIICTNTNVKNSSQEPRPTLSNTIQRPLGPTANL
PLEMGSQLAPRQQQQTELDMVPGRDGLASYNHSQVVQPVTGPEHSKPLEKSDGLFAQDRDPRFSEI
YHNINADQSKGISSTV PATQQLFSQNTFPPTPRPAENFRNSGLAPPVTIVQPSASAGQMLAQISRHSN
PTQGATPTWPTTRSGFSAQQVATQATAKTRTSQFQVGSFQTPSSFSMSLPGAPTASPGAAAYPSLTNR
GSNFAPETGQTAGQFQTRTAEGVGVWPQWQGGQPHHRSSSEQHVQPPAQPGQPEVFQEMLSMLGDQS
NSYNNEEFPDLTMFPFSE
    
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001668


ORF Size: 2367 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001668.4
RefSeq Size:	4846 bp
RefSeq ORF:	2370 bp
Locus ID:	405
UniProt ID:	P27540
Cytogenetics:	1q21.3
Domains:	PAS, HLH, PAC
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Pathways in cancer, Renal cell carcinoma
Gene Summary:	This gene encodes a protein containing a basic helix-loop-helix domain and two characteristic PAS domains along with a PAC domain. The encoded protein binds to ligand-bound aryl hydrocarbon receptor and aids in the movement of this complex to the nucleus, where it promotes the expression of genes involved in xenobiotic metabolism. This protein is also a co-factor for transcriptional regulation by hypoxia-inducible factor 1. Chromosomal translocation of this locus with the ETV6 (ets variant 6) gene on chromosome 12 have been described in leukemias. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2013]

Product images:



Circular map for RG216724