

Product datasheet for RG216883

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

G protein alpha S (GNAS) (NM_001077489) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: G protein alpha S (GNAS) (NM_001077489) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: G protein alpha S

Synonyms: AHO; C20orf45; GNAS1; GPSA; GSP; NESP; PITA3; POH; SCG6; SgVI

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG216883 representing NM_001077489
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGGCTGCCTCGGGAACAGTAAGACCGAGGACCAGCGCAACGAGGAGAAGGCGCAGCGTGAGGCCAACA AAAAGATCGAGAAGCAGCTGCAGAAGGACAAGCAGGTCTACCGGGCCACGCACCGCCTGCTGCTGCTGGG TGCTGGAGAATCTGGTAAAAGCACCATTGTGAAGCAGATGAGGATCCTGCATGTTAATGGGTTTAATGGA GATGAGAAGGCAACCAAAGTGCAGGACATCAAAAACAACCTGAAAGAGGCGATTGAAACCATTGTGGCCG CCATGAGCAACCTGGTGCCCCCCGTGGAGCTGGCCAACCCCGAGAACCAGTTCAGAGTGGACTACATCCT GAGTGTGATGAACGTGCCTGACTTTGACTTCCCTCCCGAATTCTATGAGCATGCCAAGGCTCTGTGGGAG GATGAAGGAGTGCGTGCCTGCTACGAACGCTCCAACGAGTACCAGCTGATTGACTGTGCCCAGTACTTCC TGGACAAGATCGACGTGATCAAGCAGGCTGACTATGTGCCGAGCGATCAGGACCTGCTTCGCTGCCGTGT CCTGACTTCTGGAATCTTTGAGACCAAGTTCCAGGTGGACAAAGTCAACTTCCACATGTTTGACGTGGGT GGCCAGCGCGATGAACGCCGCAAGTGGATCCAGTGCTTCAACGATGTGACTGCCATCATCTTCGTGGTGG CCAGCAGCAGCTACAACATGGTCATCCGGGAGGACAACCAGACCAACCGCCTGCAGGAGGCTCTGAACCT CTGCTCGCTGAGAAAGTCCTTGCTGGGAAATCGAAGATTGAGGACTACTTTCCAGAATTTGCTCGCTACA CTACTCCTGAGGATGCTACTCCCGAGCCCGGAGAGGACCCACGCGTGACCCGGGCCAAGTACTTCATTCG AGATGAGTTTCTGAGGATCAGCACTGCCAGTGGAGATGGGCGTCACTACTGCTACCCTCATTTCACCTGC GCTGTGGACACTGAGAACATCCGCCGTGTGTTCAACGACTGCCGTGACATCATTCAGCGCATGCACCTTC GTCAGTACGAGCTGCTC

ACGCGGCCGCTCGAG - GFP Tag - GTTTAA





Protein Sequence: >RG216883 representing NM_001077489

Red=Cloning site Green=Tags(s)


MGCLGNSKTEDQRNEEKAQREANKKIEKQLQKDKQVYRATHRLLLLGAGESGKSTIVKQMRILHVNGFNG DEKATKVQDIKNNLKEAIETIVAAMSNLVPPVELANPENQFRVDYILSVMNVPDFDFPPEFYEHAKALWE DEGVRACYERSNEYQLIDCAQYFLDKIDVIKQADYVPSDQDLLRCRVLTSGIFETKFQVDKVNFHMFDVG GQRDERRKWIQCFNDVTAIIFVVASSSYNMVIREDNQTNRLQEALNLFKSIWNNRWLRTISVILFLNKQD LLAEKVLAGKSKIEDYFPEFARYTTPEDATPEPGEDPRVTRAKYFIRDEFLRISTASGDGRHYCYPHFTC AVDTENIRRVFNDCRDIIQRMHLRQYELL


TRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Notl

Cloning Scheme:





ACCN: NM_001077489

ORF Size: 1137 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Cytogenetics:

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 001077489.4

RefSeq Size: 1881 bp RefSeq ORF: 1140 bp 2778 Locus ID: **UniProt ID:** <u>095467</u>

20q13.32 **Protein Families:** Druggable Genome, Secreted Protein

Protein Pathways: Calcium signaling pathway, Dilated cardiomyopathy, Gap junction, GnRH signaling pathway,

Long-term depression, Melanogenesis, Taste transduction, Vascular smooth muscle

contraction, Vibrio cholerae infection

Gene Summary: This locus has a highly complex imprinted expression pattern. It gives rise to maternally,

> paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, and this DMR is commonly found in imprinted genes and correlates with

> transcript expression. An antisense transcript is produced from an overlapping locus on the opposite strand. One of the transcripts produced from this locus, and the antisense transcript, are paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes


> a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular reponses. Multiple transcript variants encoding different isoforms have been found for this gene. Mutations in this gene

> result in pseudohypoparathyroidism type 1a, pseudohypoparathyroidism type 1b, Albright hereditary osteodystrophy, pseudopseudohypoparathyroidism, McCune-Albright syndrome, progressive osseus heteroplasia, polyostotic fibrous dysplasia of bone, and some pituitary

tumors. [provided by RefSeq, Aug 2012]



Product images:



Circular map for RG216883