

Product datasheet for **RG217095**

CREM (NM_183011) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CREM (NM_183011) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CREM
Synonyms:	CREM-2; hCREM-2; ICER
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG217095 representing NM_183011 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGCAAATGTGCAAGGAAAAATATATTAAGACAAATCCAAGACAAATGACCATGAAACAGTTGAAT
CCCAGCATGATGGAAGTATAACAGCTTCTTTGACAGAGAGCAAGTCTGCTCATGTGCAGACTCAGACTGG
CCAAAATTCAATCCCTGCTTTAGCTCAGGTAGCAGCAATTGCAGAGACAGATGAATCTGCAGAATCAGAA
GGTGAATTGATTCTCATAAACGTAGAGAAATCCTTTACGAAGACCCTTTATAGGAAAATACTGAATG
AACTGTCCTCTGATGTGCCTGGTGTCCCAAGATTGAAGAAGAGAGATCAGAGGAAGAAGGAACACCACC
TAGTATTGCTACCATGGCAGTACCAACTAGCATATATCAGACTAGCACGGGCAATACATTGCTATAGCC
CAAGGTGGAACAATCCAGATTTCTAACCAGGATCTGATGGTGTTCAGGGACTGCAGGCATTAACAATGA
CAAATTCAGGAGCTCCTCCACCAGGTGCTACAATTGTACAGTACGCAGCAATCAGCTGATGGCACACA
GCAGTTCTTTGTCCCAGGCAGCCAGGTGTTGTTCAAGCTGCCACTGGTGACATGCCAATTACCAGATC
CGAGCTCCTACTGCTGCTTTGCCACAGGGAGTGGTGTGGCTGCATCGCCCGGAAGTTTGACAGTCCCC
AGCAGCTGGCAGAAGAAGCAACACGCAACGAGAGCTGAGGCTAATGAAAAACAGGAAGCTGCCCGGGA
GTGTCGCAGGAAGAAGAAAGAATATGTCAAATGTCTTGAAAATCGTGTGGCTGTGCTTGAAAACAAAAAC
AAGACTCTATTGAGGAAGCAAGGCCCTCAAAGATCTTTATTGCCATAAAGTAGAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG217095 representing NM_183011
 Red=Cloning site Green=Tags(s)

MSKCARKKYIKTNPRQMTMETVESQHDGSITASL TESKSAHVQTQTGQNSIPALAQVAIAETDESAESE
 GVIDSHKRREILSRPSPYRKILNELSSDVPGVPKIEEERSEEEGTPPSIATMAVPTSIYQSTGQYIAIA
 QGGTIQISNPGSDGVQGLQAL TMTNSGAPPPGATIVQYAAQSADGTQFFVPGSQVVVQAATGDMPTYQI
 RAPTAALPQGVVMAASPGSLHSPQQLAEEATRKRELRMLMKNREAARECRRKKKEYVKLENRVAVLENQN
 KTLIEELKALKDLYCHKVE

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN: NM_183011

ORF Size: 897 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_183011.1 , NP_898829.1
RefSeq Size:	2519 bp
RefSeq ORF:	900 bp
Locus ID:	1390
UniProt ID:	Q03060
Cytogenetics:	10p11.21
Protein Families:	Druggable Genome, Transcription Factors
Gene Summary:	This gene encodes a bZIP transcription factor that binds to the cAMP responsive element found in many viral and cellular promoters. It is an important component of cAMP-mediated signal transduction during the spermatogenetic cycle, as well as other complex processes. Alternative promoter and translation initiation site usage allows this gene to exert spatial and temporal specificity to cAMP responsiveness. Multiple alternatively spliced transcript variants encoding several different isoforms have been found for this gene, with some of them functioning as activators and some as repressors of transcription. [provided by RefSeq, Jul 2008]