

Product datasheet for **RG217123**

JNK3 (MAPK10) (NM_138980) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	JNK3 (MAPK10) (NM_138980) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	JNK3
Synonyms:	JNK3; JNK3A; p54bSAPK; p493F12; PRKM10; SAPK1b
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG217123 representing NM_138980 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGCAAAGCAAAGTTGACAACCAGTCTACAGTGTGGAAGTGGGAGACTCAACCTTCACAGTTCTCA
AGCGCTACCAGAATCTAAAGCCTATTGGCTCTGGGGCTCAGGGCATAGTTTGTGCCGCGTATGATGCTGT
CCTTGACAGAAATGTGGCCATTAAGAAGCTCAGCAGACCCCTTCAGAACCAAACACATGCCAAGAGAGCG
TACCGGGAGCTGGTCTCATGAAGTGTGTAACCATAAAAAACATTATTAGTTTATTAATGTCTTCACAC
CCCAGAAAACGCTGGAGGAGTTCGAAGATGTTTACTTAGTAATGGAAGTATGGATGCCAAGTATGTCA
AGTGATTCAGATGGAATTAGACCATGAGCGAATGTCTTACCTGCTGTACCAAATGTTGTGTGGCATTAA
CACCTCCATTCTGCTGGAATTATTCACAGGGATTTAAAACCAAGTAACATTGTAGTCAAGTCTGATTGCA
CATTGAAAATCCTGGACTTTGGACTGGCCAGGACAGCAGGCACAAGCTTCATGATGACTCCATATGTGGT
GACACGTTATTACAGAGCCCTGAGGTCATCCTGGGGATGGGCTACAAGGAGAACGTGGATATATGGTCT
GTGGGATGCATTATGGGAGAAATGGTTCGCCACAAAATCCTCTTTCCAGGAAGGGACTATATTGACCAGT
GGAATAAGGTAATTGAACAACAGGAACACCATGTCCAGAATTCATGAAGAAATGCAACCCACAGTAAG
AAACTATGTGGAGAATCGGCCAAGTATGCGGGACTCACCTTCCCAAACCTTCCAGATTCCCTCTTC
CCAGCGGACTCCGAGCACAATAAACTCAAAGCCAGCCAAGCCAGGGACTTGTGTCAAAGATGCTAGTGA
TTGACCCAGCAAAAAGAATATCAGTGGACGACGCTTACAGCATCCCTACATCAACGTCTGGTATGACCC
AGCCGAAGTGGAGGCGCTCCACCTCAGATATATGACAAGCAGTTGGATGAAAGAGAACACACAATTGAA
GAATGGAAAGAACTTATCTACAAGGAAGTAATGAATTCAGAAGAAAAGACTAAAAATGGTGTAGTAAAAG
GACAGCCTTCTCCTTCAGGTGCAGCAGTGAACAGCAGTGAGAGTCTCCCTCCATCCTCGTCTGTCAATGA
CATCTCTCCATGTCCACCGACCAGACCCTGGCATCTGACACTGACAGCAGCCTGGAAGCCTCGGCAGGA
CCCCTGGTTGTTGCAGG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG217123 representing NM_138980
Red=Cloning site Green=Tags(s)

MSKSKVDNQFYSVEVGDSTFTVLKRYQNLKPIGSGAQQIVCAAYDAVLDNRNVAIKKLSRPFQNTAKRA
 YRELVLMKCVNHKNIISLLNVFTPQKLEEFQDVYLVMEMLMDANLCQVIQMELDHERMSYLLYQMLCGIK
 HLHSAGIIHRDLKPSNIVVKSDDLKILDFGLARTAGTSFMMPYVVVTRYRAPEVILGMGYKENVDIWS
 VGCIMGEMVRHKILFPGRDYIDQWNKVIQLGTPCFEMKKLQPTVRNYVENRPKYAGLTFPKLFPDSL
 PADSEHNKLGASQARDLLSKMLVIDPAKRISVDDALQHPYINVWYDPAEVEAPPPQIYDKQLDEREHTIE
 EWKELIYKEVMNSEEKTKNGVVKQPPSPSGAAVNSSESLPPSSSVNDISSMSTDQTLASDTSLEASAG
 PLGCCR

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_138980

ORF Size: 1278 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_138980.4](#)

RefSeq Size: 2698 bp

RefSeq ORF: 1281 bp

Locus ID: 5602

UniProt ID: [P53779](#)

Cytogenetics: 4q21.3


Domains: pkinase

Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: Adipocytokine signaling pathway, Colorectal cancer, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, GnRH signaling pathway, Insulin signaling pathway, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, RIG-I-like receptor signaling pathway, Toll-like receptor signaling pathway, Type II diabetes mellitus, Wnt signaling pathway

Gene Summary: The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as integration points for multiple biochemical signals, and thus are involved in a wide variety of cellular processes, such as proliferation, differentiation, transcription regulation and development. This kinase is specifically expressed in a subset of neurons in the nervous system, and is activated by threonine and tyrosine phosphorylation. Targeted deletion of this gene in mice suggests that it may have a role in stress-induced neuronal apoptosis. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. A recent study provided evidence for translational readthrough in this gene, and expression of an additional C-terminally extended isoform via the use of an alternative in-frame translation termination codon. [provided by RefSeq, Dec 2017]

Product images:



Circular map for RG217123