

Product datasheet for **RG217185**

POFUT1 (NM_015352) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	POFUT1 (NM_015352) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	POFUT1
Synonyms:	DDD2; FUT12; O-Fuc-T; O-FucT-1; O-FUT; OFUCT1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG217185 representing NM_015352 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGCGCCCGCGTGGGCACGGCCGCTGAGCGTGTCTTCTGCTGCTGCTTCTGCCGCTCCCGGGA
TGCCTGCGGGCTCCTGGACCCGGCGTTACCTGCTCTACTGCCCTGCATGGGCGCTTTGGAAACCA
GGCCGATCACTTCTGGGCTCTCTGGCATTGCAAAGCTGCTAAACCGTACCTGGCTGTCCCTCCTGG
ATTGAGTACCAGCATACAAGCCTCCTTACCAACCTCCATGTGTCTACCAGAAGTACTTCAAGCTGG
AGCCCCCAGGCTTACCATCGGGTCATCAGCTTGGAGGATTTTATGGAGAAGCTGGCACCCACCCACTG
GCCCCCTGAGAAGCGGGTGGCATACTGCTTTGAGGTGGCAGCCAGCGAAGCCAGATAAGAAGAGCTGC
CCCATGAAGGAAGAAACCCCTTTGGCCATTCTGGGATCAGTTTCATGTGAGTTTCAACAAGTCGGAGC
TTTTTACAGGCATTTCTTCACTGCTTCTACAGAGAACAATGGAGCCAGAGATTTTCTCCAAGGAACA
TCCGGTGCTTGCCTGCCAGGAGCCCCAGCCAGTTCCCGTCTAGAGGAACACAGGCCACTACAGAAG
TACATGGTATGGTCAGACGAAATGGTGAAGACGGGAGAGGCCAGATTTCATGCCACCTTGTCCGGCCCT
ATGTGGGCATTCATCTGCGCATTGGCTCTGACTGGAAGAACGCCGTGTGCCATGCTGAAGGACGGGACTGC
AGGCTCGCACTTCATGGCCTCTCCGAGTGTGTGGCTACAGCCGAGCACAGCGGCCCCCTCACGATG
ACTATGTGCCTGCCTGACCTGAAGGAGATCCAGAGGGCTGTGAAGCTCTGGGTGAGTCTGGATGCC
AGTCGGTCTACGTTGCTACTGATTCGAGAGTTATGTGCCTGAGCTCCAACAGCTCTTCAAAGGGAAGGT
GAAGGTGGTGAAGCCTGAGGTGGCCAGGTGACCTGTACATCTCGGCCAAGCCGACCACTTT
ATTGGCAACTGTGTCTCCTCCTTCACTGCCTTTGTGAAGCGGGAGCGGGACCTCCAGGGAGGCCGCTCT
CTTTCTCGGCATGGACAGGCCCCCTAAGCTGCGGGACGAGTTC

ACCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG217185 representing NM_015352
 Red=Cloning site Green=Tags(s)

MGAAAWARPLSVSFLLLLLPLPGMPAGSWDPAGYLLYPCMGFRGNQADHFLGSLAFKLLNRTLAVPPW
 IEYQHHKPPFTNLHVSQYKFKLEPLQAYHRVISLEDFMEKLAPTHWPPEKRVAYCFEVAQRSPDKKTC
 PMKEGNPFGPFWDQFHVSFNKSELTGTSFSASYREQWSQRFSPKEHPVLALPGAPAQFPVLEEHRPLQK
 YMVWSDVMVKTGEAQIHAIHLVRPYVGIHLRIGSDWKNACAMLKDGTAGSHFMASPCVGYSRSTAAPLTM
 TMCLPDLKEIQRAVKLWVRSQVYVATDSESYVPELQQLFKGKVKVSLKPEVAQVDLYILGQADHF
 IGNCVSSFTAFVKRERDLQGRPSSFFGMDRPPKLRDEF

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_015352

ORF Size: 1164 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_015352.2](#)

RefSeq Size: 5249 bp

RefSeq ORF: 1167 bp

Locus ID: 23509


UniProt ID: [Q9H488](#)

Cytogenetics: 20q11.21

Protein Families: Druggable Genome, Transcription Factors

Gene Summary: This gene encodes a member of the glycosyltransferase O-Fuc family. This enzyme adds O-fucose through an O-glycosidic linkage to conserved serine or threonine residues in the epidermal growth factor-like repeats of a number of cell surface and secreted proteins. O-fucose glycans are involved in ligand-induced receptor signaling. Alternative splicing of this gene results in two transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG217185