

Product datasheet for **RG217398**

FBXW7 (NM_033632) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FBXW7 (NM_033632) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	FBXW7
Synonyms:	AGO; CDC4; FBW6; FBW7; FBX30; FBXO30; FBXW6; hAgo; hCdc4; SEL-10; SEL10
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RG217398 representing NM_033632
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGAATCAGGAAGTCTCTCTGTGGCAGCAAAGACGACGAAGTGGAGGCTCTCTGAGAGGTAACCCCTT
CCTCAAGCCAGGTAGATGAAGAACAGATGAATCGTGTGGTAGAGGAGAACAGCAACAGCAACTCAGACA
ACAAGAGGAGGAGCACACTGCAAGGAATGGTGAAGTTGTTGGAGTAGAACCTAGACCTGGAGGCCAAAAT
GATTCAGCAAGGACAGTTGGAAGAAAACAATAATAGATTTATTTTCGGTAGATGAGGACTCCTCAGGAA
ACCAAGAAGAACAAGAGGAAGATGAAGAACATGCTGGTGAACAAGATGAGGAGGATGAGGAGGAGGAGGA
GATGGACCAGGAGAGTGACGATTTTGATCAGTCTGATGATAGTAGCAGAGAAGATGAACATACACATACT
AACAGTGTACGAACTCCAGTAGTATTGTGGACCTGCCCGTTACCAACTCTCTCCCATTTCTATACAA
AAACAACAAAAATGAAAAGAAAGTTGGACCATGGTTCTGAGGTCGCTCTTTTTCTTTGGGAAAAGAAC
ATGCAAAGTCTCAGAATATACAAGTACCACTGGGCTTGTACCATGTTGAGCAACCAACAACTTTTGGG
GACCTCAGAGCAGCAATGGCCAAGGGCAACAACGACGCCGAATTACATCTGTCCAGCCACTACAGGCC
TCCAGGAATGGCTAAAAATGTTTCAGAGCTGGAGTGGACCAGAGAAATTGCTTGCTTTAGATGAAGTCTA
TGATAGTTGTGAACCAACACAAGTAAAACATATGATGCAAGTGTAGAACCCAGTTTCAACGAGACTTC
ATTTCAATTGCTCCCTAAAGAGTTGGCACTCTATGTGCTTTCATTCTGGAACCCAAAGACCTGCTACAAG
CAGCTCAGACATGTGCGTACTGGAGAATTTTGGCTGAAGACAACCTTCTCTGGAGAGAGAAATGCAAAGA
AGAGGGGATTGATGAACCATGCACATCAAGAGAAGAAAAGTAATAAAACCAGGTTTTCATACACAGTCCA
TGGAAAAGTGCATACATCAGACAGCACAGAATTGATACTAACTGGAGGCGAGGAGAACTCAAATCTCCTA
AGGTGCTGAAAGGACATGATGATCATGTGATCAGTACAGTTCACAGTTTTTGGTAACCGAATAGTTAGTGG
TTCTGATGACAACACTTTAAAAGTTTGGTCAGCAGTCACAGGCAATGTCTGAGAACATTAGTGGGACAT
ACAGGTGGAGTATGGTCAACACAATGAGAGACAACATCATCATTAGTGGATCTACAGATCGGACTCA
AAGTGTGGAAATGCAGAGACTGGAGAATGTATACACACCTTATATGGGCATACTTCCACTGTGCGTTGTAT
GCATCTTCATGAAAAAGAGTTGTTAGCGGTTCTCGAGATGCCACTCTTAGGGTTTGGGATATTGAGACA
GGCCAGTGTTCATGTTTTGATGGTCAATGTCAGCAGTCCGCTGTGTTCAATATGATGGCAGGAGGG
TTGTTAGTGGAGCATATGATTTTATGGTAAAGGTGTGGGATCCAGAGACTGAAACCTGTCTACACACGTT
GCAGGGGCATACTAATAGAGTCTATTCACTACAGTTTGTGGTATCCATGTGGTGGTGGATCTCTTGAT
ACATCAATCCGTGTTTGGGATGTGGAGACAGGGAATTGCATTACACGTTAACAGGGCACCAGTCGTTAA
CAAGTGGAAATGGAACCTAAAGACAATATTCTTGTCTCTGGGAATGCAGATTCTACAGTTAAAATCTGGGA
TATCAAAAACAGGACAGTGTTCACAAACATTGCAAGGTCCCAACAAGCATCAGAGTGTGTGACCTGTTTA
CAGTTCAACAAGAACTTTGTAATTACCAGCTCAGATGATGGAAGTGTAAAACATATGGGACTTGAAAACGG
GTGAATTTATTCGAAACCTAGTCACATTGGAGAGTGGGGGAGTGGGGGAGTTGTGTGGCGGATCAGAGC
CTCAAACAAAAGCTGGTGTGTCAGTTGGGAGTCGGAATGGGACTGAAGAAACCAAGCTGCTGGTGTCTG
GACTTTGATGTGGACATGAAG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG217398 representing NM_033632
Red=Cloning site Green=Tags(s)

```

MNQELLSVGSKRRRTGGSLRGNPSSSQVDEEQMNRVVEEQQQLRQEEEHARTNGEVVGEPRPGGQN
DSQQGQLEENNRFI SVDEDDSSGNQEEQEEDDEEHAGEQDEEEDDEEEMDQESDDFDQSDSSREDEHTHT
NSVTNSSSIVDLPVHQLSSPFYTKTTMKRKLHDHGSEVRSFSLGKKPCKVSEYTSSTGLVPCSATPTTFG
DLRAANGQGQRRRITSVQPPTGLQEWLKMFQSWSGPEKLLALDELIDSCEPTQVKHMMQVIEPQFQRDF
ISLLPKELALYVLSFLEPKDLLQAAQTCRYWRILAEDNLLWRECKEEGIDEPLHIKRRKVIKPGFIHSP
WKSAYIRQHRIDTNWRRGELKSPKVLKGHDDHVIITCLQFCGNRIVSGDDNTLKVWSAVTGKCLRTL VGH
TGGVWSSQMRDNIISGSTDRTLKVWNAETGECIHTLYGHTSTVRCMHLHEKRVVSGSRDATLRVWDIET
GQCLHVLMGHVAAVRCVQYDGRVVSGAYDFMVKVPDPE TETCLHTLQGHTRVYSLQFDGIHVVSGSLD
TSIRVWDVETGNCIHTLTGHQSLTSGMELKDNILVSGNADSTVKIWDIKTGQCLQTLQGNPKHQSAVTCL
QFNKNFVITSSDDGTVKLWDLKTGEFIRNLVTLESGGSGGVVWRIRASNTKLVCAVGSRNGTEETKLLVL
DFDVKM
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_033632

ORF Size: 2121 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_033632.3](#)

RefSeq Size: 3896 bp

RefSeq ORF: 2124 bp

Locus ID: 55294

UniProt ID: [Q969H0](#)

Cytogenetics: 4q31.3


Domains: WD40, F-box

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Ubiquitin mediated proteolysis

Gene Summary: This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene was previously referred to as FBX30, and belongs to the Fbws class; in addition to an F-box, this protein contains 7 tandem WD40 repeats. This protein binds directly to cyclin E and probably targets cyclin E for ubiquitin-mediated degradation. Mutations in this gene are detected in ovarian and breast cancer cell lines, implicating the gene's potential role in the pathogenesis of human cancers. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2012]

Product images:



Circular map for RG217398