

Product datasheet for **RG217425**

p38 (MAPK14) (NM_001315) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	p38 (MAPK14) (NM_001315) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	p38
Synonyms:	CSBP; CSBP1; CSBP2; CSPB1; EXIP; Mxi2; p38; p38ALPHA; PRKM14; PRKM15; RK; SAPK2A
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG217425 representing NM_001315 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCTCAGGAGAGGCCACGTTCTACCGCAGGAGCTGAACAAGACAATCTGGGAGGTGCCGAGCGTT
ACCAGAACCTGTCTCCAGTGGGCTCTGGCGCCTATGGCTCTGTGTGTGCTGCTTTTGACACAAAAACGGG
GTTACGTGTGGCAGTGAAGAAGCTCTCCAGACATTTTCAGTCCATCATTTCATGCGAAAAGAACCTACAGA
GAACTGCGGTTACTTAAACATATGAAACATGAAAATGTGATTGGTCTGTTGGACGTTTTTACACCTGCAA
GGTCTCTGGAGGAATTCATGATGTGTATCTGGTGACCCATCTCATGGGGCAGATCTGAACAACATTGT
GAAATGTCAGAAGCTTACAGATGACCATGTTTCAGTTCTTATCTACCAAATTCCTCCGAGGTCTAAAGTAT
ATACATTCAGCTGACATAATTCACAGGGACCTAAAACCTAGTAATCTAGCTGTGAATGAAGACTGTGAGC
TGAAGATTCTGGATTTTGGACTGGCTCGGCACACAGATGATGAAATGACAGGCTACGTGGCCACTAGGTG
GTACAGGGCTCCTGAGATCATGCTGAACTGGATGCATTACAACCAGACAGTTGATATTTGGTCACTGGGA
TGCATAATGGCCGAGCTGTTGACTGGAAGAATTGTTTCCTGGTACAGACCATATTAACAGCTTCAGC
AGATTATGCGTCTGACAGGAACACCCCGCTTATCTCATTAAACAGGATGCCAAGCCATGAGGCAAGAAA
CTATATTCAGTCTTTGACTCAGATGCCGAAGATGAACTTTGCGAATGATTTATTTGGTGCCAATCCCTTG
GCTGTGCACTTGGTGGAGAAGATGCTTGTATTGGACTCAGATAAGAGAATTACAGCGGCCAAGCCCTTG
CACATGCCTACTTTGCTCAGTACCACGATCCTGATGATGAACCAGTGCCGATCCTTATGATCAGTCCTT
TGAAAGCAGGGACCTCCTTATAGATGAGTGAAAAGCCTGACCTATGATGAAGTCATCAGCTTTGTGCCA
CCACCCCTTGACCAAGAAGAGATGGAGTCC


ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001315.2
RefSeq Size:	3757 bp
RefSeq ORF:	1083 bp
Locus ID:	1432
UniProt ID:	Q16539
Cytogenetics:	6p21.31
Domains:	pkinase, TyrKc, S_TKc
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Amyotrophic lateral sclerosis (ALS), Epithelial cell signaling in Helicobacter pylori infection, Fc epsilon RI signaling pathway, GnRH signaling pathway, Leukocyte transendothelial migration, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Progesterone-mediated oocyte maturation, RIG-I-like receptor signaling pathway, T cell receptor signaling pathway, Toll-like receptor signaling pathway, VEGF signaling pathway
Gene Summary:	<p>The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various environmental stresses and proinflammatory cytokines. The activation requires its phosphorylation by MAP kinase kinases (MKKs), or its autophosphorylation triggered by the interaction of MAP3K7IP1/TAB1 protein with this kinase. The substrates of this kinase include transcription regulator ATF2, MEF2C, and MAX, cell cycle regulator CDC25B, and tumor suppressor p53, which suggest the roles of this kinase in stress related transcription and cell cycle regulation, as well as in genotoxic stress response. Four alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported. [provided by RefSeq, Jul 2008]</p>

Product images:



Circular map for RG217425