

## **Product datasheet for RG217464**

## NETO1 (NM\_138999) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** NETO1 (NM\_138999) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: NETO1

Synonyms: BCTL1; BTCL1

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG217464 representing NM\_138999

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GAGCTGGAATCTATGGGATTTTCAGCTCGATACAATTTCACACCTGAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG217464 representing NM\_138999

Red=Cloning site Green=Tags(s)

MLAEPFPKVVASLIILHLSGATKKGTEKQTTSETQKSVQCGTWTKHAEGGIFTSPNYPSKYPPDRECIYI IEAAPRQCIELYFDEKYSIEPSWECKFDHIEVRDGPFGFSPIIGRFCGQQNPPVIKSSGRFLWIKFFADG

 ${\sf ELESMGFSARYNFTPE}$ 

TRTRPLE - GFP Tag - V

Chromatograms: <a href="https://cdn.origene.com/chromatograms/ja3229">https://cdn.origene.com/chromatograms/ja3229</a> c06.zip

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





**ACCN:** NM\_138999

ORF Size: 468 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.



**RefSeq:** <u>NM 138999.2</u>

RefSeq Size: 1849 bp

 RefSeq ORF:
 471 bp

 Locus ID:
 81832

 UniProt ID:
 Q8TDF5


 Cytogenetics:
 18q22.3

**Protein Families:** Druggable Genome, Transmembrane

**Gene Summary:** This gene encodes a transmembrane protein containing two extracellular CUB domains

followed by a low-density lipoprotein class A (LDLa) domain. This protein is thought to play a critical role in spatial learning and memory by regulating the function of synaptic N-methyl-D-aspartic acid receptor complexes in the hippocampus. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Aug 2017]

## **Product images:**



Circular map for RG217464