

Product datasheet for RG217709

ATP6V1E1 (NM_001039367) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	ATP6V1E1 (NM_001039367) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ATP6V1E1
Synonyms:	ARCL2C; ATP6E; ATP6E2; ATP6V1E; P31; Vma4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>>RG217709 representing NM_001039367 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC
	ATGGCTCTCAGCGATGCTGACGTGCAAAAGCAGATAAAGCATATGATGGCTTTCATTGAACAAGAAGCCA ATGAGAAAGCAGAAGAAATAGATGCAAAAGCAGAAGAAGAGATCAACATAGAGAAAGGTCGGCTTGTGCA AACCCAAAGACTAAAGATTATGGAATATTATGAGAAGAAAAGAGAAACAGATTGAGCAGCAGAAGAAAATT CAGATGTCCAATTTGATGAATCAAGCGAGACTCAAAGTCCTCAGAGCAAGAGATGACCTTATCACAGGTT TGTACCAGTTGCTGGAGCCCCGAATGATTGTTCGTTGCAGGAAACAAGATTTCCCTCTGGTAAAGGCTGC AGTGCAGAAGGCAATTCCTATGTACAAAATTGCCACCAAAAACGATGTTGATGTCCAAATTGACCAGGAG TCCTACCTGCCTGAAGACATAGCTGGTGGAGTTGAGATCTATAATGGAGATCGTAAAAATAAAGGTTTCCA ACACCCTGGAAAGCCGGCTGGATCTCATAGCCCAGCAGAAGATGCCAGAAGTCCGGGGGGGCCTTGTTGG TGCAAAAGCCGGCTGGATCTCATAGCCCAGCAGATGATGCCAGAAGTCCGGGGGGGCCTTGTTTGG TGCAAATGCCAACAGGAAGTTTTTGGAC
	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA
Protein Sequence:	>RG217709 representing NM_001039367 <mark>Red=</mark> Cloning site Green=Tags(s)
	MALSDADVQKQIKHMMAFIEQEANEKAEEIDAKAEEEFNIEKGRLVQTQRLKIMEYYEKKEKQIEQQKKI QMSNLMNQARLKVLRARDDLITGLYQLLEPRMIVRCRKQDFPLVKAAVQKAIPMYKIATKNDVDVQIDQE SYLPEDIAGGVEIYNGDRKIKVSNTLESRLDLIAQQMMPEVRGALFGANANRKFLD
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:



Plasmid Map:



ACCN:	NM_001039367
ORF Size:	588 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE ATP6V1E1 (NM_001039367) Human Tagged ORF Clone – RG217709

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001039367.1, NP 001034456.1</u>
RefSeq Size:	1316 bp
RefSeq ORF:	591 bp
Locus ID:	529
UniProt ID:	<u>P36543</u>
Cytogenetics:	22q11.21
Protein Pathways:	Epithelial cell signaling in Helicobacter pylori infection, Metabolic pathways, Oxidative phosphorylation, Vibrio cholerae infection
Gene Summary:	This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that mediates acidification of eukaryotic intracellular organelles. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A, three B, and two G subunits, as well as a C, D, E, F, and H subunit. The V1 domain contains the ATP catalytic site. This gene encodes alternate transcriptional splice variants, encoding different V1 domain E subunit isoforms. Pseudogenes for this gene have been found in the genome. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US