

## Product datasheet for **RG217753**

### ACAT1 (NM\_000019) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** ACAT1 (NM\_000019) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** ACAT1  
**Synonyms:** ACAT; MAT; T2; THIL  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG217753 representing NM\_000019  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGCTGTGCTGGCGCACTTCTGCGCAGCGGCCCGCAGCCGAGCCCTGCTCCGGAGGCTGGTGC  
 AGGAAATAAGATATGTGGAACGGAGTTATGTATCAAACCCACTTTGAAGGAAGTGGTCATAGTAAGTGC  
 TACAAGAACACCCATTGGATCTTTTTAGGCAGCCTTTCCTTGCTGCCAGCCACTAAGCTTGGTTCCATT  
 GCAATTCAGGGAGCCATTGAAAAGGCAGGGATTCCAAAAGAAGAAGTAAAAGAAGCATACATGGGTAAATG  
 TTCTACAAGGAGGTGAAGACAAGCTCCTACAAGGCAGGCAGTATTGGGTGCAGGCTTACCTATTTCTAC  
 TCCATGTACCACCATAAACAAAGTTTGTGCTTCAGGAATGAAAGCCATCATGATGGCCTCTCAAAGTCTT  
 ATGTGTGGACATCAGGATGTGATGGTGGCAGGTGGGATGGAGAGCATGTCCAATGTTCCATATGTAATGA  
 ACAGAGGATCAACACCATATGGTGGGGTAAAGCTTGAAGATTTGATTGTAAGAAAGCAGGGCTAACTGATGT  
 CTACAATAAAATTCATATGGGCAGCTGTGCTGAGAATACAGCAAAGAAGCTGAATATTGCACGAAATGAA  
 CAGGACGCTTATGCTATTAATCTTATACCAGAAGTAAAGCAGCATGGGAAGCTGGGAAATTTGAAATG  
 AAGTTATTCCTGTCACAGTTACAGTAAAAGGTCAACCAGATGTAGTGGTAAAAGAAGATGAAGAATATA  
 ACGTGTTGATTTTAGCAAAGTTCCAAAGCTGAAGACAGTTCCTCCAGAAAGAAAATGGCACAGTAACAGCT  
 GCCAATGCCAGTACACTGAATGATGGAGCAGCTGCTCTGGTTCATGACGGCAGATGCAGCGAAGAGGC  
 TCAATGTTACACCACTGGCAAGAATAGTAGCATTGCTGACGCTGCTGTAGAACCCTATTGATTTTCCAAT  
 TGCTCCTGTATATGCTGCATCTATGTTCTTAAAGATGTGGGATTGAAAAAGAAGATATTGCAATGTGG  
 GAAGTAAATGAAGCCTTTAGTCTGGTGTACTAGCAAACATTAATGTTGGAGATTGATCCCCAAAAG  
 TGAATATCAATGGAGGAGCTGTTCTCTGGGACATCCAATTGGGATGTCTGGAGCCAGGATTGTTGGTCA  
 TTTGACTCATGCCTTGAAGCAAGGAGAATACGGTCTTGCCAGTATTTGCAATGGAGGAGGAGGTGCTTCT  
 GCCATGCTAATTCAGAAGCTG

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online >](#)


**Protein Sequence:** >RG217753 representing NM\_000019  
Red=Cloning site Green=Tags(s)

MAVLAALLRSGARSRSPLLRRLVQEIRYVERSYVSKPTLKEVVIVSATRTPIGSFLGSL SLLPATKLGSI  
 AIQGAIEKAGIPKEEVKEAYMGNVLQGGEGQAPTRQAVLGAGLP ISTPCTTINKVCASGMKAIMMASQSL  
 MCGHQDVMVAGGMESMSNPVYVMNRGSTPYGGVKLEDLIVK DGLTDVYINKIHMGS CAENTAKKLN IARNE  
 QDAYAINSYTRS KA AWEAGKFGNEVIPVTVTVKGQPDVVVKEDEEYKRVDFSKVPK LKTVFQKENGTVTA  
 ANASTLNDGAAALV LMTADAAKRLNVTPLARIVAFADAAVEPIDFPIAPVYAASMLVKDVLKKEDIAMW  
 EVNEAFSLVVLANIKMLEIDPQKVNINGGAVSLGHPIGMSGARIVGHLTHALKQGEYGLASICNGGGGAS  
 AMLIQKL

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_000019


**ORF Size:** 1281 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_000019.2</a></u> , <u><a href="#">NP_000010.1</a></u>
<b>RefSeq Size:</b>	2149 bp
<b>RefSeq ORF:</b>	1284 bp
<b>Locus ID:</b>	38
<b>UniProt ID:</b>	<u><a href="#">P24752</a></u>
<b>Cytogenetics:</b>	11q22.3
<b>Domains:</b>	thiolase
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Butanoate metabolism, Fatty acid metabolism, Lysine degradation, Metabolic pathways, Propanoate metabolism, Pyruvate metabolism, Synthesis and degradation of ketone bodies, Terpenoid backbone biosynthesis, Tryptophan metabolism, Valine, leucine and isoleucine degradation
<b>Gene Summary:</b>	This gene encodes a mitochondrially localized enzyme that catalyzes the reversible formation of acetoacetyl-CoA from two molecules of acetyl-CoA. Defects in this gene are associated with 3-ketothiolase deficiency, an inborn error of isoleucine catabolism characterized by urinary excretion of 2-methyl-3-hydroxybutyric acid, 2-methylacetoacetic acid, tiglylglycine, and butanone. [provided by RefSeq, Feb 2009]

Product images:



Circular map for RG217753