

Product datasheet for **RG218265**

RAB3IP (NM_175625) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RAB3IP (NM_175625) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RAB3IP
Synonyms:	RABIN3; RABIN8
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG218265 representing NM_175625 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGATTA AAAAAGATGAAAGGGTTATCTTATGATGAGGCTTTTGCTATGGCTAATGATCCCTTGGAAAG
GCTTCCATGAAGTAAACCTTGCTTCACCTACTTCTCCGGACCTTCTTGGTGTGTATGAATCAGGAACTCA
AGAGCAGACTACCTACCAAGTGCATCTACCGGCCACACCTTCAGCTTTATCCTCTGTACCTATCCAG
GCAATGCATTAGATGTTTCTGAACTTCTACACAACCCGTGATTCATCCCCAGACGTTTAAATTGTG
CGGAAATATCTAGTATCAGCTTTCATGTTACAGACCCAGCCCTTGCTCTACCTCTGGAGTCACAGCTGG
ATTAATAAAATTAATACTACAAGAAAGGACAATAATGCAGAGAGAGAGTTTTTACAGGGTGCTACTATA
ACAGAGGCTTGCGATGGCAGTGATGATATTTTTGGGTTGAGTACTGATAGTCTGTCTCGTTTACGAAGCC
CATCTGTTTTGGAAGTTAGAGAAAAGGGCTATGAACGATTA AAAAGAAGAACTCGCAAAAGCTCAGAGGGA
ACTGAAGTTAAAAGATGAAGAAATGTGAGAGGCTTTCAAAGTGCGAGATCAACTTGGACAGGAATTGGAA
GAACTCACAGCTAGTCTATTTGAGGAAGCTCATAAAATGGTGAGAGAAGCAAATATCAAGCAGGCAACAG
CAGAAAAACAGCTAAAAGAAGCACAAGGAAAAATTTGATGTA CTCAAGCTGAAGTAGCTGCATTGAAGAC
ACTTGTATTGTCCAGTTCTCCAACATCACCTACG CAGGAGCCTTTGCCAGGTGGAAGACACCTTTTAAA
AAGGGGCATACAAGAAATAAAAGCACAAGCAGTGCTATGAGTGGCAGTCATCAGGACCTCAGTGTGATAC
AGCCAATTGTA AAAAGACTGCAAAGAGGCTGACTTATCCTTGTATAATGAATTCGATTGTGGAAGGATGA
GCCACAATGGACAGGACGTGTCTTTCTTAGACAAAATCTACCAGGAAGATATCTTTCCATGTTTAAACA
TTCTCAAAAAGTGAGTTGGCTTCAGCTGTTCTGGAGGCTGTGGAAAAATACTCTAAGCATTGAACCGAG
TGGGATTACAACCTATCCGGTTTGTGAAAGCTTCTGCAGTTGAATGCGGAGGACCAAAATCACTTCTGTA
TGTAACTTTTTACATACATTTCGATACATT CAGCAGGGACTCG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG218265 representing NM_175625
 Red=Cloning site Green=Tags(s)

MGLKMKGLSYDEAFAMANDPLEGFHEVNLASPTSPDLLGVYESGTQEQTTPSPSVIYRPHPSALSSVPIQ
 ANALDVSELPVYSSPRRLNCAEISSISFHVTDPAFCSTSGVTAGLTKLTKRDNNAERFLQGATI
 TEACDGSDDIFGLSTDLSRLRSPVLEVREKGYERLKEELAKAQRELKLDKEECERLSKYVRDQLGQELE
 ELTASLFEEAHKVMREANIKQATAEKQLKEAQGKIDVLQAEVAALKTLVLSSTPSTQPEPLPGGKTPFK
 KGHTRNKSTSSAMSGSHQDLVSIQPIVKDCKEADLSLYNEFRLWKDEPTMDRTPFLDKIYQEDIFPCLT
 FSKSELASAVLEAVENNTLSIEPVGLQPIRFVKASAVECGGPKSLLYVTFLLHTFDTFSRDS

TRTRPLE - GFP Tag - V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:

NM_175625

ORF Size:	1233 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_175625.4
RefSeq Size:	2047 bp
RefSeq ORF:	1236 bp
Locus ID:	117177
UniProt ID:	Q96QF0
Cytogenetics:	12q15
Gene Summary:	Guanine nucleotide exchange factor (GEF) which may activate RAB8A and RAB8B. Promotes the exchange of GDP to GTP, converting inactive GDP-bound Rab proteins into their active GTP-bound form. Mediates the release of GDP from RAB8A and RAB8B but not from RAB3A or RAB5. Modulates actin organization and promotes polarized transport of RAB8A-specific vesicles to the cell surface. Together with RAB11A, RAB8A, the exocyst complex, PARD3, PRKCI, ANXA2, CDC42 and DNMBP promotes transcytosis of PODXL to the apical membrane initiation sites (AMIS), apical surface formation and lumenogenesis.[UniProtKB/Swiss-Prot Function]