

## **Product datasheet for RG218845**

## BRD4 (NM\_058243) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** BRD4 (NM\_058243) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: BRD4

Synonyms: CAP; HUNK1; HUNKI; MCAP

Mammalian Cell Neomycin

Selection:


**Vector:** pCMV6-AC-GFP (PS100010)


E. coli Selection: Ampicillin (100 ug/mL)

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 

Cloning sites used for ORF Shuttling:





**ACCN:** NM\_058243

ORF Size: 4086 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

**OTI Annotation:** 

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

Domains:

**Gene Summary:** 

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

NM 058243.1, NP 490597.1 RefSeq:

**BROMO** 

RefSeq Size: 5198 bp RefSeq ORF: 4089 bp Locus ID: 23476 **UniProt ID:** 060885 19p13.12 **Cytogenetics:** 

**Protein Families:** Protein Kinase


> associates with chromosomes during mitosis, and to the human RING3 protein, a serine/threonine kinase. Each of these proteins contains two bromodomains, a conserved sequence motif which may be involved in chromatin targeting. This gene has been implicated as the chromosome 19 target of translocation t(15;19)(q13;p13.1), which defines an upper respiratory tract carcinoma in young people. Two alternatively spliced transcript variants

The protein encoded by this gene is homologous to the murine protein MCAP, which

have been described. [provided by RefSeq, Jul 2008]



## **Product images:**



Circular map for RG218845