

## Product datasheet for **RG219364**

### LILRA5 (NM\_181879) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	LILRA5 (NM_181879) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	LILRA5
Synonyms:	CD85; CD85F; ILT-11; ILT11; LILRB7; LIR-9; LIR9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG219364 representing NM_181879 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCACCATGGTCTCATCCATCTGCACAGCTGCAGCCAGTGGGAGGAGACGCCGTGAGCCCTGCCCTCA  
TGGTTCTGCTCTGCCTCGGGCTGAGTCTGGGCCCCAGGACCCACGTGCAGGCAGGGAACCTCTCAAAGC  
CACCTCTGGGCTGAGCCAGGCTCTGTGATCAGCCGGGGAACTCTGTGACCATCCGGTGTGAGGGGACC  
CTGGAGGCCCAGGAATACCGTCTGGTTAAAGAGGGAAGCCAGAACCCTGGGACACACAGAACCCACTGG  
AGCCCAAGAACAAGGCCAGATTCTCCATCCATCCATGACAGAGCACCATGCAGGGAGATACCGCTGTTA  
CTACTACAGCCCTGCAGGCTGGTCAGAGCCAGCGACCCCTGGAGCTGGTGGTGACAGGATTCTACAAC  
AAACCCACCTCTCAGCCCTGCCAGTCTGTGGTGACCTCAGGAGAGAACGTGACCCCTCCAGTGTGGCT  
CACGGCTGAGATTCGACAGGTTCACTTCTGACTGAGGAAGGAGACCACAAGCTCTCCTGGACCTTGGACTC  
ACAGCTGACCCCAAGTGGGCAAGTCCAGGCCCTGTTCCCTGTGGGCCCTGTGACCCCAAGCAGGTTGG  
ATGCTCAGATGCTATGGCTCTCGCAGGCATATCCTGCAGGTATGGTCAGAACCAGTGCACCTCTGGAGA  
TTCCGGTCTCAGGTGAGGAAGCCACAGTCTTCTAGTACAATTCAGGGAAGCCAGACAGGTTGTGGAGA  
GCTTTACAGGCAGGGCAGCCCTGC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG219364 representing NM\_181879  
Red=Cloning site Green=Tags(s)

MAPWSPHAQLQPVGGDAVSPALMVLLCLGLSLGPRTHVQAGNLSKATLWAEPGSVISRGN SVTIRCQGT  
 LEAQEYRLVKEGSPWPDTQNPLEPKNKARFSIPSMTEHHAGRYRCYYSPAGWSEPSDPLELVVTGFYN  
 KPTLSALPSPVVTSGENVTLQCGSRLRFDRF IL TEEGDHKL SWTLDSQLTPSGQFQALFPVGPVTPSHRW  
 MLRCYGSRRHILQVWSEPSDLLEIPVSGEEATVFSSTIQGSQTGGGELYRQGSPC

TRTRPLE - GFP Tag - V


**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shutting:



**Plasmid Map:**



**ACCN:** NM\_181879

**ORF Size:** 795 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_181879.3</a>
<b>RefSeq Size:</b>	1081 bp
<b>RefSeq ORF:</b>	798 bp
<b>Locus ID:</b>	353514
<b>UniProt ID:</b>	<a href="#">A6NI73</a>
<b>Cytogenetics:</b>	19q13.42
<b>Gene Summary:</b>	The protein encoded by this gene is a member of the leukocyte immunoglobulin-like receptor (LIR) family. LIR family members are known to have activating and inhibitory functions in leukocytes. Crosslink of this receptor protein on the surface of monocytes has been shown to induce calcium flux and secretion of several proinflammatory cytokines, which suggests the roles of this protein in triggering innate immune responses. This gene is one of the leukocyte receptor genes that form a gene cluster on the chromosomal region 19q13.4. Four alternatively spliced transcript variants encoding distinct isoforms have been described. [provided by RefSeq, Jul 2008]