

Product datasheet for **RG219497**

DAXX (NM_001350) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DAXX (NM_001350) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	DAXX
Synonyms:	BING2; DAP6; EAP1; SMIM40
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RG219497 representing NM_001350
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGGATCGCC

ATGGCCACCGCTAACAGCATCATCGTGCTGGATGATGATGACGAAGATGAAGCAGCTGCTCAGCCAGGGC
CCTCCCACCCACTCCCAATGCGGCCTCACCTGGGGCAGAAGCCCTAGCTCCTCTGAGCCTCATGGGGC
CAGAGGAAGCAGTAGTTCGGGGCGCAAGAAATGCTACAAGCTGGAGAATGAGAAGCTGTTCTGAAGAGTTC
CTTGAACCTTTGTAAGATGCAGACAGCAGACCACCTGAGGTGGTCCCATTCTCTATAACCGGCAGCAAC
GTGCCACTCTCTGTTTTGGCCTCGGGGAGTCTGCAACATCTCTCTAGGGTCTGTCTCGGGCCCG
GAGCCGGCCAGCCAAGCTCTATGTCTACATCAATGAGCTCTGCACTGTTCTCAAGGCCACTCAGCCAAA
AAGAAGCTGAACCTGGCCCTGCCGCCACCACCTCCAATGAGCCCTCTGGGAATAACCCTCCCACACACC
TCTCCTTGGACCCACAAATGCTGAAAACACTGCCTCTCAGTCTCAAGGACCCGTGGTTCGGGGCGCA
GATCCAGCGTTTGGAGCAGCTGTGGCGCTCTATGTGGCAGAGATCCGGGGCTGCAGGAAAAGGAGTTG
GATCTCTCAGAATTGGATGACCCAGACTCCGCATACCTGCAGGAGGCACGGTTGAAGCGTAAGCTGATCC
GCCTCTTTGGGGGACTATGTGAGCTGAAAGACTGCTCTTCACTGACCGGGCGTGTATAGAGCAGCGCAT
CCCCTACCGTGGCACCCGCTACCCAGAGGTTAACAGGCGCATTGAGCGGCTCATCAACAAGCCAGGGCCT
GATACCTTCCCTGACTATGGGGATGTGCTTCGGGCTGTAGAGAAGGCAGCTGCCCGACACAGCCTTGGCC
TCCCCGACAGCAGCTCCAGTCTATGGCTCAGGATGCCTTCCGAGATGTGGGCATCAGGTTACAGGAGCG
ACGTCACTCGATCTCATCTACAACCTTTGGCTGCCACCTCACAGATGACTATAGGCCAGGCGTTGACCCCT
GCATATCAGATCCTGTGTTGGCCCGGCCTTCGGGAAAACCGGAGTTGGCCATGAGTCGGCTGGATG
AGGTCATCTCAAATATGCAATGTTGCAAGACAAAAGTGAGGAGGGCGAGAGAAAAAGAGAAGAGCTCG
GCTCCAAGGCACCTCTTCCCACTCTGCAGACACCCCGAAGCCTCCTTGGATTCTGGTGAGGGCCCTAGT
GGAATGGCATCCCAGGGGTGCCCTTCTGCCTCCAGAGCTGAGACAGATGACGAAGACGATGAGGAGAGTG
ATGAGGAAGAGGAGGAGGAGGAGGAAGAAGAAGAGGAGGAGGCCACAGATTCTGAAGAGGAGGAGGATCT
GGAACAGATGCAGGAGGGTCCAGGAGGATGATGAAGAGGAGGACGAAGAGGAAGAAGCAGCAGCAGGTA
GATGGAGACAAGAGCCCATGTCCTCACTACAGATCTCCAATGAAAAGAACCTGGAACCTGGCAAACAGA
TCAGCAGATCTCAGGGAGCAGCAAAACAAAGGACGCATAGTGTACCATCGTTACTGTCAGAAGAACC
CCTGGCCCTCCAGCATAGATGCTGAAAGCAATGGAGAACAGCCTGAGGAGCTGACCCTGGAGGAAGAA
AGCCCTGTGTCTCAGCTCTTTGAGCTAGAGATTGAAGCTTTGCCCTGGATACCCTTCTCTGTGGAGA
CGGACATTTCTCTTCCAGGAAGCAATCAGAGGAGCCCTTCAACCTGTCTTAGAGAATGGAGCAGGAT
GGTCTCTTCTACTTCTTCAATGGAGGCGTCTCTCCTCACAACTGGGGAGATTCTGGTCCCCCTGCAAA
AAATCTCGGAAGGAGAAGAAGCAAAACAGGATCAGGGCCATTAGGAAACAGCTATGTGAAAGGCAAGGT
CAGTGATGAGAAGAATGGGAAAAGATATGTACCCTGCCAGCCACCTTCCCCCTGGCTTCTTGGC
CCCAGTTGCTGATTCTCCACGAGGGTGGACTCTCCAGCCATGGCCTGGTGACCAGCTCCCTCTGCATC
CCTTCTCCAGCCCGGCTGTCCAAACCCCCATTACAGCCTCCTCGGCCTGGTACTTGCAAGACAAGTG
TGGCCACAATGCGATCCAGAAGAGATCATCGTGCTCTCAGACTCTGAT

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG219497 representing NM_001350
Red=Cloning site Green=Tags(s)

```

MATANSIIVLDDDDDEDEAAAQPGPSHPLPNAASPGAEAPSSSEPHGARGSSSSGGKKCYKLENEKLFEEF
LELCKMQTADHPEVVPFLYNRQQRASHLFLASAEFCNILSRVLSRARSRAKLYVYINELCTVLKAHSAK
KKLNLAPAATTSNEPSGNNPPTHLSLDPTNAENTASQSPRTRGSRRIQRLEQLLALYVAEIRRLQEKEL
DLSELDDPDAYSAYLQEARLKRKLIIRLFGRLCELKDCSSLTGRVIEQRIPYRGTRYPEVNRRIERLINKPGP
DTFDPYGDVLRAVEKAAARHSLGLPRQQLQLMAQDAFRDVGIRLQERRHLDLIYNFGCHLDDYRPGVDP
ALSDPVLARRLRENRLAMSRLDEVISKYAMLQDKSEEGERKKRRARLQGTSSHSADTPEASLDSGEGPS
GMASQGCPSASRAETDDEDDEESDEEEEEEEEEEEATDSEEEEDLEQMGEQEDDEEEDEEEAAAGK
DGDKSPMSSLQISNEKNLEPGKQISRSSGEQNKGRIVSPSLLEEPLAPSSIDAESNGEQPEELTEEE
SPVSQLFELEIEALPLDTPSSVETDISSSRKQSEEPFTTVLENGAGMVSSTSFNGGVSPHNWGDSPGPPCK
KSRKEKKQTGSGPLGNSYVERQSVHEKNGKKICTLPSPPSPLASLAPVADSSTRVDSPSHGLVTSLLCI
PSPARLSQTPHSQPPRPGTCKTSVATQCDPEEIIIVLSDSD
    
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001350

ORF Size: 2220 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001350.5
RefSeq Size:	2477 bp
RefSeq ORF:	2223 bp
Locus ID:	1616
UniProt ID:	Q9UER7
Cytogenetics:	6p21.32
Domains:	Daxx
Protein Families:	Druggable Genome, Stem cell - Pluripotency, Transcription Factors
Protein Pathways:	Amyotrophic lateral sclerosis (ALS), MAPK signaling pathway
Gene Summary:	<p>This gene encodes a multifunctional protein that resides in multiple locations in the nucleus and in the cytoplasm. It interacts with a wide variety of proteins, such as apoptosis antigen Fas, centromere protein C, and transcription factor erythroblastosis virus E26 oncogene homolog 1. In the nucleus, the encoded protein functions as a potent transcription repressor that binds to sumoylated transcription factors. Its repression can be relieved by the sequestration of this protein into promyelocytic leukemia nuclear bodies or nucleoli. This protein also associates with centromeres in G2 phase. In the cytoplasm, the encoded protein may function to regulate apoptosis. The subcellular localization and function of this protein are modulated by post-translational modifications, including sumoylation, phosphorylation and polyubiquitination. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2008]</p>

Product images:



Circular map for RG219497