

Product datasheet for **RG219498**

SS18 (NM_001007559) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SS18 (NM_001007559) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SS18
Synonyms:	SSXT; SYT
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG219498 representing NM_001007559 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCTGTGGCTTTCGCGGCCCGAGGCAGCGAGGCAAGGGGAGATCACTCCCGCTGCGATTCCAGAAGA
TGTTGGATGACAATAACCATCTTATTAGTGTATAATGGACTCTCAGAATAAAGGAAAGACCTCAGAGTG
TTCTCAGTATCAGCAGATGTTGCACACAACTTGGTATACCTTGCTACAATAGCAGATTCTAATCAAAT
ATGCAGTCTCTTTACCAGCACCCATACAGAATATGCCTATGGTCTCGAGGGATGAATCAGAGCG
GCCCTCCCCACCTCCAGCTCTACAACATGCCTTCAGATGGAATGGTAGGTGGGGTCTCCTGCACC
GCATGCAGAACCAGATGAACGCCAGATGCCTGGGCCAACCATATGCCTATGCAGGGACCTGGACCC
AATCAACTCAATATGACAAACAGTTCCATGAATATGCCTCAAGTAGCCATGGATCCATGGAGGTTACA
ACCATTCTGTGCCATCATCACAGAGCATGCCAGTACAGAATCAGATGACAATGAGTCAGGGACAACCAAT
GGGAAACTATGGTCCCAGACCAATATGAGTATGCAGCCAAACCAAGGTCCAATGATGCATCAGCAGCCT
CCTTCTCAGCAATACAATATGCCACAGGGAGCGGACAGCATTACCAAGGACAGCAGCCACCTATGGGAA
TGATGGTCAAGTTAACCAAGGCAATCATATGATGGGTGAGAGACAGATTCTCCCTATAGACCTCCTCA
ACAGGGCCACCACAGCAGTACTCAGGCCAGGAAGACTATTACGGGGACCAATACAGTCAATGGTGGACAA
GGTCCCTCAGAAGGCATGAACCAGCAATATTACCTGATGGTCAATGATTACGGTTATCAGCAACCGT
CGTATCCTGAACAAGGCTACGATAGGCCTTATGAGGATTCTCACAACATTACTACGAAGGAGGAAATTC
ACAGTATGGCCAACAGCAAGATGCATACCAGGGACCACCTCCACAACAGGATATCCACCCAGCAGCAG
CAGTACCAGGGCAGCAAGGTTACCCAGGACAGCAGCAGGGCTACGGTCTTCACAGGGTGGTCCAGGTC
CTCAGTATCCTAACTACCCACAGGGACAAGGTCAGCAGTATGGAGGATATAGACCAACACAGCCTGGACC
ACCACAGCCACCCAGCAGAGGCCTTATGGATATGACCAGGGACAGTATGGAAATTACCAGCAG

ACGGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online >](#)

Protein Sequence: >RG219498 representing NM_001007559
 Red=Cloning site Green=Tags(s)

MSVAFAPRQRGKGEITPAAIQKMLDDNNHLIQCIMDSQNKGKTSECSQYQQLHTNLVYLATIADSNQN
 MQSLLPAPPIQNMMPMGPGGMNQSGPPPPRSHNMPSDGMVGGGPPAPHMQNQMGQMPGPNHMPMQGPGP
 NQLNMTNSSMNMPSSSHGSMGGYNHSPSSQSMPVQNQMTMSQGPMPGNYGPRPNMSMQPNQGPMMHQQP
 PSQQYNMPQGGGQHYQGQPPMGMMGQVNGNMMGQRQIPPYRPPQGGPPQQYSQEDYYGDQYSHGGQ
 GPPEGMNQQYYPDGHNDYGYQQPSYPEQGYDRPYEDSSQHYYEGNSQYGGQQDAYQGPPPPQQGYPPQQQ
 QYPGQQGYPGQQQGYGPSQGGPGQYPNYPQGGQGGYGGYRPTQPGPPPPQQRPYGYDQGGYGNYYQ


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001007559

ORF Size:	1254 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001007559.1 , NP_001007560.1
RefSeq Size:	3440 bp
RefSeq ORF:	1257 bp
Locus ID:	6760
UniProt ID:	Q15532
Cytogenetics:	18q11.2
Protein Families:	Druggable Genome
Gene Summary:	Appears to function synergistically with RBM14 as a transcriptional coactivator. Isoform 1 and isoform 2 function in nuclear receptor coactivation. Isoform 1 and isoform 2 function in general transcriptional coactivation. Component of SWI/SNF chromatin remodeling subcomplex GBAF that carries out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner (PubMed:29374058).[UniProtKB/Swiss-Prot Function]