

Product datasheet for **RG219561**

H2BC17 (NM_003527) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: H2BC17 (NM_003527) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: H2BC17
Synonyms: dj193B12.2; H2B.2; H2B/n; H2BFN; HIST1H2BO
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG219561 representing NM_003527
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCCGACCCGGCTAAATCTGCTCCTGCCCAAAAAGGGCTCCAAGAAAGCCGTAACCAAGGCCAGAA
AAAAGGACGGCAAGAAGCGCAAGCGCAGCCGCAAGAGAGTTACTCTATCTACGTGTACAAGGTGCTGAA
GCAAGTCCACCCGACACCGGCATCTCATCGAAGGCCATGGGCATCATGAACTCCTTCGTCATGACATC
TTTGAGCGCATCGCTGGCGAGGCTTCCCGCTGGCGCATTACAACAAGCGCTCGACCATCACCTCCAGGG
AGATCCAGACGGCCGTGCGCCTGCTGCTGCCCGGGAGCTGGCCAAGCACGCCGTGCCGAGGGCACAAA
GGCCGTCACCAAGTACACCAGCTCCAAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG219561 representing NM_003527
Red=Cloning site Green=Tags(s)
MPDPAKSAPPKKGSKKAQKQKDKGKRRKRSRKEYSYIYVYKVLKQVHPDTGISSKAMGIMNSFVNDI
FERIAGEASRLAHYNKRSTITSREIQTAVRLLLPGLAKHAVSEGTKAVTKYTSSK

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_003527.4 , NP_003518.2
RefSeq Size:	467 bp
RefSeq ORF:	381 bp
Locus ID:	8348
UniProt ID:	P23527
Cytogenetics:	6p22.1
Protein Families:	Druggable Genome
Protein Pathways:	Systemic lupus erythematosus
Gene Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2B family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the small histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015]