

Product datasheet for **RG219781**

AMOTL2 (NM_016201) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	AMOTL2 (NM_016201) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	AMOTL2
Synonyms:	LCCP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG219781 representing NM_016201
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGAGGACACTGGAAGACTCCTCGGGACAGTCTGCACCGCCTCATCCAGGAGCAGCTGCGCTACGGCA
 ACCTGACTGAGACGCGCACGCTGCTAGCCATCCAGCAGCAGGCCCTGAGGGTGGGGCTGGAAGTGGGG
 TACAGGGAGCCCCAGGCCTCCCTGGAGATCCTGGCCCCAGAGGACAGTCAGGTGCTGCAGCAGGCCACC
 AGGCAGGAGCCCCAGGGCCAGGAGCACCAGGGCGGTGAGAACCACCTGGCAGAGAACCCTCTACCGGC
 TATGCCACAGCCAGCAAGGGAGAGGAGCTGCCACCTATGAGGAGGCCAAAGCCCACTCGCAGTACTA
 TGCGGCCAGCAGGCAGGACCCGGCCACATGCGGGGACCGAGATCCCCGTGGGGCCCCGGGAGGCAGT
 CGGAGGCAGGACGAGGCCCTGCGGGAGCTGAGGCATGGGCACGTGCGCTCGTTGAGTGAACGGCTCTTC
 AGTTGTCCTGGAGAGGAACGGCGCCCGGGCCCCAGCCACATGAGCTCCTCCACAGCTTCCACAGCT
 GGCCCGCAACCAGCAGGGCCCCCACTGAGGGGCCCTGCTGAGGGCCAGAGTCCCAGGACCCCCA
 CCTCAGTACCCTCATGTTGTAAGTACTAGCTCATGAGACCACCACTGCTGTCACTGACCACGGTACCGTCCC
 GCGGCAGCCCGCACTTCCAGCATGCTGAAGTCAAGATCCTGCAGGCCAGGTGCCTCCTGTGTTCTCCA
 ACAGCAGCAGCAGTACCAGTACCTGCAGCAATCTCAGGAGCACCCCCCTCCCCACATCCAGCTGCTCTC
 GGCCATGGCCCCCTGAGCTCCCTCAGTCCACCTGCTGTGGAGGGGCCAGTGAGTGCCAGGCCTCCTCAG
 CCACCTCGGGCAGTGCCACCTGGCCAGATGGAGGCCGTGCTGAGGGAGAATGCCAGGCTGCAGAGAGA
 CAATGAGCGGCTGCAGAGGGAGCTGGAGAGCTCTGCGGAGAAGGCTGGCCGATTGAGAAGCTGGAAGC
 GAAATCCAGCGGCTCTCTGAGGCCATGAGAGCCTGACCAGAGCCTCCTCAAGCGTGAGGCCCTGGAGA
 AGACCATGCGGAACAAGATGGACAGTGAATGAGGAGGCTGCAAGACTTCAACCGGATCTTAGAGAGAG
 ATTGGAATCTGCAAATCGCCGCTGGCAAGCAAGACACAGGAGGCCAGGCCGGCAGTCAGGACATGGTG
 GCCAAGCTGCTTCTCAGAGCTACGAACAGCAGCAGGAGCAAGAGAAGCTGGAGCGAGAGATGGCACTGC
 TGCGCGCGCCATCGAGGACCAGCGCGCGTGGCAGCTGCTGGAGCAGGCTCTGGGCAATGCGCAGGG
 CCGGGCAGCTCGAGCCGAAGAGGAGCTGCGCAAGAAGCAGGCCTATGTGGAGAAAGTGGAGCGGCTGCAG
 CAGGCGCTCGGGCAGCTGCAGGCAGCCTGTGAGAAGCGGGAGCAGCTGGAGCTGCGTCTGCGGACTCGCC
 TGGAGCAGGAACCAAGGCCCTGCGTGCACAGCAGAGACAGGCAGGTGCCCCAGGTGGTAGCAGTGGCAG
 TGGTGGGTCTCCAGAGCTCAGCGCCTGCGACTGTCAGAACAACTGCGAGAGAAGGAGGAGCAGATCCTG
 GCGCTGGAGGCCGACATGACCAAGTGGGAGCAGAAGTATTTGGAGAACGTGCCATGAGGCAGTTTGCCA
 TGGATGCGGCTGCCACGGCTGCTGCTCAGCGTGACACCACTCTCATCCGACATCCCCCAGCCCTCACC
 CAGCAGCAGCTTCAATGAGGGTCTGCTCACTGGTGGCCACAGGCATCAGGAGATGGAAAGCAGGTTAAAG
 GTGCTCCATGCCAGATCCTGGAGAAGGATGCAGTGATCAAGGTCTTACAGCAGCGCTCCAGGAGAGACC
 CTGGCAAGGCCATCCAGGGCTCCCTGCGGCTGCCAAGTCGGTGCATCTGTTTTGCGGGCTGCGGCAGC
 AGGAACCCAGGGCTGGCAAGGGCTCTTCTAGTGAGCGACAAACAGCAGACGCCCTGCTCGGCTGACT
 ACAGCAGACAGACACCCACAGAGGAGCCAGTGGTCACAGCTCCCCCTGCTGCCATGCCAAACACGGGA
 GCAGAGATGGGAGCACCCAGACTGAGGGCCCCCAGACAGCACCTCCACCTGCTGCCACCGGAGCCTGA
 CAGCCTTCTGGGTGCAGCAGTAGCCAGAGAGCAGCCTCTGGACTCTGTAGCTACATCCAGAGTCCAG
 GACTTGTACAGACATGGTGGAGATACTGATC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG219781 representing NM_016201
 Red=Cloning site Green=Tags(s)

MRTLEDSSGTVLHRLIQEQLRYGNLTETRTLLAIQQQALRGGAGTGGTGSPQASLEILAPEDSQVLQQT
 RQEPQGGQEHQGGENHLAENTLYRLCPQPSKGEELPTYEEAKAHSQYAAQQAGTRPHAGDRDRGAPGGS
 RRQDEALRELRHGHVRSLSERLLQLSLERNGARAPSHMSSSHSFPQLARNQQGPPLRGPPAEGPESRGPP
 PQYPHVLAHETTTAVTDPYRARGSPHFQHAEVRIQLAQVPPVFLQQQQYQYLQQSQEHPPPPHPAAL
 GHGPLSSLSPPAVEGPVSAQASSATSGSAHLAQMEAVLRENARLQRDNERLQRELESSAEKAGRIEKLES
 EIQRLESAHESLTRASSKREALEKTMRNKMDSEMRRLLQDFNRDLRERLESANRRLASKTQEAQAGSQDMV
 AKLLAQSYEQQEQEKLEREMALLRGAIEDQRRRAELLEQALGNAQGRAARAEELRKKQAYVEKVERLQ
 QALGQLQAACEKREQLRLRTRLEQELKALRAQQRQAGAPGGSSGGSPELSALRLEQLREKEEQIL
 ALEADMTKWEQKYLEERAMRQFAMDAATAAAQRDITLIRHSPQSPSSSFNEGLLTGGHRHQEMESRLK
 VLHAQILEKDAVIKVLQQRSRDPGKAIQGSRLPAKSVPSVFAAAAAGTQGWQGLSSSERQTADAPARLT
 TADRAPTEEPVVTAPPAHAHKGSRDGTQTEGPPDSTSTCLPPEPDSLGLCSSSQRAASLDSVATSRVQ
 DLSDMVEILI

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_016201

ORF Size: 2340 bp

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_016201.4
RefSeq Size:	4984 bp
RefSeq ORF:	2343 bp
Locus ID:	51421
UniProt ID:	Q9Y2J4
Cytogenetics:	3q22.2
Gene Summary:	<p>Angiomotin is a protein that binds angiotatin, a circulating inhibitor of the formation of new blood vessels (angiogenesis). Angiomotin mediates angiotatin inhibition of endothelial cell migration and tube formation in vitro. The protein encoded by this gene is related to angiomotin and is a member of the motin protein family. Alternative splicing results in multiple transcript variants of this gene. [provided by RefSeq, Jul 2013]</p>

Product images:



Circular map for RG219781