

Product datasheet for **RG220060**

Transferrin Receptor 2 (TFR2) (NM_003227) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Transferrin Receptor 2 (TFR2) (NM_003227) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Transferrin Receptor 2
Synonyms:	HFE3; TFR2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG220060 representing NM_003227
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGAGCGGCTTTGGGGTCTATTCCAGAGAGCGCAACAACGTCCCAAGATCCTCTCAGACCGTCTACC
 AGCGTGTGGAAGGCCCCCGAAAAGGGCACCTGGAGGAGGAAGAGGAAGACGGGGAGGAGGGGGCGGAGAC
 ATTGGCCCACTTCTGCCCATGGAGCTGAGGGGCCCTGAGCCCTGGGCTCTAGACCCAGGCAGCCAAAC
 CTCATTCCCTGGGCGGCAGCAGGACGGAGGGCTGCCCCCTACCTGGTCTGACGGCCCTGCTGATCTTCA
 CTGGGGCCTTCTACTGGGCTACGTCGCCTTCCGAGGGTCTGCCAGGCGTGGGAGACTCTGTGTTGGT
 GGTCACTGAGGATGTCAACTATGAGCCTGACCTGGATTTCCACCAGGGCAGACTCTACTGGAGCGACCTC
 CAGGCCATGTTCTGCAGTTCCTGGGGAGGGGCGCTGGAGGACACCATCAGGCAAACAGCCTTCGGG
 AACGGGTGGCAGGCTCGCCGGGATGGCCGCTCTGACTCAGGACATTCGCGCGGCGCTCTCCCGCCAGAA
 GCTGGACCACGTGTGACCGACACGCACACTACGTGGGGCTGCAATTCGCGGATCCGGCTCACCCAAACACC
 CTGCACTGGGTCGATGAGGCCGGGAAGGTCTGGAGAGCAGCTGCCGCTGGAGGACCCTGACGCTACTGCC
 CCTACAGCGCCATCGGCAACGTACGGGAGAGCTGGTGTACGCCCACTACGGGCGGCCCGAAGACCTGCA
 GGACCTGCGGGCCAGGGCGTGGATCCAGTGGGCCGCTGCTGCTGGTGCAGCTGGGGGTGATCAGCTTC
 GCCCAGAAGGTGACCAATGCTCAGGACTTCGGGGCTCAAGGAGTGTCTATACCCAGAGCCAGCGGACT
 TCTCCAGGACCCACCAAGCCAAGCCTGTCCAGCCAGCAGGCAGTGTATGGACATGTGCACCTGGGAAC
 TGGAGACCCCTACACACCTGGCTTCCCTTCCCTCAATCAAACCCAGTTCCTCCAGTTGCATCATCAGGC
 CTTCCAGCATCCAGCCAGCCATCAGTGCAGACATTGCCTCCCGCTGCTGAGGAAGCTCAAAGGCC
 CTGTGGCCCCCAAGAATGGCAGGGGAGCCTCCTAGGCTCCCCTATCACCTGGGCCCCGGGCCAGCAGC
 GCGGCTAGTGGTCAACAATCACAGGACCTCCACCCCATCAACAACATCTTCGGCTGCATCGAAGGCCGC
 TCAGAGCCAGATCACTACGTTGTATCGGGGCCAGAGGGATGCATGGGGCCAGGAGCAGCTAAATCCG
 CTGTGGGACGGCTATACTCCTGGAGCTGGTGGGACCTTTTCCCTCCATGGTGGTGGCAACGGCTTCGGCC
 CCGCAGAAGTCTCCTTTCATCAGCTGGGACGGTGGTACTTTGGAAGCGTGGGCTCCACGGAGTGGCTA
 GAGGGCTACCTCAGCGTGTGCACCTCAAAGCCGTAGTGTACGTGAGCCTGGACAACGCAGTGTGGGGG
 ATGACAAGTTTCATGCCAAGACCAGCCCCCTTCTGACAAGTCTCATTGAGAGTGTCTGAAGCAGGTGGA
 TTCTCCCAACCACAGTGGGACAGCTCTCTATGAACAGGTGGTGTTCACCAATCCAGCTGGGATGCTGAG
 GTGATCCGGCCCTACCCATGGACAGCAGTGCCTATTCCTTACGGCCTTTGTGGGAGTCCCTGCCGTCG
 AGTTCTCCTTTATGGAGGACGACCAGGCCTACCCATTCTGCACACAAAGGAGGACACTTATGAGAACCT
 GCATAAGGTGCTGCAAGGCCGCTGCCCGCCTGGCCAGGCCGTGGCCAGCTCGCAGGGCAGCTCCTC
 ATCCGGCTCAGCCACGATCGCCTGCTGCCCTCGACTTCGGCCGCTACGGGGACGTGCTCCTCAGGCACA
 TCGGGAACCTCAACGAGTTCTCTGGGGACCTCAAGGCCCGCGGGCTGACCCTGCAGTGGGTGACTCGGC
 GCGGGGGACTACATCCGGGCGGCGAAAAGCTGCGGCAGGAGATCTACAGCTCGGAGGAGAGACGAG
 CGACTGACACGCATGTACAACGTGCGCATAATGCGGGTGGAGTTCTACTTCTTTCCAGTACGTGTCCG
 CAGCCGACTCCCCGTTCCGCCACATCTTATGGGCGGTGGAGACCACACGCTGGGCGCCCTGCTGGACCA
 CCTGCGGCTGCTGCGCTCCAACAGCTCCGGGACCCCGGGCCACCTCCTCCACTGGCTTCCAGGAGAGC
 CGTTTCCGGCGTACGCTAGCCCTGCTCACCTGGACGCTGCAAGGGGCAGCCAATGCGCTTAGCGGGGATG
 TCTGGAACATTGATAACAACTTC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG220060 representing NM_003227
 Red=Cloning site Green=Tags(s)

```


MERLWGLFQRAQQLSPRSSQTVYQRVVEGPRKGHLEEEEDGEEGAETLAHFCEMELRGPEPLGSRPRQPN
LIPWAAAGRRAAPYLVL TALLIFTGAFLLGYVAFRGSCQACGDSVLV VSEDVNYEPDLDFHQGRLYWSDL
QAMFLQFLGEGRLED TIRQTSLRERVAGSAGMAALTQDIRAALSRQKLDHVWTDTHYVGLQFPDPAHPNT
LHWVDEAGKVGEQLPLEDPDVYCPYSAIGNVTGELVYAHYGRPELQDLRARGVDPVGRLLLVRVGVISF
AQKVTNAQDFGAQGVLIYEPADFSQDPPKPSLSSQAVYGHVHLGTGDPYTPGFPSFNQTQFPPVASSG
LPSIPAQPISADIASRLLRKLKGPVAPQEWQGSLLGSPYHLGPGPRLRLVNNHRTSTPINNIFGCIEGR
SEPDHYVVIGAQRDAWGPGAASAVGTAILLELVRTFSSMVSNGFRPRRSLLFISWDGGDFGSVGSTEWL
EGYLSVLHLKAVVYVSLDNAVLGDDKFHAKTSPLL TSLIESVLKQVDSPNHSGQTLYEQVVFTNPSWDAE
VIRPLPMDSSAYSFTAFVGVPAVEFSFMEDDQAYPFLHTKEDTYENLHKVLQGRLPAVAQAVAQLAGQLL
IRLSHDRLLPLDFGRYGDVVL RHIGNLNEFSGDLKARGLTLQWVYSARGDYIRAAEKLRQEIYSSEERDE
RLTRMNVNVRIMRVEFYFLSQYVSPADSPFRHIFMGRGDHTLGALLDHLRLLRSNSSGTPGATSSTGFQES
RFRRQLALLTWTLQGAANALSGDVWNIDNNF
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_003227.4
RefSeq Size:	2891 bp
RefSeq ORF:	2406 bp
Locus ID:	7036
UniProt ID:	Q9UP52
Cytogenetics:	7q22.1
Protein Families:	Druggable Genome, Protease, Transmembrane
Gene Summary:	This gene encodes a single-pass type II membrane protein, which is a member of the transferrin receptor-like family. This protein mediates cellular uptake of transferrin-bound iron, and may be involved in iron metabolism, hepatocyte function and erythrocyte differentiation. Mutations in this gene have been associated with hereditary hemochromatosis type III. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, May 2011]

Product images:



Circular map for RG220060