

Product datasheet for **RG220141**

PI 3 Kinase p85 alpha (PIK3R1) (NM_181524) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PI 3 Kinase p85 alpha (PIK3R1) (NM_181524) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PI 3 Kinase p85 alpha
Synonyms:	AGM7; GRB1; IMD36; p85; p85-ALPHA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG220141 representing NM_181524 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCATAACCTGCAAACACTGCCTCCTAAACCACCAAAACCTACTACTGTAGCCAACAACGGTATGAATA
ACAATATGTCCTTACAAGATGCTGAATGGTACTGGGAGATATCTCGAGGGAAGAAGTGAATGAAAACT
TCGAGATACAGCAGACGGGACCTTTTTGGTACGAGATGCGTCTACTAAAATGCATGGTGATTACTCTT
ACACTAAGGAAAGGGGAAATAACAAATTAATCAAATATTTTCATCGAGATGGGAAATATGGCTTCTCTG
ACCCATTAACCTTCAGTTCGTGGTTGAATTAATAAACCACTACCGGAATGAATCTCTAGCTCAGTATAA
TCCCAAATGGATGTGAAATTACTTTATCCAGTATCCAAATACCAACAGGATCAAGTTGTCAAAGAAGAT
AATATTGAAGCTGTAGGGAAAAAATTACATGAATATAAACAACCTCAGTTTCAAGAAAAAAGTCGAGAATATG
ATAGATTATGAAGAATATACCCGCACATCCCAGGAAATCCAAATGAAAAGGACAGCTATTGAAGCATT
TAATGAAACCAAAAAATATTTGAAGAACAGTGCCAGACCCAAGAGCGGTACAGCAAAGAATACATAGAA
AAGTTTAAACGTGAAGGCAATGAGAAAGAAATACAAAGGATTATGCATAATTATGATAAGTTGAAGTCTC
GAATCAGTGAAATTTTACAGTAGAAGAAGATTGGAAGAAGACTTGAAGAAGCAGGCAGCTGAGTATCG
AGAAATTGACAAACGTATGAACAGCATTAAACCAGACCTTATCCAGCTGAGAAAGACGAGAGACCAATAC
TTGATGTGGTTGACTCAAAAAGGTGTTCCGCAAAGAAGTTGAACGAGTGGTTGGCAATGAAAACCTG
AAGACCAATATTCAGTGGTGAAGATGATGAAGATTTGCCCATCATGATGAGAAGACATGGAATGTTGG
AAGCAGCAACCGAAACAAAGCTGAAAACCTGTTGCGAGGGAAGCGAGATGGCACTTTTCTTGTCCGGGAG
AGCAGTAAACAGGGCTGCTATGCCTGCTGTAGTGGTGGACGGCGAAGTAAAGCATTGTGCATAAAACA
AAACAGCAACTGGCTATGGCTTTGCCGAGCCCTAACTTGTACAGCTCTCTGAAAGAAGCTGGTCTACA
TTACCAACACACCTCCCTTGTGCAGCACAACGACTCCCTCAATGTCACACTAGCTACCCAGTATATGCA
CAGCAGAGGCGA

ACCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online >](#)

Protein Sequence: >RG220141 representing NM_181524
 Red=Cloning site Green=Tags(s)

MHNLQTLPPKPPKPTTVANNGMNNMNSLQDAEWYWGDISREEVNEKLRDADGTFLVRDASTKMHGDYTL
 TLRKGGNNKLIKIFHRDGKYGFSDPLTFSSVVELINHYRNESLAQYNPKLDVKLLYPVSKYQQDQVVKED
 NIEAVGKKLHEYNTQFQEKSRDYRLYEEYTRTSQEIQMKRTAIEAFNETIKIFEEQCQTQERYKEYIE
 KFKREGNEKEIQRIMHNYDKLKSRISEIIDSRRRLEEDLKKQAAEYREIDKRMNSIKPDLIQLRKT RDQY
 LMWL TQKGV RQKKLNEWLGNENTEDQYSLVEDDELPHHDEKTNVVGSSNRNKAENLLRGKRDGTFLVRE
 SSKQGCYACSVVVDGEVKHCVINKTATGYGFAEPYNLYSSLKELVLHYQHTSLVQHNDSLNVTLAYPVYA
 QQRR

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_181524

ORF Size: 1272 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_181524.2](#)

RefSeq Size: 5823 bp

RefSeq ORF: 1275 bp

Locus ID: 5295

UniProt ID: [P27986](#)


Cytogenetics: 5q13.1

Protein Families: Druggable Genome

Protein Pathways: Acute myeloid leukemia, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Glioma, Insulin signaling pathway, Jak-STAT signaling pathway, Leukocyte transendothelial migration, Melanoma, mTOR signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Phosphatidylinositol signaling system, Progesterone-mediated oocyte maturation, Prostate cancer, Regulation of actin cytoskeleton, Renal cell carcinoma, Small cell lung cancer, T cell receptor signaling pathway, Toll-like receptor signaling pathway, Type II diabetes mellitus, VEGF signaling pathway

Gene Summary: Phosphatidylinositol 3-kinase phosphorylates the inositol ring of phosphatidylinositol at the 3-prime position. The enzyme comprises a 110 kD catalytic subunit and a regulatory subunit of either 85, 55, or 50 kD. This gene encodes the 85 kD regulatory subunit. Phosphatidylinositol 3-kinase plays an important role in the metabolic actions of insulin, and a mutation in this gene has been associated with insulin resistance. Alternative splicing of this gene results in four transcript variants encoding different isoforms. [provided by RefSeq, Jun 2011]

Product images:



Circular map for RG220141