

Product datasheet for RG220455

RPL38 (NM 000999) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RPL38 (NM_000999) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: RPL38

Synonyms: L38

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG220455 representing NM_000999

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCTCGGAAAATTGAGGAAATCAAGGACTTCCTGCTCACAGCCCGACGACAGAGGATGCCAAATCTGTCAAGATCAAGAAAAAATAAGGACAACGTGAAGTTTAAAGTTCGATGCAGCAGATACCTTTACACCCTGGTCATCACTGACAAAGAGAAAGGCAGAGAAACTGAAGCAGTCCCTGCCCCCCGGTTTGGCAGTGAAGGAACTGAAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG220455 representing NM_000999

Red=Cloning site Green=Tags(s)

MPRKIEEIKDFLLTARRKDAKSVKIKKNKDNVKFKVRCSRYLYTLVITDKEKAEKLKQSLPPGLAVKELK

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_000999

ORF Size: 210 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 000999.4



 RefSeq Size:
 368 bp

 RefSeq ORF:
 213 bp

 Locus ID:
 6169

 UniProt ID:
 P63173

 Cytogenetics:
 17q25.1

Domains:Ribosomal_L38eProtein Families:Druggable Genome

Protein Pathways: Ribosome

Gene Summary: Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and


a large 60S subunit. Together these subunits are composed of 4 RNA species and

approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is

a component of the 60S subunit. The protein belongs to the L38E family of ribosomal proteins. It is located in the cytoplasm. Alternative splice variants have been identified, both encoding the same protein. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome, including one located in the promoter region of the type 1 angiotensin II receptor gene. [provided by

RefSeq, Jul 2008]

Product images:



Circular map for RG220455