

Product datasheet for **RG220500**

ErbB 4 (ERBB4) (NM_001042599) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ErbB 4 (ERBB4) (NM_001042599) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ErbB 4
Synonyms:	ALS19; HER4; p180erbB4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG220500 representing NM_001042599 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAAGCCGGCGACAGGACTTTGGGTCTGGGTGAGCCTTCTCGTGGCGGGGGACCGTCCAGCCCAGCG
ATTCTCAGTCAGTGTGTGCAGGAACGGAGAATAAACTGAGCTCTCTCTGACCTGGAACAGCAGTACCG
AGCCTTGCACAAGTACTATGAAAACGTGAGGTTGTCTGGGCAACCTGGAGATAACCAGCATTGAGCAC
AACCGGGACCTCTCCTTCTGCGGTCTGTTGAGAAGTACAGGCTACGTGTTAGTGCTCTTAATCAGT
TTCGTTACCTGCCTCTGGAGAATTTACGCATTATTCGTGGGACAAAACCTTATGAGGATCGATATGCCTT
GGCAATATTTTTAACTACAGAAAAGATGGAAAACCTTTGGACTTCAAGAACTTGGATTAAAGAACTTGACA
GAAATCCTAAATGGTGGAGTCTATGTAGACCAGAACAAATTCCTTTGTTATGCAGACACCATTTCATTGGC
AAGATATTGTTCCGAACCCATGGCCTTCCAACCTTGACTCTTGTGTCAACAAATGGTAGTTCCAGGATGTGG
ACGTTGCCATAAGTCTGTACTGGCCGTTGCTGGGGACCCACAGAAAATCATTGCCAGACTTTGACAAGG
ACGGTGTGTGCAGAACATGTGACGGCAGATGCTACGGACCTTACGTGACTGCTGCCATCGAGAAT
GTGCTGGAGGCTGCTCAGGACCTAAGGACACAGACTGCTTTCCTGCATGAATTTCAATGACAGTGGAGC
ATGTGTTACTCAGTGTCCCAAACCTTTGTCTACAATCCAACACCTTTCAACTGGAGCACAATTTCAAT
GCAAAGTACACATATGGAGCATTCTGTGTCAAGAAATGTCCACATAACTTTGTGGTAGATTCAGTTCTT
GTGTGCGTGCCTGCCCTAGTTCCAAGATGGAAGTAGAAGAAAATGGGATTAATGTGTAACCTTGAC
TGACATTTGCCAAAAGCTTGTGATGGCATTGGCACAGGATCATTGATGTCAGCTCAGACTGTGGATTCC
AGTAACATTGACAAATTCATAAACTGTACCAAGATCAATGGGAATTTGATCTTTCTAGTCACTGGTATTC
ATGGGGACCCTTACAATGCAATGAAGCCATAGACCCAGAGAACTGAACGTCTTTCCGACAGTCAGAGA
GATAACAGGTTTCTGAACATACAGTATGCCCACCAAACATGACTGACTTCAGTGTTTTTTCTAACCTG
GTGACCATTGGTGAAGAGTACTCTATAGTGGCCTGTCTTGCTTATCCTCAAGCAACAGGGCATCACCT
CTCTACAGTTCAGTCCCTGAAGGAAATCAGCGCAGGAAACATCTATATTACTGACAACAGCAACCTGTG
TTATTATCATACCATTAAGTGGACAACACTCTTACGACAATCAACCAGAGAATAGTAATCCGGGACAAC



[View online »](#)

AGAAAAGCTGAAAATTGTACTGCTGAAGGAATGGTGTGCAACCATCTGTGTTCCAGTGATGGCTGTTGGG
GACCTGGGCCAGACCAATGTCTGTCTGTGCGCCGCTTCAGTAGAGGAAGGATCTGCATAGAGTCTTGTA
CCTCTATGATGGTGAATTCGGGAGTTTGAGAATGGCTCCATCTGTGAGTGTGACCCCCAGTGTGAG
AAGATGGAAGATGGCCTCCTCACATGCCATGGACCGGGTCTGACAACTGTACAAAGTGTCTCATTTTA
AAGATGGCCAACTGTGTGGAAAAATGCCAGATGGCTTACAGGGGGCAAACAGTTTCATTTTCAAGTA
TGCTGATCCAGATCGGGAGTGCCACCCATGCCATCCAACTGCACCCAAGGGTGTAAACGGTCCCCTAGT
CATGACTGCATTTACTACCCATGGACGGCCATTCCACTTACCACAACATGCTAGAACTCCCCTGATTG
CAGCTGGAGTAATTGGTGGCTCTTATTCTGGTCATTGTGGGTCTGACATTTGCTGTTTATGTTAGAAG
GAAGAGCATCAAAAAGAAAAGAGCCTTGAGAAGATTCTTGAAAACAGAGTTGGTGAACCATTAACCTCC
AGTGGCACAGCACCAATCAAGCTCAACTTCGATTTTTGAAAAGAACTGAGCTGAAGAGGGTAAAAGTCC
TTGGCTCAGGTGCTTTTGAACGGTTTATAAAGGTATTTGGGTACCTGAAGGAGAAAAGTGTGAAGATTCC
TGTGGCTATTAAGATTCTAATGAGACAACTGGTCCCAAGGCAAATGTGGAGTTCATGGATGAAGCTCTG
ATCATGGCAAGTATGGATCATCCACACCTAGTCCGGTGTGGTGTGTCTGAGCCCAACCATCCAGC
TGTTACTCAACTTATGCCCCATGGCTGCCTGTTGGAGTATGTCCACGAGCACAAGGATAACATTGGATC
ACAAGTGTGCTTAACTGGTGTGTCAGATAGCTAAGGGAATGATGTACCTGGAAGAAAGACGACTCGTT
CATCGGGATTTGGCAGCCGTAATGTCTTAGTGAATCTCCAAACCATGTGAAAAACACAGATTTTGGGC
TAGCCAGACTCTTGGAAGGAGATGAAAAAGAGTACAATGCTGATGGAGGAAAGATGCCAATTAATGGAT
GGCTCTGGAGTGTATACATTACAGGAAATTCACCCATCAGAGTGACGTTTGGAGCTATGGAGTACTATA
TGGAACTGATGACCTTTGGAGGAAAACCTATGATGGAATCCAACGCGAGAAATCCCTGATTTATTAG
AGAAAGGAGAACGTTTGCCTCAGCCTCCCATCTGCACTATTGACGTTTACATGGTCATGGTCAAATGTTG
GATGATTGATGCTGACAGTAGACCTAAATTTAAGGAAGTGGTGTGAGTGTTCAGGATGGCTCGAGAC
CCTCAAAGATACCTAGTTATTCAGGGTGTGATCGTATGAAGCTTCCCAGTCCAATGACAGCAAGTCT
TTCAGAACTCTTGGATGAAGAGGATTTGGAAGATATGATGGATGCTGAGGAGTACTTGGTCCCTCAGGC
TTTCAACATCCCACCTCCCATCTATACTTCCAGAGCAAGAATTGACTCGAATAGGAACCAAGTTGTATAC
CGAGATGGAGTTTTGCTGCTGAACAAGGAGTGTCTGTGCCCTACAGAGCCCAACTAGCACAATCCAG
AAGCTCTGTGGCACAGGGTGTACTGCTGAGATTTTTGATGACTCCTGTGTAATGGCACCCCTACGCAA
GCCAGTGGCACCCCATGTCCAAGAGGACAGTAGCACCCAGAGGTACAGTGTGACCCACCGTGTGGCC
CCAGAACGGAGCCACGAGGAGAGCTGGATGAGGAAGTTACATGACTCCTATGCGAGACAAACCCAAAC
AAGAATACCTGAATCCAGTGGAGGAGAACCCTTTGTTTCTCGGAGAAAAATGGAGACCTTCAAGCATT
GGATAATCCGAATATCACAATGCATCCAATGGTCCACCCAAGGCCGAGGATGAGTATGTGAATGAGCCA
CTGTACCTCAACACCTTTGCCAACCTTGGGAAAAGCTGAGTACCTGAAGAACAACATACTGTCAATGC
CAGAGAAGGCCAAGAAAGCGTTTGACAACCTGACTACTGGAACCACAGCCTGCCACCTCGGAGCACCT
TCAGCACCCAGACTACCTGCAGGAGTACAGCACAATAATTTTTATAAACAGAATGGGCGGATCCGGCCT
ATTGTGGCAGAGAATCCTGAATACCTCTCTGAGTCTCCCTGAAGCCAGGCACTGTGCTGCCCTCCAC
CTTACAGACACCGGAATACTGTGGTG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG220500 representing NM_001042599
Red=Cloning site Green=Tags(s)

```

MKPATGLWVWSLLVAAGTVQPSDSQSV CAGTENKLSLSDLEQQYRALRKYENCEVVMGNLEITSIEH
NRDLSFLRSVREVTGYVLVALNQFRYLPLENLRIIRGTKLYEDRYALAIFLNRYKDGNGFLQELGLKNLT
EILNGGVYVDQNKFLCYADTIHWQDIVRNPWPSNLTLVSTNGSSGGRCHKSGTGRCWGPTEHCQTLTR
TVCAEQCDGRGRCYGPVSDCCCHRECAGGCSGPKDTCDFACMNFNDSGACVTQCPQTFVYNPTTFQLEHNFN
AKYTYGAFVCVKKCPHNFVVDSSSVRACPSKMEVEENGIKMKCPCTDICTPKACDGI GTGSLMSAQTVDS
SNIDKFINCTKINGNLIFLVTGIHGDPYNAIEAIDPEKLNVFRTVREITGFLNIQSWPPNMTDFSVFNL
VTIGGRVLYSGLSLLILKQQGITSLSLQFQSLKEISAGNIYITDNSNLCYYHTINWTLFSTINQRIVIRDN
RKAENCTAEGMVCNHLCS SDGCWGPDPDQCLSCRRFSRGRICIESCNLYDGEFREFENGSI CVECDPQCE
KMEDGLLTCHGPGDNCTKCSHFKDGPNCEKCPDGLQGANSFIFKYADPDRECHPCHPCTQGCGNPTS
HDCIYYPWTHSTLPQHARTPLIAAGVIGGLFILVIVGLTFVYVRRKSIKKRALRRFLETETVEPLTP
SGTAPNQAQLRILKETELKRVKVLGSGAFGTVYKGIWVPEGETVKIPVAIKILNETTGPKANVEFMDEAL
IMASMDPHLVRLLVGCLSPTIQLVTQLMPHGCLLEYVHEHKDNIQSLLNWCVQIAKGMYLEERRLV
HRDLAARNVLVKSPNHVKITDFGLARLLEGEKEYNADGGKMPIKWMALECIHYRKFTHQSDVWSYGVTI
WELMTFGGKPYDGIPTREIPDLLEKGERLPQPPICTIDVYVMVKCWMIDADSRPKFKELAAEF SRMARD
PQRYLVIQGGDRMKLSPNDSKFFQNLLEEDLEDMDAE EYLVPQAFNIPPIYTSRARIDSNRNQFVY
RDGGFAAEQGVSPYRAPSTIPEAPVAQGATAEIFD DSCCNGLRKPVAAPHVQEDSSTQRY SADPTVFA
PERSPRGELDEEGYMPMRDKPKQEYLNPNVEENPFVSR RKNGLQALDNPEYHNASNGPPKA EDEYVNEP
LYLNTFANTLGKAEYLKNNILSMPEKAKKAFDNP DYWNHSLPPRSTLQHPDYLQEYSTKYFYKQNGRIRP
IVAENPEYLSEFSLKPGTVLPPPPYRHRNTVV
    
```

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_001042599

ORF Size: 3876 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001042599.1](#), [NP_001036064.1](#)

RefSeq Size: 11893 bp

RefSeq ORF: 3879 bp

Locus ID: 2066

UniProt ID: [Q15303](#)


Cytogenetics: 2q34

Protein Families: Druggable Genome, Protein Kinase, Transmembrane

Protein Pathways: Calcium signaling pathway, Endocytosis, ErbB signaling pathway

Gene Summary:

This gene is a member of the Tyr protein kinase family and the epidermal growth factor receptor subfamily. It encodes a single-pass type I membrane protein with multiple cysteine rich domains, a transmembrane domain, a tyrosine kinase domain, a phosphatidylinositol-3 kinase binding site and a PDZ domain binding motif. The protein binds to and is activated by neuregulins and other factors and induces a variety of cellular responses including mitogenesis and differentiation. Multiple proteolytic events allow for the release of a cytoplasmic fragment and an extracellular fragment. Mutations in this gene have been associated with cancer. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized. [provided by RefSeq, Jul 2008]

Product images:


Circular map for RG220500