

Product datasheet for RG220693

NCALD (NM_001040627) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | Expression Plasmids |
|------------------------------|---|
| Product Name: | NCALD (NM_001040627) Human Tagged ORF Clone |
| Tag: | TurboGFP |
| Symbol: | NCALD |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-AC-GFP (PS100010) |
| E. coli Selection: | Ampicillin (100 ug/mL) |
| ORF Nucleotide Sequence: | <pre>>RG220693 representing NM_001040627 Red=Cloning site Blue=ORF Green=Tags(s)</pre> |
| | TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C |
| | ATGGGGAAACAGAACAGCAAGCTGCGCCCGGAGGTCATGCAGGACTTGCTGGAAAGCACAGACTTTACAG AGCATGAGATCCAGGAATGGTATAAAGGCTTCTTGAGAGAGCTGCCCCAGTGGACATTTGTCAATGGAAGA GTTTAAGAAAATATATGGGAACTTTTTCCCTTATGGGGATGCTTCCAAATTTGCAGAGCATGTCTTCCGC ACCTTCGATGCAAATGGAGATGGGACAATAGACTTTAGAGAATTCATCATCGCCTTGAGTGTAACTTCGA GGGGGAAGCTGGAGCAGAAGCTGAAATGGGCCTTCAGCATGTACGACCTGGACGGAAATGGCTATATCAG CAAGGCAGAGATGCTAGAGATCGTGCAGGCAATCTATAAGATGGTTTCCTCTGTAATGAAAATGCCTGAA GATGAGTCAACCCCAGAGAAAAGAACAGAAAAGATCTTCCGCCAGATGGACACCAATAGAGACGGAAAAC TCTCCCTGGAAGAGTTCATCCGAGGGAGCCAAAAGCGACCCGTCCATTGTGCGCCTCCTGCAGTGCGACCC GAGCAGTGCCGGCCAGTTC |
| | ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA |
| Protein Sequence: | <pre>>RG220693 representing NM_001040627 Red=Cloning site Green=Tags(s)</pre> |
| | MGKQNSKLRPEVMQDLLESTDFTEHEIQEWYKGFLRDCPSGHLSMEEFKKIYGNFFPYGDASKFAEHVFR TFDANGDGTIDFREFIIALSVTSRGKLEQKLKWAFSMYDLDGNGYISKAEMLEIVQAIYKMVSSVMKMPE DESTPEKRTEKIFRQMDTNRDGKLSLEEFIRGAKSDPSIVRLLQCDPSSAGQF |
| | TRTRPLE - GFP Tag - V |
| Restriction Sites: | Sgfl-Mlul |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:



Plasmid Map:



| ACCN: | NM_001040627 |
|-----------------|---|
| ORF Size: | 579 bp |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| ORIGENE NCALD (NM_001040627) Human Tagged ORF Clone - RG220693 | | |
|--|--|--|
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). | |
| Reconstitution Method: | Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. | |
| RefSeq: | <u>NM 001040627.1, NP 001035717.1</u> | |
| RefSeq Size: | 3586 bp | |
| RefSeq ORF: | 582 bp | |
| Locus ID: | 83988 | |
| UniProt ID: | <u>P61601</u> | |
| Cytogenetics: | 8q22.3 | |
| Gene Summary: | This gene encodes a member of the neuronal calcium sensor (NCS) family of calcium-binding proteins. The protein contains an N-terminal myristoylation signal and four EF-hand calcium binding loops. The protein is cytosolic at resting calcium levels; however, elevated intracellular calcium levels induce a conformational change that exposes the myristoyl group, resulting in protein association with membranes and partial co-localization with the perinuclear trans-golgi network. The protein is thought to be a regulator of G protein-coupled | |

receptor signal transduction. Several alternatively spliced variants of this gene have been determined, all of which encode the same protein; additional variants may exist but their biological validity has not been determined. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US