

Product datasheet for **RG220712**

Kininogen 1 (KNG1) (NM_001102416) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Kininogen 1 (KNG1) (NM_001102416) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Kininogen 1
Synonyms:	BDK; BK; HAE6; HMWK; KNG
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG220712 representing NM_001102416
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGAAACTAATTACCATCCTTTCTCTGCTCCAGGCTGCTACTAAGTTTAAACCAGGAATCACAGTCCG
 AGGAAATTGACTGCAATGACAAGGATTTATTTAAAGCTGTGGATGCTGCTCTGAAGAAATAAACAGTCA
 AAACCAAAGTAACAACCGATTTGTATTGTACCGCATAACTGAAGCCACTAAGACGGTTGGCTCTGACACG
 TTTTATTCCTTCAAGTACGAAATCAAGGAGGGGATTGTCCTGTTCAAAGTGGCAAAACCTGGCAGGACT
 GTGAGTACAAGGATGCTGCAAAAGCAGCCACTGGAGAATGCACGGCAACCGTGGGGAAGAGGAGCAGTAC
 GAAATTCTCCGTGGCTACCCAGACCTGCCAGATTACTCCAGCCGAGGGCCCTGTGGTGACAGCCCAGTAC
 GACTGCCTCGGCTGTGTGCATCTATATCAACGCAGAGCCAGACCTGGAGCCCATTCTGAGACACGGCA
 TTCAGTACTTTAAACAACAACACTCAACATTCTCCCTCTTCATGCTTAATGAAGTAAAACGGGCCAAAG
 ACAGGTGGTGGCTGGATTGAACTTTCGAATTACCTACTCAATTGTGCAACGAATTGTTCCAAGAGAAT
 TTTCTGTTCTTAACTCCAGACTGCAAGTCCCTTTGGAATGGTGATACCGTGAATGTACAGATAATGCAT
 ACATCGATATTCAGCTACGAATTGCTTCCTTCTCACAGAAGTGTGACATTTATCCAGGGAAGGATTTTGT
 ACAACCACCTACCAAGATTTGCGTGGGCTGCCCCAGAGATATACCCACCAACAGCCAGAGCTGGAGGAG
 ACCTGACTCACACCATCACAAGCTTAATGCAGAGAATAACGCAACTTTCTATTTCAAGATTGACAATG
 TGAAAAAGCAAGAGTACAGGTGGTGGCTGGCAAGAAATATTTTATTGACTTCGTGGCCAGGGAACCCAC
 ATGTTCCAAGGAAAGTAAAGAGTTGACCGAAAGCTGTGAGACCAAAAACTTGCCAAAGCCTAGAT
 TGCAACGCTGAAGTTTATGTGGTACCCTGGGAGAAAAAATTTACCCTACTGTCAACTGTCAACCACTGG
 GAATGATCTCACTGATGAAAAGGCTCCAGGTTTTTACCTTTCCGATCATCAGAAATAGGGGAAATAAA
 AGAAGAAACAACCTGTAAGTCCACCCACACTTCCATGGCACCTGCACAAGATGAAGAGCGGGATTACGGA
 AAAGAACAAGGGCATACTCGTAGACATGACTGGGGCCATGAAAAACAAAGAAAACATAATCTTGGCCATG
 GCCATAAACATGAACGTGACCAAGGGCATGGGCACCAAGAGGACATGGCCTTGGCCATGGACACGAACA
 ACAGCATGGTCTTGGTATGGACATAAGTTCAAACCTTGATGATGATCTTGAACACCAAGGGGCCATGTC
 CTTGACCATGGACATAAGCATAAGCATGGTCATGGCCACGAAAAACATAAAAAATAAGGCAAAAAGAAATG
 GAAAGCACAATGGTTGAAAAACAGAGCATTGGCAAGCTCTTCTGAAGACAGTACTACACCTTCTGCACA
 GACACAAGAGAAGACAGAAGGGCAACACCCATCCCTCCCTAGCCAAGCCAGGTGAACAGTTACCTTT
 TCTGACTTTCAGGACTCTGATCTCATTGCAACTATGATGCCTCTATATCACAGCTCCCATACAGAGTG
 ATGACGATTGGATCCCTGATATCCAGATAGACCCAAATGGCCTTTCAATTAACCAATATCAGATTTTCC
 AGACACGACCTCCCAAAATGTCCTGGACGCCCTGGAAGTCAGTTAGTGAATTAATCCAACCACACAA
 ATGAAAGAATCTTATTATTTGATCTCACTGATGGCCTTCT

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG220712 representing NM_001102416
 Red=Cloning site Green=Tags(s)



MKLITILFLCSRLLSLTQESQSEIDCNDKDLFAVDAALKKYNSQNQSNNQFVLYRITEATKTVGSDT
 FYSFKYEIKEGDPCVQSGKTWQDCEYKDAKAATGECTATVGKRSSTKFSVATQTCQITPAEGPVVTAQY
 DCLGCVHPISTQSPDLEPILRHGIQYFNNNTQHSSLFMLEVVKRAQRQVAVGLNFRITYSIVQTNCSKEN
 FLFLTPDCKSLWNGDTGECTDNAYIDIQLRIASFQNCDIYPGKDFVQPPTKICVGCPRDIPTNSPELEE
 TLTHITITKLNANNATFYFKIDNVKKARVQVAVAGKQYIDFVARETTCSKESNEELTESCETKKGQSLD
 CNAEVYVVPWEKKIYPTVNCQPLGMSLTKRPPGFSFRSSRIGEIKEETTVSPPHTSMAQAQDEERDSG
 KEQGHTRRHWDWHEKQRKHNLGHGKHERDQGHGHRGHGLGHGHEQQHGLGHGKFKLDDLEHQGGHV
 LDHGHKHKHGHGKHKNGKKNKNGKHWKTEHLASSESDSTTPSAQTQEKTEGPTPIPSLAKPGVTVTF
 SDFQSDLIATMPPISPAPIQSDDDWIPDIQIDPNGLSFNPIISDFPDTTSPKCPGRPWKSVSEINPTTQ
 MKESYFFDLTDGLS

TRTRPLE – GFP Tag – V

Restriction Sites: Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



ACCN: NM_001102416

ORF Size: 1932 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001102416.3](#)

RefSeq Size: 2147 bp


RefSeq ORF: 1935 bp

Locus ID: 3827

UniProt ID: [P01042](#)

Cytogenetics:	3q27.3
Protein Families:	Druggable Genome, Secreted Protein
Protein Pathways:	Complement and coagulation cascades
Gene Summary:	This gene uses alternative splicing to generate two different proteins- high molecular weight kininogen (HMWK) and low molecular weight kininogen (LMWK). HMWK is essential for blood coagulation and assembly of the kallikrein-kinin system. Also, bradykinin, a peptide causing numerous physiological effects, is released from HMWK. Bradykinin also functions as an antimicrobial peptide with antibacterial and antifungal activity. In contrast to HMWK, LMWK is not involved in blood coagulation. Infection with severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) reduces or depletes angiotensin converting enzyme 2 (ACE2), which results in an increase in levels of des-Arg(9)-bradykinin, a bioactive metabolite of bradykinin that is associated with lung injury and inflammation. Three transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2020]

Product images:



Circular map for RG220712