

## Product datasheet for **RG220838**

### OR111 (NM\_001004713) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** OR111 (NM\_001004713) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** OR111  
**Synonyms:** OR111P; OR111Q; OR19-20  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG220838 representing NM\_001004713  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGAACCAGAAAAGCAAACCGAAATCTCAGAATTCTTCTCCAGGGACTCTCAGAAAAGCCAGAGCATC  
 AGACCTCCTCTTCAATGTTCTCTCCACATACCTGGTCACCATCATTGGAAATGCCCTCATTATCCT  
 GGCCATCATCACGGACTCTCACCTCCACACACCCATGTAATCTTCTCTCAACCTCTCACTCGTTGAC  
 ACCCTATTATCTCCACCACCGTCCCAAGATGCTAGCGAACATCCAGGCTCAGAGCAGAGCCATCCCT  
 TTGTGGGCTGCCTCACCCAGATGTATGCCTTCCACCTGTTGGGACCATGGACAGCTTTCTCTGGCAGT  
 AATGGCCATCGACCGCTTCGTGGCCATTGTCCACCCACAGCGTTACTTGGTTCTCATGTGCTCCCTGT  
 TGTGGGCTGTGCTGGGAGCATCATGGATGATACCAACCTCCAGTCTCTCATACACACCTGCCTCATGG  
 CTCAACTGACCTTCTGCGCCGGCTCTGAAATCTCCCACTTCTTCTGTGACCTCATGCCCTGCTGAAGCT  
 CTCCGGCTCAGACACGCACCAACGAGCTGGTGTATCTTTGCTTTGGCATTGTCGTGGGACCAAGCCCA  
 TTCTCTGCATCCTTCTCTCGTACATCCGATTTTCTGGACAGTCTTTAAGATCCCTTCTACTCGGGCA  
 AGTGGAAAGCCTTCTCCACCTGTGGCTTACACCTCACTGTGGTGTCACTGCCTATGGGACCATCTTTGC  
 TGTACTTACAGCCACATCCCCAGCTCCTCCAGAAGGACAAGGCAGCCGCCTAATGTGTGGGGTG  
 TTCATCCCATGCTCAACCCCTTATCTACAGCATACGGAACAAGGATATGAAGGCAGCCCTGGGGAAGC  
 TCATCGGCAAAGTGGCCGTCCTGTCCTAGGCCAGAACAGTTATTGGATGTTTATCATGTTCCAGGATC  
 ACTGTTGGCTGCTAGGGACACAGAGATGCATCCATCCCTACCCTGGAGGAGTTCAGAGTCTAGCTGGG  
 AACAGAGACATGGAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG220838 representing NM\_001004713  
 Red=Cloning site Green=Tags(s)

MEPEKQTEISEFFLQGLSEKPEHQTLFLTMFLSTYLVTIIGNAL IILAIITDSSLHTPMYFFL FNLSLVD  
 TLLSSTVTPKMLANIQAQSR AIPFVGLTQMYAFHLFGTMDSFLLAVMAIDRFVAIVHPQRYL VLMCSPV  
 CGLLLGASWMITNLQSLIHTCLMAQLTFCAGSEISHFFCDLMP LLLKLSGSDTHTNELVIFAFGIVVGTSP  
 FSCILLSYIRIFWTVFKIPSTRGKWKAFSTCGLHLTVVSLSYGTIFAVYLQPTSPSSSQDKAAALMCGV  
 FIPMLNPF IYSIRNKDMKAALGK LIGKVAVPCPRPEQLLDVYHVPGSLLAARDTEMHPIPYPGGVQSLAG  
 NRDME

TRTRPLE - GFP Tag - V


**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:**

NM\_001004713

<b>ORF Size:</b>	1065 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001004713.1</a> , <a href="#">NP_001004713.1</a>
<b>RefSeq Size:</b>	1068 bp
<b>RefSeq ORF:</b>	1068 bp
<b>Locus ID:</b>	126370
<b>UniProt ID:</b>	<a href="#">O60431</a>
<b>Cytogenetics:</b>	19p13.12
<b>Protein Families:</b>	Transmembrane
<b>Protein Pathways:</b>	Olfactory transduction
<b>Gene Summary:</b>	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]