

Product datasheet for **RG220972**

Phospholipase A2 (PLA2G4A) (NM_024420) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | Phospholipase A2 (PLA2G4A) (NM_024420) Human Tagged ORF Clone |
| Tag: | TurboGFP |
| Symbol: | Phospholipase A2 |
| Synonyms: | cPLA2; cPLA2-alpha; GURDP; PLA2G4 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-AC-GFP (PS100010) |
| E. coli Selection: | Ampicillin (100 ug/mL) |



[View online »](#)

ORF Nucleotide Sequence:

>RG220972 representing NM_024420
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGTCATTATAGATCCTTACCAGCACATTATAGTGGAGCACCAGTATCCACAAGTTTACGGTAGTGG
 TGTACGTGCCACCAAAGTGACAAAGGGGGCCTTTGGTGACATGCTTGATACTCCAGATCCCTATGTGGA
 ACTTTTTATCTCTACAACCCCTGACAGCAGGAAGAGAACAAGACATTTCAATAATGACATAAACCCCTGTG
 TGGAAAGAGACCTTTGAATTTATTTGGATCCTAATCAGGAAAATGTTTTGGAGATTACGTTAATGGATG
 CCAATTATGTCATGGATGAACTCTAGGGACAGCAACATTTACTGTATCTTCTATGAAGGTGGGAGAAAA
 GAAAGAAGTTCCTTTATTTCAACCAAGTCACTGAAATGTTTCTAGAAATGTCTCTTGAAGTTTGTCTCA
 TGCCAGACCTACGATTTAGTATGGCTCTGTGTGATCAGGAGAAGACTTTCAGACAACAGAGAAAAGAAC
 ACATAAGGGAGAGCATGAAGAACTCTTGGGTCCAAAGAATAGTGAAGGATTGCATTCTGCACGTGATGT
 GCCTGTGGTAGCCATATTGGGTTCAAGTGGGGTTTCCGAGCCATGGTGGGATTCTCTGGTGTGATGAAG
 GCATTATACGAATCAGGAATTCGGATTGTCTACCTACGTTGCTGGTCTTTCTGGCTCCACCTGGTATA
 TGCAACCTTGTATTCTCACCTGATTTCCAGAGAAAAGGGCCAGAGGAGATTAATGAAGAACTAATGAA
 AAATGTTAGCCACAATCCCCTTTTACTTCTCACACCACAGAAAGTTAAAAGATATGTTGAGTCTTTATGG
 AAGAAGAAAAGCTCTGGACAACCTGTCACCTTTACTGACATCTTTGGGATGTTAATAGGAGAAAACACTAA
 TTCATAATAGAATGAATACTACTCTGAGCAGTTTGAAGGAAAAAGTTAATACTGCACAATGCCCTTTACC
 TCTTTTCACTGTCTTATGTCAAACCTGACGTTTTCAGAGCTGATGTTTGCAGATTGGGTTGAATTTAGT
 CCATACGAAATGGCATGGCTAAATATGGTACTTTTATGGCTCCGACTTATTTGGAAGCAAATTTTTTA
 TGGGAACAGTCGTTAAGAAGTATGAAGAAAACCCCTTGCATTTCTTAATGGGTGTCTGGGGCAGTGCCTT
 TTCCATATTGTTCAACAGAGTTTTGGGCGTTTCTGGTTACAAAAGCAGAGGCTCCACAATGGAGGAAGAA
 TTAGAAAATATTACCACAAGCATATTGTGAGTAATGATAGCTCGGACAGTGATGATGAATCACACGAAC
 CCAAAGGCACTGAAAATGAAGATGCTGGAAGTACTATCAAAGTGATAATCAAGCAAGTTGGATTTCATCG
 TATGATAATGGCCTTGGTGAAGTATTCAGCTTTTCAATACCAGAGAAGGACGTGCTGGGAAGGTACAC
 AACTTCATGCTGGGCTTGAATCTCAATACATCTTATCCACTGTCTCCTTTGAGTGACTTTGCCACACAGG
 ACTCCTTTGATGATGATGAACTGGATGCAGCTGTAGCAGATCCTGATGAATTTGAGCGAATATATGAGCC
 TCTGGATGTCAAAGTAAAAGATTATGTAGTGGACAGTGGGCTCACATTTAACCTGCCGTATCCCTTG
 ATACTGAGACCTCAGAGAGGGGTTGATCTCATAATCTCCTTTGACTTTTCTGCAAGGCCAAGTACTCTA
 GTCCTCCGTTCAAGGAACCTTACTTGCAGAAAAGTGGGCTAAAATGAACAAGCTCCCCTTTCCAAAGAT
 TGATCCTTATGTGTTTATCGGGGAGGGCTGAAGGAGTGCTATGTCTTTAAACCCAGAATCCTGATATG
 GAGAAAGATTGCCCAACCATCATCCACTTTGTTCTGGCCAACATCAACTTCAGAAAGTACAAGGCTCCAG
 GTGTTCCAAGGAAACTGAGGAAGAGAAAGAAATCGCTGACTTTGATATTTTTGATGACCCAGAATCACC
 ATTTTCAACCTTCAATTTTCAATATCCAAATCAAGCATTCAAAGACTACATGATCTTATGCACTTCAAT
 ACTCTGAACAACATTGATGTGATAAAGAAGCCATGGTTGAAAGCATTGAATATAGAAGACAGAATCCAT
 CTCGTTGCTCTGTTCCCTTAGTAATGTTGAGGCAAGAAGATTTTCAACAAGGAGTTTCTAAGTAAACC
 CAAAGCA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >RG220972 representing NM_024420
 Red=Cloning site Green=Tags(s)

```
MSFIDPYQHIIVEHQYSHKFTVVVLRATKVTKGAFGDMLDTPDPYVELFISTTPDSRKTRHRFNNDINPV
WNETFEFILDPNQENVLEITLMDANYVMDETLGTATFTVSSMKVGEKKEVPFIFNQVTEMLMSLEVCS
CPDLRFSMALCDQEKTFRQQRKEHIRESMKLLGPKNSEGLHSARDVPVVAIILGSGGGFRAMVGFSGVMK
ALYESGILDCAIYVAGLSGSTWYMSTLYSHPDFPEKGPEEINEELMKNVSHNPLLLLTPQKVRYVESLW
KKKSSGQPVTFTDIFGMLIGETLIHNRMNNTLSSLKEKVNTAQCPPLPFTCLHVKPDVSELMFADWVEFS
PYEIGMAKYGTMAPDLFGSKFFMGTVVKYEEENPLHFLMGVWGSASFILFNRVLGVSGSQSRGSTMEEE
LENITTKHIVSNDSSDDESHEPKGTENEDAGSDYQSDNQASWIHRMIMALVSDSALFNTREGRAGKVH
NFMLGLNLNTSYPLSPLSDFATQDSFDDDELDAAVADPDEFERIYEPLDVKSKIHVVDSGLTFNLPYPL
ILRPQRGVDLIIISFDFSARPSDSSPPFKELLLAEKWAKMNKLPFKIDPYVFDREGLKECYVFKPKNPDM
EKDCPTIIHFVLANINFRKYKAPGVPRETEEEKEIADFDIFDDPESPFSTFNFQYPNQAFKRLHDLMHFN
TLNNIDVIKEAMVESIEYRRQNPSRCSVLSNVEARRFFNKEFLSKPKA
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_024420

ORF Size: 2247 bp

| | |
|-------------------------------|--|
| OTI Disclaimer: | <p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p> |
| OTI Annotation: | <p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p> |
| Components: | <p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p> |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <p>NM_024420.1, NP_077734.1</p> |
| RefSeq Size: | <p>2875 bp</p> |
| RefSeq ORF: | <p>2250 bp</p> |
| Locus ID: | <p>5321</p> |
| UniProt ID: | <p>P47712</p> |
| Cytogenetics: | <p>1q31.1</p> |
| Domains: | <p>C2, PLA2_B</p> |
| Protein Pathways: | <p>alpha-Linolenic acid metabolism, Arachidonic acid metabolism, Ether lipid metabolism, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Glycerophospholipid metabolism, GnRH signaling pathway, Linoleic acid metabolism, Long-term depression, MAPK signaling pathway, Metabolic pathways, Vascular smooth muscle contraction, VEGF signaling pathway</p> |

Gene Summary:

This gene encodes a member of the cytosolic phospholipase A2 group IV family. The enzyme catalyzes the hydrolysis of membrane phospholipids to release arachidonic acid which is subsequently metabolized into eicosanoids. Eicosanoids, including prostaglandins and leukotrienes, are lipid-based cellular hormones that regulate hemodynamics, inflammatory responses, and other intracellular pathways. The hydrolysis reaction also produces lysophospholipids that are converted into platelet-activating factor. The enzyme is activated by increased intracellular Ca(2+) levels and phosphorylation, resulting in its translocation from the cytosol and nucleus to perinuclear membrane vesicles. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2015]

Product images:

Circular map for RG220972