

## Product datasheet for **RG221068**

### **ABCB9 (NM\_203444) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	ABCB9 (NM_203444) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ABCB9
Synonyms:	EST122234; TAPL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>RG221068 representing NM\_203444  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGCGCGTGTGGAAGCGGTGGTGGTGACTTTGCCTTCATGAGTGTGGACATCTGCGTGACCACGGCCA  
TCTATGTCTTCAGCCACCTGGACCAGCAGCTCCTGGAGGACATCCGCCACTTCAACATCTTTGACTCGGT  
GCTGGATCTCTGGGCAGCCTGCCTGTACCGCAGCTGCCTGCTGCTGGGAGCCACCATTGGTGTGGCCAAG  
AACAGTGCCTGGGGCCCCGGCGCTGCGGGCCTCGTGGTGGTTCATCACCCTCGTGTGCCTCTTCGTGG  
GCATCTATGCCATGGTGAAGCTGCTGCTTCTCAGAGGTGCGCAGGCCCATCCGGGACCCTGGTTTTG  
GGCCCTGTTGCTGGACGTACATTTCACTCGCGCATCCTTCTGCTCTGGTGGCTGCTGTCCACCGTG  
CGGCCAGGCACCCAGGCCCTGGAGCCAGGGCGGCCACCGAGGCTGAGGGCTTCCCTGGGAGCGGCCGGC  
CACCGCCGAGCAGGCGTCTGGGCCACGCTGCAGAAGCTGCTCTCTACACCAAGCCCGACGTGGCCTT  
CCTCGTGGCCGCTCCTTCTTCTCATCGTGGCAGCTCTGGGAGAGACCTTCTGCCCTACTACACGGGC  
CGCGCCATTGATGGCATCGTCATCCAGAAAAGCATGGATCAGTTCAGCACGGCTGTGTCATCGTGTGCC  
TGCTGGCCATTGGCAGCTCATTTGCCGAGGATTCGGGGCGGCATTTTTACCCTCATATTTGCCAGACT  
GAACATTCGCCTTCGAACTGTCTTCCGCTCACTGGTGTCCCAGGAGACAAGCTTCTTTGATGAGAAC  
CGCACAGGGGACCTCATCTCCGCTGACCTCGGACACCACCATGGTCAGCGACCTGGTCTCCGAGAACA  
TCAATGTCTTCTGCGGAACACAGTCAAGGTCACGGGCGTGGTGGTCTTCATGTTGAGCCTCTCATGGCA  
GCTCTCCTTGGTACCTTCATGGGCTTCCCATCATCATGATGGTGTCCAACATCTACGGCAAGTACTAC  
AAGAGGCTCTCCAAGAGGTCCAGAATGCCCTGGCCAGAGCGAGCAACACGGCGGAGGAGACCATCAGTG  
CCATGAAGACTGTCCGGAGCTTCGCCAATGAGGAGGAGGAGGCAGAGGTGTACCTGCGGAAGCTGCAGCA  
GGTGTACAAGCTGAACAGGAAGGAGGCAGCTGCCACATGTAACGTCGTCGGGGCAGCGGGCTCACACTG  
CTGGTGGTCCAGGTCAGCATCCTTACTACGGGGCCACCTTGTGTCATCTCAGGCCAGATGACCAGCGGCA  
ACCTCATCGCCTTCATCATCTACGAGTTTGTCTGGGAGATTGTATGGAGTCCGTGGGCTCCGTCTACAG  
TGGCCTGATGCAGGGAGTGGGGCTGCTGAGAAGGTGTTGAGTTCATCGACCGGAGCCGACCATGGTG  
CACGATGGCAGCTTGGCCCCGACCACCTGGAGGGCCGGTGGACTTTGAGAATGTGACCTTACCTACC  
GCACTCGGCCCCACCCAGGTCCTGCAGAATGTCTCCTTACGCTGTCCCCGGCAAGGTGACGGCCCT  
GGTGGGGCCCTCGGCAGTGGGAAGAGCTCCTGTGTCAACATCCTGGAGAATTCTACCCCTGGAGGGG  
GGCCGGGTGCTGCTGGACGGCAAGCCCATCAGCGCTACGACCACAAGTACTTGACCGTGTGATCTCCC  
TGGTGAGCCAGGAGCCGTGCTGTTCCGCCGCTCCATCAGGATAACATCTCCTACGGCCTGCCACTGT  
GCCTTTCGAGATGGTGGTGGAGGCCGACAGAAGGCCAATGCCACGGCTTCATCATGGAATCCAGGAC  
GGCTACAGCACAGAGACAGGGGAGAAGGGCGCCAGCTGTGAGGTGGCCAGAAGCAGCGGGTGGCCATGG  
CCCGGGCTCTGGTGCGAACCCCCAGTCTCATCCTGGATGAAGCCACCAGCGCTTTGGATGCCGAGAG  
CGAGTATCTGATCCAGCAGGCCATCCATGGCAACCTGCAGAAGCACACGGTACTCATCATCGGCACCGG  
CTGAGCACCGTGGAGCACGCGCACCTATTGTGGTGTGGACAAGGGCCGCTAGTGCAGCAGGGCACCC  
ACCAGCAGCTGCTGGCCAGGGCGGCTCTACGCCAAGCTGGTGCAGCGGCAGATGCTGGGGCTTACGCC  
CGCCGACAGCTTACAGCTGGCCACAACGAGCCTGTAGCCAACGGCAGTCACAAGGCC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG221068 representing NM\_203444  
 Red=Cloning site Green=Tags(s)



MRLWKAVVVTLAFMSVDICVTTAIYVFSHLDRSLLDIRHFNIFDSVLDLWAACLYRSCLLLGATIGVAK  
 NSALGPRRLRASWLVITLVCLFVGIYAMVKLLLFSEVRRPIRDPWFALFVWTYISLGASFLWLLSTV  
 RPGTQALEPGAATEAEGFPGSGRPPPEQASGATLQKLLSYTKPDVAFLVAASFFLIVAALGETFLPYTG  
 RAIDGIVIQKSMQDFSTAVVIVCLLAIGSSFAAGIRGGIFTLIFARLNIRLRNCLFRSLVSQETSFFDEN  
 RTGDLISRLTSDTTMVSQININVFLRNTVKVTGVVVFMSLSWQLSLVTFMGFPIIMMVSNIYGKYY  
 KRLSKEVQNALARASNTAEETISAMKTVRSFANEEEEAEVYLRKLQQVYKLNKRAAAAYMYVWGSGLTL  
 LVVQVSIYYGGHLVISGQMTSGNLIAFIIEYFVLGDCMESVGSVYSGLMQGVGAAEKVFEFIDRQPTMV  
 HDGSLAPDHLEGRVDFENVFTYRTRPHTQVLQNVSFSLSPGKVTALVGPSPGSGKSSCVNILENFYPLEG  
 GRVLLDGKPI SAYDHKYLHRVISLSQEPVLFARSITDNISYGLPTVPFEMVVEAAQKANAHGFIMELQD  
 GYSTETGEKGAQLSGGQKQRVAMARALVRNPPVLILDEATSALDAESEYLIQQA.IHGNLQKHTVLI.IAHR  
 LSTVEHAHLIVVLDKGRVVQQGTHQQLLAQGGLYAKLVQRQMLGLQPAADF TAGHNEPVANGSHKA


TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shutting:



**Plasmid Map:**


**ACCN:** NM\_203444

**ORF Size:** 2298 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_203444.2](#)

**RefSeq Size:** 3871 bp

**RefSeq ORF:** 2052 bp

**Locus ID:** 23457

UniProt ID: [Q9NP78](#)

Cytogenetics: 12q24.31

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: ABC transporters, Lysosome

**Gene Summary:** The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. This family member functions in the translocation of peptides from the cytosol into the lysosomal lumen. Alternative splicing of this gene results in distinct isoforms which are likely to have different substrate specificities. [provided by RefSeq, Jul 2011]