

Product datasheet for **RG221292**

Hepsin (HPN) (NM_182983) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Hepsin (HPN) (NM_182983) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Hepsin
Synonyms:	TMPRSS1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG221292 representing NM_182983 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGCAGAAGGAGGGTGGCCGACTGTGCCATGCTGCTCCAGACCCAAGGTGGCAGCTCTCACTGCGG
GGACCTGCTACTTCTGACAGCCATCGGGCGGCATCCTGGGCCATTGTGGCTGTCTCCTCAGGAGTGA
CCAGGAGCCGCTGTACCCAGTGCAGGTCAGCTCTGCGGACGCTCGGCTCATGGTCTTTGACAAGACGGAA
GGGACGTGGCGGCTGCTGTGCTCCTCGCGTCCAACGCCAGGGTAGCCGACTCAGCTGCGAGGAGATGG
GCTTCTCAGGGCACTGACCCACTCCGAGCTGGACGTGCGAACGGCGGGGCCAATGGCAGTCCGGCTT
CTTCTGTGTGGACGAGGGGAGGCTGCCCCACCCAGAGGCTGCTGGAGGTCATCTCCGTGTGTGATTGC
CCCAGAGGCCGTTTCTTGCCCGCATCTGCCAAGACTGTGGCCGACGGAAGCTGCCCGTGGACCCGATCG
TGGGAGGCCGGGACACCAGCTTGGGCCGGTGGCCGTGGCAAGTCAGCCTTCGCTATGATGGAGCACACCT
CTGTGGGGGATCCCTGCTCTCCGGGACTGGGTGCTGACAGCCGCCATTGCTTCCCGGAGCGGAACCGG
GTCCTGTCCCGATGGCGAGTGTTCGCCGTGCCGTGGCCAGGCCCTCCTCCACGGTCTGACAGTGGGGG
TGCAGGCTGTGGTCTACCACGGGGGCTATCTTCCCTTTCGGGACCCCAACAGCGAGGAGAACAGCAACGA
TATTGCCCTGGTCCACCTCTCCAGTCCCCTGCCCTCACAGAATACATCCAGCCTGTGTGCTCCTCCAGCT
GCCGCCAGGCCCTGGTGGATGGCAAGATCTGTACCGTGACGGGCTGGGGCAACACGCACTATGGCC
AACAGGCCGGGTACTCCAGGAGGCTCGAGTCCCATAATCAGCAATGATGTCTGCAATGGCGTGAATCTT
CTATGAAAACAGATCAAGCCCAAGATGTTCTGTGCTGGCTACCCGAGGGTGGCATTGATGCCTGCCAG
GGCGACAGCGGTGGTCCCTTTGTGTGTGAGGACAGCATCTCTCGGACGCCAGTTGGCGGCTGTGTGGCA
TTGTGAGTTGGGGCACTGGCTGTGCCCTGGCCAGAAGCCAGGCGTCTACACCAAGTCAGTGACTTCCG
GGAGTGGATCTCCAGGCCATAAAGACTCACTCCGAAGCCAGCGCATGGTGACCCAGCTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG221292 representing NM_182983
 Red=Cloning site Green=Tags(s)

MAQKEGGRTVPCCSRPKVAALTAGTLLLLTAIGAASWAI VAVLLRSDQEPLYPVQVSSADARLMVFDKTE
 GTWRLLCSSRSNARVAGLSCEEMGFLRALTHSELDVRTAGANGTSGFFCVDEGRLPHTQRLLLEVISVDCD
 PRGRFLAAICQDCGRRKLPVDRI VGGRTDSLGRWPWQVSLRYDGAHL CGSLLSGDWVLTAAHCFPERNR
 VLSRWRFAGAVAQASPHGLQLGVQAVVYHGYYLPFRDPNSEENSNDIALVHLSPLPLTEYIQPVCLPA
 AGQALVDGKICTVTGWGNTQYYGQQAGV LQEARVPIISNDVCNGADFYGNQIKPKMFCAGYPEGGIDACQ
 GDSGGPFVCEDSISRTPRWRLCGIVSWGTCALAQKPGVYTKVSDFREWIFQAIKTHSEASGMVTQL

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_182983

ORF Size: 1251 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_182983.1](#), [NP_892028.1](#)

RefSeq Size: 2363 bp

RefSeq ORF: 1254 bp

Locus ID: 3249


UniProt ID: [P05981](#)

Cytogenetics: 19q13.11

Protein Families: Druggable Genome, Protease, Transmembrane

Gene Summary: This gene encodes a type II transmembrane serine protease that may be involved in diverse cellular functions, including blood coagulation and the maintenance of cell morphology. Expression of the encoded protein is associated with the growth and progression of cancers, particularly prostate cancer. The protein is cleaved into a catalytic serine protease chain and a non-catalytic scavenger receptor cysteine-rich chain, which associate via a single disulfide bond. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2013]

Product images:



Circular map for RG221292