

Product datasheet for **RG221556**

MARK1 (NM_018650) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MARK1 (NM_018650) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	MARK1
Synonyms:	MARK; Par-1c; Par1c
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG221556 representing NM_018650
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGTCGGCCCGGACGCCATTGCCGACGGTGAACGAGCGGGACACGGAAAAATCATACATCTGTGGATGGAT
 ATACTGAACCACACATCCAGCCTACCAAGTCGAGTAGCAGACAGAACATCCCCCGGTGTAGAAAACCCAT
 TACGTCAGCAACAGATGAACAGCCTCACATTGGAATTACCGTTTACAAAAACAATAGGGAAGGAAAT
 TTTGCCAAAGTCAAATTGGCAAGACAGTTCTAACTGGTAGAGAGTTGCTGTGAAAATAATAGACAAAA
 CTCAGCTAAATCCTACCAGTCTACAAAAGTTATTTGAGAAGTACGAATAATGAAGATACTGAATCATCC
 TAATATAGTAAAATTGTTTGAAGTTATTGAAACAGAGAAGACTCTCTATTTAGTCATGGAATACGCGAGT
 GGGGGTGAAGTATTTGATTACTTAGTTGCCATGGAAGAATGAAAGAGAAAGAGGCCCGTCAAAAATTTA
 GGCAGATTGTATCTGCTGTACAGTATTGCATCAAAAAGTACATTGTTACCGTGATCTTAAGGCTGAAAA
 CCTTCTCCTTGATGGTGATATGAATATTTAAAATTGCTGACTTTGGTTTTAGTAATGAATTTACAGTTGGG
 AACAAATTGGACACATTTTGTGGAAGCCACCCTATGCTGCTCCCGAGCTTTTCCAAGGAAAGAAGTATG
 ATGGGCCGTGAAGTGGATGTGTGGAGTCTGGGCGTCATTCTCTATACATTAGTCAGTGGCTCCTTGCCTTT
 CGATGGCCAGAATTTAAAGGAACTGCGAGAGCGAGTTTTACGAGGGAAGTACCGTATTCCTTCTATATG
 TCCACAGACTGTGAAAATCTTCTGAAGAAATTATTAGTCTGAATCCAATAAAGAGAGGCAGCTTGGAAAC
 AAATAATGAAAGATCGATGGATGAATGTTGGTCATGAAGAGGAAGAACTAAAGCCATATACTGAGCCTGA
 TCCGGATTTCAATGACACAAAAAGAATAGACATTATGGTCACCATGGGCTTTCACGAGATGAAATAAAT
 GATGCCTTAATAAATCAGAAGTATGATGAAGTTATGGCTACTTATATTCTCTAGGTAGAAAACCCACTG
 AATTTGAAGGTGGTGAATCGTTATCCAGTGGAACTTGTGTCAGAGGTCGCGCCAGTAGTGACTTAAA
 CAACAGCACTCTTCAGTCCCCTGCTCACCTGAAGGTCCAGAGAAGTATCTCAGCAAATCAGAAGCAGCGG
 CGTTTTAGTGATCATGCTGGTCCATCCATTCTCTGCTGTATCATATACAAAAAGACCTCAGGCTAACA
 GTGTGGAAGTGAACAGAAAGAGGAGTGGGACAAAGATGTGGCTCGAAAACCTGGCAGCACAAACAGTTGG
 ATCAAAAAGCGAGATGACTGCAAGCCCTTGTAGGGCCAGAGAGGAAAAATCTTCAACTATTCCAAGT
 AACAAATGTGATTCTGGAGGTAGCATGGCAAGAAGGAATACATATGTCTGTGAAAGGACCACAGATCGAT
 ACGTAGCATTGCAGAATGAAAAAGACAGCAGCCTTACGGAGATGTCTGTGAGTAGCATATCTTCTGCAGG
 CTCTTCTGTGGCCTCTGCTGTCCCCTCAGCACGACCCCGCCACCAGAAGTCCATGTCCACTTCTGGTCAT
 CCTATTAAGTCACTGCCAACCATTAAGACGGCTCTGAAGCTTACCGGCTGGTACAACCCAGAGAG
 TGCTGCTGCTTCCCCTCTGCTCACAGTATTAGTACTGCGACTCCAGACCGGACCCGTTTTCCCGGAGG
 GAGCTCAAGCCGAAGCACTTTCCATGGTGAACAGCTCCGGGAGCGACGCAGCGTTGCTTATAATGGCCA
 CCTGCTTACCATCCCATGAAACGGGTGCATTTGCACATGCCAGAAGGGGAACGTCAACTGGTATAATAA
 GCAAAATCACATCCAAATTTGTTTCGAGGGATCCAAGTGAAGGCGAAGCCAGTGGCAGAACCACACCTC
 AAGAAGTACATCAGGGGAACCAAAAGAAAGAGACAAGGAAGAGGGTAAAGATTCTAAGCCGCTTCTTTG
 CGGTTACATGGAGTATGAAGACCACTAGTTCAATGGACCCTAATGACATGATGAGAGAAATCCGAAAAG
 TGTTAGATGCAAATAACTGTGATTATGAGCAAAAAGAGAGATTTTGGCTTTTCTGTGCCATGGAGACGC
 TAGACAGGATAGCCTCGTGCAGTGGGAGATGGAAGTCTGCAAGTTGCCACGACTGCACTTAATGGGGTT
 CGCTTCAAGCGAATATCTGGGACATCTATTGCCTTTAAGAACATTGCATCAAAAATAGCAAATGAGCTTA
 AGCTG

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG221556 representing NM_018650
Red=Cloning site Green=Tags(s)


MSARTPLPTVNERDTENHTSVDGYTEPHIQPTKSSSRQNIPRCRNSITSATDEQPHIGNYRLQKTIGKGN
FAKVKLARHVL TGREVAVKIIDKTQLNPTSLQKLFREVRIMKILNHPNIVKLFEVIETEKTLVMEYAS
GGEVFDYLV AHGRMKEKEARAKFRQIVSAVQYCHQKYIVHRDLKAENLLLDGDMNIKIADFGFSNEFTVG
NKLDFTFCGSPPYAAPELFGKKYDGPVWVSLGVILYTLVSGSLPFDGQNLKELRERVLRGKYRIPFYM
STDCENLLKLLVLNPIKRSLEQIMKDRWMNVGHEEELKPYTEPDPDFNDTKRIDIMVTMGFARDEIN
DALINQKYDEVMATYIILLGRKPPFEFEGGESLSSGNLCQSRPSSDLNNSLQSPAHLKVQRSISANQKQR
RFS DHAGPSIPPAVSYTKRPQANSVESEQKEEWDKDVARKLGSTTVGSKSEMTASPLVGPERRKSSSTIPS
NNVYSGGSMARRNTYVCERTTDRYVALQNGKSSSTEMSVSSISSAGSSVASAVPSARPRHQKSMSTSGH
PIKVTLPTIKDGSEAYRPGTTQVPAASPSAHSISTATPDRTRFPRGSSSRSTFHGEQLRERRSVAYNGP
PASPSHETGAF AHARRGTSTGIIISKITSKFVRRDPSEGEASGRDTSRSTSGEPKERDKEEGKDSKPRSL
RFTWSMKTSSMDPNDMMREIRKVL DANNC DYEQKERLLFCVHG DARQDSLQWEME VCKLPRLSLNGV
RFKRISGTSIAFKNIASKIANELKL

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



ACCN: NM_018650

ORF Size: 2385 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_018650.5](#)

RefSeq Size: 5293 bp

RefSeq ORF: 2388 bp

Locus ID: 4139

UniProt ID: [Q9P0L2](#)


Cytogenetics: 1q41

Domains: UBA, pkinase, TyrKc, KA1, S_TKc

Protein Families: Druggable Genome, Protein Kinase

Gene Summary: Serine/threonine-protein kinase (PubMed:23666762). Involved in cell polarity and microtubule dynamics regulation. Phosphorylates DCX, MAP2 and MAP4. Phosphorylates the microtubule-associated protein MAPT/TAU (PubMed:23666762). Involved in cell polarity by phosphorylating the microtubule-associated proteins MAP2, MAP4 and MAPT/TAU at KXGS motifs, causing detachment from microtubules, and their disassembly. Involved in the regulation of neuronal migration through its dual activities in regulating cellular polarity and microtubule dynamics, possibly by phosphorylating and regulating DCX. Also acts as a positive regulator of the Wnt signaling pathway, probably by mediating phosphorylation of dishevelled proteins (DVL1, DVL2 and/or DVL3).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG221556