

## Product datasheet for **RG221711**

### PC1/3 (PCSK1) (NM\_000439) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PC1/3 (PCSK1) (NM_000439) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PC1/3
Synonyms:	BMIQ12; NEC1; PC1; PC3; SPC3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RG221711 representing NM\_000439  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGAGCGAAGAGCCTGGAGTCTGCAGTGCAGTCTTTTCCTCTTTTTCGCTTGGTGTGCACTGAACA  
 GTGCAAAAAGCGAAAAGGCAATTTGTCAATGAATGGGCAGCGGAGATCCCCGGGGGCCGGAAGCAGCCTC  
 GGCCATCGCCGAGGAGCTGGGCTATGACCTTTTGGGTGAGATTGGTTCACTTGAAAATCACTACTTATTC  
 AAACATAAAAACCAACCCAGAAGGTCTCGAAGGAGTGCCTTTCATCACTAAGAGATTATCTGATGATG  
 ATCGTGTGATATGGGCTGAACAACAGTATGAAAAAGAAAGAAAGTAAACGTTACAGCTCTAAGGGACTCAGC  
 ACTAAATCTCTTCAATGATCCCATGTGGAATCAGCAATGGTACTTGCAAGATAACCAGGATGACGGCAGCC  
 CTGCCAAGCTGGACCTTCACTGTGATACCTGTTTGGCAAAAAGGCATTACGGGCAAGGAGTTGTTATCA  
 CCGTACTGGATGATGGTTTGGAGTGAATCACACGGACATTTATGCCAATATGATCCAGAGGCTAGCTA  
 TGATTTTAAATGATAATGACCATGATCCATTTCCCGATATGATCCCAAAACGAGAACAACACGGGACC  
 AGATGTGCAGGAGAAATTCATGCAAGCAAATAATCACAAATGCGGGGTTGGAGTTGCATACAATTC  
 AAGTTGGAGGCATAAGAATGCTGGATGGCATTGTGACGGATGCTATTGAGGCCAGTTCAATTGGATTCAA  
 TCCTGGACACGTGGATATTTACAGTGAAGCTGGGGCCCTAATGATGATGGGAAAACGTGGAGGGGCT  
 GGCCGGCTAGCCAGAAGGCTTTTGAATATGGTGTCAAACAGGGGAGACAGGGGAAGGGTCCATCTTCG  
 TCTGGGCTTCGGGAAACGGGGGCGTCAGGGAGATAATTGTGACTGTGATGGCTACACAGACAGCATCTA  
 CACCATCTCCATCAGCAGTGCCTCCCAGCAAGGCTATCCCCCTGGTACGCTGAGAAGTGTCTCCACACA  
 CTGGCCACCTCTTACAGCAGCGGAGATTACACCGACCAGAGAATCACGAGCGTGCCTGCACAATGACT  
 GCACGGAGACGCACACAGGCACCTCGGCCTCTGCACCTTGCTGCTGGCATCTTCGCTCTGGCCCTGGA  
 AGCAAACCCAAATCTCACCTGGCGAGATATGCAGCACCTGGTTGTCTGGACCTCTGAGTATGACCCGCTG  
 GCCAATAACCCTGGATGGAAAAAGAATGGAGCAGGCTTGATGGTGAATAGTCGATTTGGATTTGGCTTGC  
 TAAATGCCAAAGCTCTGGTGGATTTAGCTGACCCAGGACCTGGAGGAGCGTGCCTGAGAAGAAAGAGTG  
 TGTTGTAAAGGACAATGACTTTGAGCCAGAGCCCTGAAAGCTAATGGAGAAGTTATCATTGAAATTC  
 ACAAGAGCTTGTGAAGGACAAGAAAATGCTATCAAGTCCCTGGAGCATGTACAATTTGAAGCAACAATTG  
 AATATTCGGAAGAGGAGACCTTATGTCACACTTACTTCTGCTGCTGGAAGTACTGCTGCTTGGC  
 TAAAAGAGAACGGGATACATCTCCTAATGGCTTTAAGAAGTGGGACTTCACTGCTGTTACACATGGGGA  
 GAGAACCCTATAGTACTTGGACTTTGAGAATTACAGACATGTCTGGAAGAATTCAAAATGAAGGAAGAA  
 TTGTGAACTGGAAGCTGATTTTGCACGGGACCTTCTCAGCCAGAGCATATGAAGCAGCCTCGTGTGTA  
 CACGTCCTACAACACTGTTTCAAGATGACAGAAGAGGGGTGGAGAAGATGGTGGATCCAGGGGAGGAGCAG  
 CCCACACAAGAGAACCCTAAGGAGAACACCCTGGTGTCCAAAAGCCCCAGCAGCAGCAGCGTAGGGGGCC  
 GGAGGGATGAGTTGGAGGAGGGACCCCTTCCCAGGCCATGCTGCGACTCCTGCAAAGTGCCTTTCAGTAA  
 AAACCTACCGCCAAAGCAATCACCAAAGAAGTCCCAAGTCAAAGCTCAACATCCCTTATGAAAACCTC  
 TACGAAGCCCTGGAAAAGCTGAACAAACCTTCCCAGCTTAAAGACTCTGAAGACAGTCTGTATAATGACT  
 ATGTTGATGTTTTTATAACACTAAACCTTACAAGCACAGAGACACCGGCTGCTCAAGCTCTGGTGA  
 CATTCTGAATGAGGAAAAAT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG221711 representing NM\_000439  
 Red=Cloning site Green=Tags(s)

MERRAWSLQCTAFVLFCAWCALNSAKAKRQFVNEWAAEIPGGPEAASIAEELGYDLLGQIGSLENHYLF  
 KHKNHPRRSRRSAFHITKRLSDDDRVIWAEQQYEKERSKRSALRDSALNLFNDPMWNQQWYLQDTRMTAA  
 LPKLDLHVIPVWQKGITGKGVVITVLDGLEWNHTDIYANYDPEASYDFNDNDHDFPFRYDPTNENKHGT  
 RCAGEIAMQANNHKCGVGVAYNSKVGGIRMLDGI VTD AIEASSIGFNP GHVDIYSASWGPNDGDKTVEGP  
 GR LAQKAFEYGVKQGRQKGSIFVWASNGGRQGDNCDCDGYTDSIYTISSASQQGLSPWYAEKCSST  
 LATSYSSGDYTDQRITSADLHNDCTETHTGTSASAPLAAGIFALALEANPNLTWRDMQHLVWVTSEYDPL  
 ANNPGWKKNAGLMVNSRFGFLNNAKALVDLADPRTWRSVPEKKECVVKDND FEP RAL KANG E V I I E I P  
 TRACEGQENA IKSLEHVQFEATIEYSRRGDLHVTLSAAGTSTVLLAERERDTPNGFKNWDFMSVHTWG  
 ENPIGTWTLRITDMSGRIQNEGRIVNWKLILHGTSSQPEHMKQPRVYTSYNTVQNDRRGVEKMDVPGEEQ  
 PTQENPKENTLVSKSPSSSVGGRRDELEEGAPSQAMLRLLQSAF SKNSPPKQSPK KSPSAKLNIPYENF  
 YEAL EKL NKPSQLK DSEDSL YNDYVDFYNTKPYKHRDDRLLQALVDILNEEN



TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



ACCN: NM\_000439

ORF Size: 2259 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_000439.3](#), [NP\\_000430.3](#)

**RefSeq Size:** 5054 bp

**RefSeq ORF:** 2262 bp

**Locus ID:** 5122

**UniProt ID:** [P29120](#)


**Cytogenetics:** 5q15

**Domains:** Peptidase\_S8, P

**Protein Families:** Druggable Genome, Protease, Secreted Protein

**Gene Summary:**

This gene encodes a member of the subtilisin-like proprotein convertase family, which includes proteases that process protein and peptide precursors trafficking through regulated or constitutive branches of the secretory pathway. The encoded protein undergoes an initial autocatalytic processing event in the ER to generate a heterodimer which exits the ER and sorts to subcellular compartments where a second autocatalytic event takes place and the catalytic activity is acquired. The protease is packaged into and activated in dense core secretory granules and expressed in the neuroendocrine system and brain. This gene encodes one of the seven basic amino acid-specific members which cleave their substrates at single or paired basic residues. It functions in the proteolytic activation of polypeptide hormones and neuropeptides precursors. Mutations in this gene have been associated with susceptibility to obesity and proprotein convertase 1/3 deficiency. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene [provided by RefSeq, Jan 2014]

**Product images:**

Circular map for RG221711