

Product datasheet for **RG221766**

EIF3A (NM_003750) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	EIF3A (NM_003750) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	EIF3A
Synonyms:	EIF3; eIF3-p170; eIF3-theta; EIF3S10; P167; p180; p185; TIF32
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG221766 representing NM_003750 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCCGGCCTATTTTCAGAGGCCGGAATGCCCCTCAAACGCGCCAACGAATTTCTTGAGGTTGGCAAAA
AGCAGCCTGCTCTGGATGTTCTTTATGATGTTATGAAAAGTAAAAACATAGAACATGGCAAAAGATACA
CGAACCAATTATGTTGAAATACTTGAACCTTTCGCTGGATCTTCGCAAGAGCCACTTGGCAAAGGAGGGG
TTATACCAAGTATAAGAACATTTGTCAACAGGTGAACATAAAATCTCTGGAGGATGTTGTTAGGGCATATT
TGAAAATGGCAGAGGAAAAAAGTGAAGCTGCTAAAGAAGAATCTCAGCAGATGGTCTTAGATATAGAGGA
TCTAGATAATATTCAAACCTCCTGAGAGTGTCTCCTAAGTGCTGTAAGTGGTGAAGACACTCAGGATCGT
ACTGACAGATTACTTTTAACTCCATGGGTAAATTCCTGTGGGAGTCTTACAGGCAGTGTGTTGGACCTTC
TTAGAAACAATTCTAGAGTAGAGCGCCTGTACCATGATATTGCCAGCAAGCTTTCAAATCTGCCTCCA
ATACACGCGTAAGGCTGAATTCGTAACTGTGTGACAATTTGAGAATGCACTTATCGCAGATTACAGCGC
CACCATAACCAAGTACGGCAATCAATCTTAATAATCCAGAGAGCCAGTCCATGCATTGGAAACAGAGC
TTGTTTCAGCTGGACAGTGCTATCAGCATGGAATTGTGGCAGGAAGCATTCAAAGCTGTGGAAGATATTCA
CGGGCTATTCTCCTTGTCTAAAAAACCACTAAACCTCAGTTGATGGCAAATTACTATAACAAAGTCTCA
ACTGTGTTTTGGAAATCTGGAATGCTCTTTTCATGCATCTACACTCCATCGTCTTTACCATCTCTCTA
GAGAAATGAGAAAGAATCTCACACAAGACGAGATGCAAAGAATGTCTACTAGAGTCCTTTAGCCACTCT
TTCCATCCCTATTACTCCTGAGCGTACGGATATTGCTCGACTTCTGGATATGGATGGCATTATAGTTGAA
AAACAGCGTCGCCTTGCAACACTACTAGGTCTTCAAGCCCCACCGACACGAATTGGCCTTATTAATGATA
TGGTCAGATTTAATGTACTACAATATGTTGTCCAGAAGTGAAGACCTTTACAATTGGCTTGAAGTAGA
ATTTAACCATTAAAACCTCTGTGAGCGAGTCACAAAGGTTCTAAATTGGGTTAGGGAACAACCTGAAAAG
GAACCGGAATTGCAGCAGTATGTCCACAACCTGCAAAACAACACCATCCTCCGCTTCTGCAGCAGGTGT
CACAGATTTATCAGAGCATTGAGTTTTCTCGTTTGACTTCTTTGGTTCCTTTGTTGATGCTTTCCAAC
GGAACGGGCCATAGTAGATGCAGCCAGGCATTGCGACTTGCAAGTTCGTATTGATCACACTCTCGGACC



[View online »](#)

CTGAGTTTTGGATCTGATTTGAATTATGCTACTCGAGAAGATGCTCCGATTGGTCCCTCATTTGCAAAGCA
 TGCCCTTCAGAGCAGATAAGAAACCAGCTGACAGCCATGTCCTCAGTACTTGCAAAAGCACTTGAAGTCAT
 TAAACCAGCTCATATACTGCAAGAGAAAGAAGAACAGCATCAGTTGGCTGTCACTGCATACCTTAAAAAT
 TCACGAAAAGAGCACCAGCGGATCTCGGCTCGCCGCCAGACAATTGAGGAGAGAAAAGAGCGCCTTGAGA
 GTCTGAATATTCAGCGTGAGAAAAGAAGATTGGAACAGAGGGAAGCTGAACTCCAGAAAGTGCAGGAAGGC
 TGAGGAAGAGAGGCTGCGCCAGGAAGCAAAGGAGAGAGAGAAGGAGCGTATCTTACAGGAACATGAACAA
 ATCAAAAAGAAAAGTGTCCGAGAGCGTTTGGAGCAGATCAAGAAAACAGAACTGGGTGCCAAAGCATTCA
 AAGATATTGATATTGAAGACCTTGAGGAATTGGATCCAGATTTTATCATGGCTAAACAGGTTGAACAACT
 GGAGAAAGAAAAGAAAGAACTTCAAGAAGCCTAAAGAATCAAGAAAAGAAAGATTGACTATTTTGAAGA
 GCCAAACGTTTGAAGAAATTCTTTGATAAAGAGCGCTTACGAGGAACAGAGAATTAAAGACATGGATC
 TGTGGGAGCAACAAGAGGAAGAAAGAAATTACTACAATGCAGCTAGAACGTGAAAAGGCTCTTGAACATAA
 GAATCGAATGTCACGAATGCTTGAAGACAGAGATTTATTCGTAATGCGACTCAAAGCTGCACGGCAGTCT
 GTTTATGAGGAAAACTTAAACAGTTTGAAGAGCGATTAGCAGAAGAAAGGCATAATCGATTGGAAGAAC
 GGGAAAGGCAGCGTAAAGAAGAACGCAGGATAACATACTATAGAGAAAAAGAGAGGAGGAGCAGAGAAG
 GGCAGAAGAACAAATGCTAAAAGAGCGGGAAGAGAGAGAGCGCGCGAACGAGCAAAACGCGAGGAAGAG
 CTACGAGAGTATCAGGAGCGGGTGAAGAAATTAGAAGAAGTGGAAGGAAAAAACGCCAAAGGGAGTTGG
 AAATTGAAGAACGAGAACGGCGTAGAGAGGAAGAGAGAAGACTTGGCGTAGTTCCTTTCTAGAAAGGA
 CTCTCGTTGGGGAGATAGAGATTGAGAAGGCACCTGGAGAAAAGGACCTGAAGCAGATTCTGAGTGGAGA
 AGAGGCCCGCCAGAGAAGGAGTGGAGACGTGGAGAAGGGCGAGATGAGGACAGGTCTCATAGAAGAGATG
 AAGAGCGGCCCGGCGTCTGGGGGATGATGAAGATAGAGAGCCCTCTCTTAGACCAGACGATGATCGGGT
 TCCCGGCGTGGCATGGATGATGACAGAGGCCCTAGACGTGGTCTGAGGAAGATAGGTTCTCTCGTCGT
 GGGGCAGACGATGACCGGCTTCTGCGTAACACAGATGATGACAGGCCCTCCAGACGAATTGCCGATG
 AAGACAGGGGAACTGGCGTCATGCGGATGATGACAGACCACCTAGACGAGGACTGGATGAGGACAGAGG
 AAGCTGGCGAACAGCTGATGAGGACAGAGGACCAAGACGTGGGATGGATGATGACCGGGGCCGAGGCGA
 GGAGGCGCTGATGATGAGCGATCATCTGGCGTAATGCTGATGATGACCGGGGTCCAGGCGAGGGTTGG
 ATGATGATCGGGGTCCAGGCGAGGCATGGATGATGACCGGGGTCCAGGCGAGGCATGGATGATGACCG
 GGGTCCAGGCGAGGCATGGATGATGACCGGGGTCCAGGCGAGGGTTGGATGATGATGAGGACCTTGG
 AGGAACGCCGATGATGACAGAATCCAGGCGTGGTGCAGAGGATGACAGGGGCCCTTGGAGAAACATGG
 ATGATGATCGCCTTTCAAGACGTGCTGATGATGATCGGTTTCCAGACGGGGTATGACTCAAGACCTGG
 TCCTTGGAGACCATTAGTCAAGCCAGGTGGATGGAGAGAGAAAGAAAAAGCCAGAGAGGAGAGCTGGGT
 CCACCTCGAGAATCAAGGCCATCAGAAGACGTGAATGGGACAGAGAAAAAGAAAGGACAGAGATAATC
 AAGATCGGGAGGAGAATGACAAGGACCCTGAGAGAGAAAGGGACAGAGAGAGAGATGTGGATCGAGAGGA
 TCGCTTCAGAAGACCTAGGGATGAAGGTGGCTGGAGAAGAGGACCAGCTGAGGAATCTTCAAGCTGGAGA
 GACTCAAGTCGCCGGGACGATAGGGATAGGGATGACCGTCGCCGTGAGAGGGATGACCGGCGTGATCTAA
 GAGAAAGACGAGATCTAAGAGACGACAGGGACCGAAGAGGACCTCCACTCAGATCAGAACGTGAAGAAGT
 AAGTTCTTGGAGACGTGCTGATGACAGGAAAGATGACCGGGTGAAGAGCGGGACCCTCTCGTCGAGTT
 CCTCCCCAGCTCTTTCAAGAGACCGAGAAAGAGACCGAGACCGAGAAAGAGAAGGTGAAAAAGAGAAGG
 CCTCATGGAGAGCTGAGAAAGATAGGGAATCTCTCCGTCGTAATAAATGAGACTGATGAAGATGGATG
 GACCACA

AGCGGACCGACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >RG221766 representing NM_003750
Red=Cloning site Green=Tags(s)

MPAYFQRPENALKRANEFLEVGGKKQPALDVL YDVMKSKKHRTWQKIHEPIMLKYLELCVDLRKSHLAKEG
LYQYKNICQQVNIKSLEDVVRAYLKMAEEKTEAAKEESQQMVL DIEDLDNIQTPEVLLSAVSGEDTQDR
TDRLLLTPWVKFLWESYRQCLDLLRNNRVERLYHDIAQQAFKFC LQYTRKAEFRKLC DNLRMHLSQIQR
HHNQSTAINLNNPESQSMHLETRLVQLDSAI SMELWQEAFAVEDIHGLFSL SKKPPKPQLMANYYNKVS
TVFWKSGNALFHASTLHRLYHLSREMRKNLTQDEMQR MSTRVLLATLSIPITPERTDIARLLDMDGIIVE
KQRRATLLGLQAPPTRIGLINDMVRFNVLQYVVPVKDLYNWLEVEFNPLKLCERVTKVLNWNVREQPEK
EPELQQYVPQLQNNILRLQLQVSQIYQSIEFSRLTSLVPFVDAFQLERAIVDAARHCDLQVRIDHTSRT
LSFGSDLNYATREDAPIGPHLQSMPSQIRNQLTAMSSVLAKALEVIKPAHILQEKEEQHLAVTAYLKN
SRKEHQRI LARRQTI EERKERLESLNIQREKEELEQREAE LQKVRKAEERLRQEAKEREKERILQEHEQ
IKKKTVRERLEQIKKTELGAFAKDI DIEDLEELDPDFIMAKQVEQLEKEKKELQERLKNQEKKIDYFER
AKRLEEIPLIKSAYEEQRIKMDLWEQQEEERITTMQLEREKALEHKNRMSRMLEDRLFVMRLKAARQS
VYEEKLKQFEERLAEERHNRL EERKRQRKEERRITYYREKEEEEQRRAEEQMLKEREERERAERAKREEE
LREYQERVKKLEEVERKKRQRELEIEERERRREEERRLGDSSLSRKDSRWGDRDSEGTWRKGPEADSEWR
RGPPEKEWRRGGRDEDRSHRRDEERPRRLGDDEPRESLRPDDDRVPRRGMDDDRGP RRGPPEEDRFSRR
GADDDRPSWRNTDDDRPPRIADEDRGNWRHADDDRPPRRGLDEDRGSWRTADEDRGP RRGMDDDRGP RR
GGADDERSSWRNADDDRGPRRGLDDDRGP RRGMDDDRGP RRGMDDDRGP RRGMDDDRGP RRGLDDDRGPW
RNADDDRIPRRGAEDDRGPWRNMDDDL SRRADDDRFPRRGDDSRPGPWRPLVKPGGWREKEKAREESWG
PPRESRPSEEREWDREKERDRDNQDREENDKDPERERDRERDVREDRFRPRDEGGWRRGPAEESSWR
DSSRRDDRDRDRRRERDRDRDLRERRDLRDDRDRGPPLRSEREVSSWRRADDRKDDRVEERDPPRRV
PPPALSRRDRDRDREREKEKASWRAEKDRESLRRTKNETDEDGWTT

SGP TRTRRL E - GFP Tag - V

Restriction Sites: SgfI-RsrII

Cloning Scheme:




ACCN: NM_003750

ORF Size: 4137 bp

OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_003750.1 , NP_003741.1
RefSeq Size:	5256 bp
RefSeq ORF:	4149 bp
Locus ID:	8661
UniProt ID:	Q14152
Cytogenetics:	10q26.11
Domains:	PCI

Gene Summary:

RNA-binding component of the eukaryotic translation initiation factor 3 (eIF-3) complex, which is required for several steps in the initiation of protein synthesis (PubMed:17581632, PubMed:25849773). The eIF-3 complex associates with the 40S ribosome and facilitates the recruitment of eIF-1, eIF-1A, eIF-2:GTP:methionyl-tRNA_i and eIF-5 to form the 43S pre-initiation complex (43S PIC). The eIF-3 complex stimulates mRNA recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex is also required for disassembly and recycling of post-termination ribosomal complexes and subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to initiation (PubMed:17581632, PubMed:11169732). The eIF-3 complex specifically targets and initiates translation of a subset of mRNAs involved in cell proliferation, including cell cycling, differentiation and apoptosis, and uses different modes of RNA stem-loop binding to exert either translational activation or repression (PubMed:25849773, PubMed:27462815). [UniProtKB/Swiss-Prot Function]

Product images:


Circular map for RG221766