

Product datasheet for **RG222084**

PCDHGB7 (NM_032101) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHGB7 (NM_032101) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PCDHGB7
Synonyms:	ME6; PCDH-GAMMA-B7
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG222084 representing NM_032101
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGGAGGGAGCTGCGCGCAGAGCGCCGGCCGGCCCGCGGCAGGTACTATTTCTTTGCTGCTGCCTT
 TGTCTACCCACGCTGTGTGAGCCGATCCGCTACTCGATTCCGGAGGAGCTGGCCAAGGGCTCGGTGGT
 GGGGAACCTCGCTAAGGATCTAGGGCTTAGTGCTGGATGTGTCGGCTCGCGAGCTGCGAGTGAGCGCG
 GAGAAGCTGCACTTCAGCGTAGACGCGCAGAGCGGGGACTTACTTGTGAAGGACCGAATAGACCGTGAGC
 AAATATGCAAAGAGAGAAGAAGATGTGAGTTGCAATTGGAAGCTGTGGTGGAAAACTTTAAATATTTT
 TCATGTCATTGTGGTGATTGAGGATGTTAATGACCACGCCCTCAATCCGGAAGATGAAATAAATCTTA
 GAAATCAGTGAATCCGTCAGCCTGGGGATGGGAACAATCTTGAGTCTGCAGAAGATCCTGATATTAGTA
 TGAATTCGCTGAGCAAAACCAACTAAGTCCTAACGAGTATTTCTATTGGTGGAGAAAGACAATCTGA
 TGGTGGCAAAATATCCAGAATTAGTATTGCAGAAGACTCTGGACCGAGAAACGAGAGCGCTCACCATTG
 GTACTGACCGCCTTAGATGGTGGGGACCTCCCCGAAGCGGTACTGCTCAGATAAGAATCCTGGTAAATAG
 ATGCCAATGACAACCCCCAGTGTTAGCCAGGACGTGTACAGGGTTAGCCTTCGGGAAGACGTGCCTCC
 AGGCACCTCCATCCTGAGAGTGAAGGCCACTGACCAGGACGAGGGCATCAACTCAGAGATCACTTATTCC
 TTCTTTGGTGTGGCTGACAAAGCTCAGCACGTGTTCTCTCTGGATTACACTACAGGAAACATTCTAACTC
 AGCAGCCTTTGGATTTTGAAGAAGTAGAAAGATATACGATAAACATAGAAGCAAAAGACCGAGGATCTCT
 CTCAACACGGTGTAAGTAATTGTAGAAGTTGTAGACGAAAACGACAACAGCCAGAAATATCATCACG
 TCACTCTCTGATCAGATTATGGAGGATTCCTCCAGGAGTGGTGTGTCCTCTTCAAAACACGGGACC
 AAGACTCAGGGGAAAAATGGGGAAGTCAGGTGTAGCTTAAGTAGAGGTGTTCCATTTAAGATTCACTCTTC
 TTCTAATAATTACTACAAGCTAGTAACAGATGAGGCCCTGGATCGGGAGCAGACCCAGAGTACAACGTC
 ACCATCGCAGCCACAGACAGGGCAAGCCTCCGTTATCCTCCAGCAAAACCATAACCCTGCACATTACTG
 ACGTCAATGACAACGCGCCGTTTTTCGGACAGTCAGCCTACCTGGTCCACGTGCCAGAAAACAACGAGCC
 GGGTGCTCCATAGCGCAAGTCAGTGCCTCTGACCCAGACTTCGGGCTCAACGGCCGTGTCTCTACTCT
 CTCATTGCCAGCGACCTGGAGTCACGAACGCTGTCGTCTACGTGTCCGTGAGCGCGCAGAGCGGGGTGG
 TGTTTCGCGCAGCGCGCTTCGACCACGAGCAGCTGCGCACCTTCGAGCTCAGCTGCAGGCCCGCGACCA
 GGGCTCGCCCGCCTCAGCGCAATGTGAGCCTGCGCGTGTGGTGGCGACCGTAACGACAACGCACCG
 CGGGTGCTGTACCCTGCGCTGGGTCCCAGCGCTCCGCGCTCTTCGACACAGTGCCGCGGGCCGCGCAGC
 CAGGCTACCTGGTGACCAAGGTGGTGGCCGTGGACGCGGACTCGGGGCACAATGCCTGGCTGTCTACCA
 CGTGGTGCAGGCCAGTGAGCCCGGGCTCTTCAGCCTGGGGCTGCGAACAGGCGAGGTGCGCATGGTGCCT
 GCTTTGGGTGACAAGGACTCGGTCCGCCAGCGCCTGCTAGTCGCTGTAAGAGATGGAGGACAGCCACCCC
 TTTACGCCACTGCCACGCTGCACCTGGTGTTCGAGATAGCTTGAAGAGGTACTGCCGATTTCAGCGA
 CCATCCACACCTCTGACTCCCAGGCTGAGATGCAGTTTTACCTGGTGGTGGCCTTGGCCTTGATTCT
 GTGCTCTTTCTCTCGCGGTGATTCTAGCTATTGCTCTACGCCTGCGACAGTCTTTCAGCCCTACTGCAG
 GAGACTGCTTTGAGTCAGTTCTCTGCTCCAAGTCCGACCTGTGGTCCCCCACTACAGTGAGGGAAC
 GTTGCCCTATGCTATAATTTTTGTGTGCTGGGGATCAAATGAATCCAGAATTTAATTTTTTACATCT
 GTTGATCATTGTCCAGCCACACAAGATAACCTCAACAAAGATAGCATGCTACTGGCTAGCATTTTAACTC
 CCAGCGTTGAAGCAGATAAGAAGATTCTTAAACAGGTAAGTATT

ACGCGTACGCGGCGGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG222084 representing NM_032101
 Red=Cloning site Green=Tags(s)


MGGSCAQRRRAGPRQVLFPLLLPLFYPTLCEPIRYSIPEELAKGSVVGNLAKDLGLSVLDVSARELRVSA
 EKLHFSVDAQSGDLLVKDRIDREQICKERRRCELQLEAVVENPLNIFHVIIVVIEDVNDHAPQFRKDEINL
 EISESVSLGMGTILESAEDPDISMNSLSKYQLSPNEYFSLVEKDNPDGGKYPELVLQKTLDTRETQSAHHL
 VLTALDGGDPPRSGTAQIRILVIDANDNPPVFSQDVYRVSLREDVPPGTSILRVKATDQDEGINSEITYS
 FFGVADKAQHVFSLDYTTGNILTQQPLDFEEVERYTINIEAKDRGSLSTRCKVIVEVVDENDNSPEIIIT
 SLSDQIMEDSPPGVVVALFKTRDQDSGENGEVRCSLSRGVPFKIHSSSNYYKLVTDEALDREQTPEYNV
 TIAATDRGKPLSSSKTITLHITDVNDNAPVFGQSAYLVHVPENNQPGASIAQVSASDPDFGLNGRVSYS
 LIASDLESRTLSSYVSVAQSGVVFAQRAFDHEQLRTFELTLQARDQGSPALSANVSLRVLVGDRNDNAP
 RVLYPALGPDGSALFDTVPRAAQPGYLVTKVAVDADSGHNAWLSYHVQASEPGLFSLGLRTGEVRMVR
 ALGDKDSVRQRLLVAVRDGGQPPLSATATLHLVFADSLQEVLPDFSDHPTSDSQAEMQFYLVALALIS
 VLFLLAVALIALRLRQSFSTAGDCFESVLCSSGPGVPPNYSEGTLPYAYNFCVPGDQMNPEFNFFTS
 VDHCPTQDNLNKDSMLLASILTPSVEADKKILKQVSI

TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfi-MluI

Cloning Scheme:



ACCN:	NM_032101
ORF Size:	2424 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_032101.3](#)

RefSeq Size: 2715 bp

RefSeq ORF: 2427 bp

Locus ID: 56099


UniProt ID: [Q9Y5F8](#)

Cytogenetics: 5q31.3

Protein Families: Transmembrane

Gene Summary: This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG222084