

Product datasheet for RG222296

SKA2 (NM 001100595) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: SKA2 (NM_001100595) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: SKA2

Synonyms: FAM33A

Mammalian Cell Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG222296 representing NM_001100595
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCCTCGGAGGTGGGCACAATTTGGAGTCGCCGGAAACTCCGGGCGGCGAGGCTGGACCAGAGTCGAGTTCCCTCCTCCTGCACCAAAGGGAGCCGCCACCGTCTGGTGTCTAAACCGCCTCGGTTCCAGAAAGCTGAGTCTGATCTGATTCAATACAGGCTGGAATATGAAATCAAGACTAATCATCCTGATTCAGCAA

GTGAGCTGTCACCAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG222296 representing NM_001100595

Red=Cloning site Green=Tags(s)

MASEVGHNLESPETPGGGGWTRVEFPPPAPKGAATVWCLNRLGSRKLSLIWITFNTGWNMKSRLIILIQQ

VSCHH

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





Plasmid Map:



ACCN: NM_001100595

ORF Size: 225 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

SKA2 (NM_001100595) Human Tagged ORF Clone - RG2222296

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001100595.2</u>

 RefSeq Size:
 2988 bp

 RefSeq ORF:
 228 bp

 Locus ID:
 348235

 UniProt ID:
 Q8WVK7

 Cytogenetics:
 17q22

Gene Summary: Component of the SKA1 complex, a microtubule-binding subcomplex of the outer

kinetochore that is essential for proper chromosome segregation (PubMed:17093495, PubMed:19289083, PubMed:23085020). Required for timely anaphase onset during mitosis, when chromosomes undergo bipolar attachment on spindle microtubules leading to silencing of the spindle checkpoint (PubMed:17093495). The SKA1 complex is a direct component of

the kinetochore-microtubule interface and directly associates with microtubules as

oligomeric assemblies (PubMed:19289083). The complex facilitates the processive movement

of microspheres along a microtubule in a depolymerization-coupled manner

(PubMed:17093495, PubMed:19289083). In the complex, it is required for SKA1 localization (PubMed:19289083). Affinity for microtubules is synergistically enhanced in the presence of the ndc-80 complex and may allow the ndc-80 complex to track depolymerizing microtubules

(PubMed:23085020).[UniProtKB/Swiss-Prot Function]