

## Product datasheet for **RG222395**

### **DGKA (NM\_001345) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	DGKA (NM_001345) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	DGKA
Synonyms:	DAGK; DAGK1; DGK-alpha
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>RG222395 representing NM\_001345  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGCATCGCC**

ATGGCCAAGGAGAGGGGCTAATAAGCCCCAGTGATTTTGCCAGCTGCAAAAATACATGGAATACTCCA  
CCAAAAAGGTCAGTGATGTCCTAAAGCTCTCGAGGATGGCGAGATGGCTAAATATGTCCAAGGAGATGC  
CATTGGGTACGAGGGATTCCAGCAATTCCTGAAAATCTATCTCGAAGTGGATAATGTTCCAGACACCTA  
AGCCTGGCACTGTTTCAATCCTTTGAGACTGGTCACTGCTTAAATGAGACAAATGTGACAAAAGATGTGG  
TGTGTCTCAATGATGTTTCTGCTACTTTTCCCTTCTGGAGGGTGGTCGGCCAGAAGACAAGTTAGAATT  
CACCTTCAAGCTGTACGACACGGACAGAAATGGGATCCTGGACAGCTCAGAAGTGGACAAAATTATCCTA  
CAGATGATGCGAGTGGCTGAATACCTGGATTGGGATGTGTCTGAGCTGAGGCCGATTCTTCAGGAGATGA  
TAAAAGAGATTGACTATGATGGCAGTGGCTCTGTCTCTCAAGCTGAGTGGTCCGGGCTGGGGCCACCAC  
CGTGCCACTGCTAGTGTCTGGTCTGGAGATGACTCTGAAGGACGACGGACAGCACATGTGGAGGCC  
AAGAGGTTCCCCAGACCAGTCTACTGCAATCTGTGCGAGTCAAGCATTGGTCTTGCCAAAACAGGGACTGA  
GCTGTAACCTCTGTAAGTACACTGTTCCAGACCAGTGTGCCATGAAAGCCCTGCCTTGTGAAGTCAGCAC  
CTATGCCAAGTCTCGAAAGGACATTGGTGTCCAATCACATGTGTGGGTGCGAGGAGGCTGTGAGTCCGGG  
CGCTGCGACCCGCTGTGAGAAAAGATCCGGATCTACCACAGTCTGACCGGCTGCATTGTGTATGGTGCC  
ACCTAGAGATCCACGATGACTGCCTGCAAGCGGTGGGCCATGAGTGTGACTGTGGGCTGCTCCGGGATCA  
CATCCTGCCTCCATCTTCCATCTATCCCAGTGTCTGGCTCTGGACCGGATCGTAAAAATAGCAAAAACA  
AGCCAGAAGACCATGGATGATTTAAATTTGAGCACCTCTGAGGCTCTGCGGATTGACCCTGTTCTAACA  
CCCACCCACTTCTCGTCTTTGTCAATCTTAAGAGTGGCGGGAAGCAGGGGCAAAGGGTCTCGGAAGT  
CCAGTATATATTAACCCCTCGACAGGTGTTCAACCTCCTAAAGGATGGTCTGAGATAGGGCTCCGATTA  
TTCAAGGATGTTCTGATAGCCGGATTTTGGTGTGGTGGAGACGGCACAGTAGGCTGGATTCTAGAGA  
CCATTGACAAAGCTAACTTGCCAGTTTTGCCTCCTGTTGTGTGTGCCCTGGTACTGGAAATGATCT  
GGCTCGATGCCTAAGATGGGGAGGAGGTTATGAAGGACAGAATCTGGCAAAGATCCTCAAGGATTTAGAG  
ATGAGTAAAGTGGTACATATGGATCGATGGTCTGTGGAGGTGATACCTCAACAACTGAAGAAAAAGTG  
ACCCAGTCCCCTTCAAATCATCAATAACTACTTCTCTATTGGCGTGGATGCCTCTATTGCTCATCGATT  
CCACATCATGCGAGAGAAAATATCCGGAGAAGTTCAACAGCAGAATGAAGAACAAGCTATGGTACTTCGAA  
TTTGCCACATCTGAATCCATCTTCTCAACATGCAAAAAGCTGGAGGAGTCTTTGACAGTTGAGATCTGTG  
GAAACCCTGGATCTGAGCAACCTGTCCCTAGAAGGCATCGCAGTGTAAACATCCCTAGCATGCATGG  
TGCTCCAACCTCTGGGTGATACCAGGAGACCCCATGGGGATATCTATGGGATCAACCAGGCCCTTAGGT  
GCTACAGCTAAAGTACACCGACCCTGATATCCTGAAAACCTGTGTACCAGACCTAAGTACAAGAGAC  
TGGAAGTGGTGGGCTGGAGGGTCAATTGAGATGGGCCAAATCTATACCAAGCTCAAGAATGCTGGACG  
TCGGCTGGCCAAGTGTCTGAGATCACCTTCCACACCACAAAACCCCTCCCATGCAAATGACGGAGAA  
CCCTGGATGCAGACGCCCTGTACAATCAAGATCACCCACAAGAACCAGATGCCATGCTCATGGGCCAC  
CCCCCGCTCCACCAATTTCTTTGGCTTCTTGAGC

**ACGCGT**ACGCGGCCGCTCGAG – GFP Tag – GTTTAA

**Protein Sequence:** >RG222395 representing NM\_001345  
Red=Cloning site Green=Tags(s)


```

MAKERGLISPSDF AQLQKYMEYSTKKVSDV LKLFEDGEMAKYVQGD AIGYEGFQQFLKIYLEVDNVP RHL
SLALFQSFETGHCLNETNVT KDVVCLNDVSCYFSLLEGGRPEDKLEFTFKLYDTRNGILDSSEVDKIIL
QMMRVAEYLDWDVSEL RPILQEMMKEIDYD GSGSVSQA EWVRAGATTVPLL VLLGLEMTLKDDGQH MWRP
KRFRPRVYCNLCESSIGL GKQGLSCNLCKYTV HDQCAMKALPCEVSTYAKSRKDIGVQSHVWVRGGCESG
RCDRCQKKIRIYHSLTGLHCVWCHLEIHD DCLQAVGHECDCGLLRDHILPPSSIYPSV LASGPDRKNSKT
SQKTMDDLNLSTSEALRIDPVPNTHPLL VFNPKSGGKQQRVLWKFQYILNPRQVFNLLKDGPEIGLR L
FKDVPDSRILVCGGDGTVGWILETIDKANLPVLP PVAVLPLGTGNDLARCLRWGGYEGQNLAKILK DLE
MSKVVHMDRWSVEVIPQQTEEKSDPVPFQI INNYFSIGVDASIAHRFHIMREKYPEKFNSRMKNKLWYFE
FATSEIFSTCKKLEESL TVEICGKPLDLSNL SLEGI AVLNIPSMHGGSNLWGDTRRPHGDIYGINQALG
ATAKVITDPDILKTCV PDLSDKRLEVVGLEGA IEMGQIYTKLKNAGRRLAKCSEITFHTTKLPMQIDGE
PWMQTPCTIKITHKNQMPMLMGPPPRSTNFFG FLS
    
```

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_001345

**ORF Size:** 2205 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_001345.5</a>
<b>RefSeq Size:</b>	2756 bp
<b>RefSeq ORF:</b>	2208 bp
<b>Locus ID:</b>	1606
<b>UniProt ID:</b>	<a href="#">P23743</a>
<b>Cytogenetics:</b>	12q13.2
<b>Domains:</b>	DAGKa, DAGKc, EFh, DAG_PE-bind
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Glycerolipid metabolism, Glycerophospholipid metabolism, Metabolic pathways, Phosphatidylinositol signaling system
<b>Gene Summary:</b>	The protein encoded by this gene belongs to the eukaryotic diacylglycerol kinase family. It acts as a modulator that competes with protein kinase C for the second messenger diacylglycerol in intracellular signaling pathways. It also plays an important role in the resynthesis of phosphatidylinositols and phosphorylating diacylglycerol to phosphatidic acid. Several transcript variants encoding different isoforms have been identified for this gene. [provided by RefSeq, Apr 2017]

Product images:



Circular map for RG222395