

## Product datasheet for **RG222754**

### **SERCA2 (ATP2A2) (NM\_001681) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	SERCA2 (ATP2A2) (NM_001681) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SERCA2
Synonyms:	ATP2B; DAR; DD; SERCA2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide  
Sequence:**

>RG222754 representing NM\_001681  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGGAGAACGCGCACACCAAGACGGTGGAGGAGGTGCTGGCCACTTCGCGCTCAACGAGAGTACGGGGC  
 TGAGCCTGGAACAGGTCAAGAAGCTTAAGGAGAGATGGGGCTCCAACGAGTTACCGCTGAAGAAGGAAA  
 AACCTTGCTGGAACCTTGATTGAGCAGTTTGAAGACTTGCTAGTTAGGATTTTATTACTGGCAGCATGT  
 ATATCTTTTGTGGCTTGTTTGAAGAAGGTGAAGAAACAATTACAGCCTTTGTAGAACCTTTGTAA  
 TTTTACTCATATTAGTAGCCAATGCAATTGTGGGTGTATGGCAGGAAAGAAATGCTGAAAATGCCATCGA  
 AGCCCTTAAGGAATATGAGCCTGAAATGGGCAAAGTGTATCGACAGGACAGAAAGAGTGTGCAGCGGATT  
 AAAGCTAAAGACATAGTTCCTGGTGATATTGTAGAAATGCTGTTGGTGACAAAGTTCCTGCTGATATA  
 GGTTAACTTCCATCAAATCTACCACACTAAGAGTTGACCAGTCAATTCTCACAGGTGAATCTGTCTCTGT  
 CATCAAGCACACTGATCCCGTCCCTGACCCACGAGCTGTCAACCAAGATAAAAAGAACATGCTGTTTTCT  
 GGTACAAAACATTGCTGCTGGGAAAGCTATGGGAGTGGTGGTAGCAACTGGAGTTAACACCCGAAATGGCA  
 AGATCCGGGATGAAATGGTGGCAACAGAACAGGAGAGAACACCCCTTCAGCAAAAAGTAGATGAATTTGG  
 GGAACAGCTTTCCAAAGTCATCTCCCTATTTGCATTGCAGTCTGGATCATAAATATTGGGCACTTCAAT  
 GACCCGGTTATGAGGGTCTGGATCAGAGGTGCTATTTACTACTTTAAAATTCGAGTGGCCCTGGCTG  
 TAGCAGCCATTCTGAAGGTCTGCCTGCAGTATCACCACCTGCCTGGCTCTTGGAACTCGCAGAATGGC  
 AAAGAAAATGCCATTGTTGCAAGCCTCCCGTCTGTGGAAACCTTGGTTGACTTCTGTTATCTGCTCA  
 GACAAGACTGGTACACTTACAACAAACAGATGTCAGTCTGCAGGATGTTCAATTCGGACAGAGTGGAA  
 GTGATACTTGTCCCTTAATGAGTTTACCATAACTGGATCAACTTATGCACCTATTGGAGAGTGCATAA  
 AGATGATAAACCAAGTGAATTGTCAACAGTATGATGGTCTGGTAGAATTAGCAACAATTTGTCTCTTTGT  
 AATGACTCTGCTTTGATTACAATGAGGCAAAGGGTGTGTATGAAAAAGTTGGAGAAGCTACAGAGACTG  
 CTCTCACTTGCTAGTAGAGAAGATGAATGATTTGATACCGAATTGAAGGGTCTTTCTAAAATAGAACG  
 TGCAAAATGCCTGCAACTCAGTCATTAACAGCTGATGAAAAAGGAATTCCTCTAGAGTTTTACAGTGAC  
 AGAAAGTCAATGTCGGTTTACTGTACACCAAATAAACCAAGCAGGACATCAATGAGCAAGATGTTTGTGA  
 AGGGTGTCTCTGAAGGTGTCATTGACAGGTGCACCCACATTCGAGTTGGAAGTACTAAGTTCTATGAC  
 CTCTGGAGTCAAACAGAAGATCATGTCTGTCTCGAGAGTGGGTAGTGGCAGGACACACTGCGATGC  
 CTGGCCCTGGCCACTCATGACAACCCACTGAGAAGAGAAGAAATGCACCTTGAGGACTCTGCCAACTTTA  
 TTAATATGAGACCAATCTGACCTTCGTTGGCTGCGTGGGCATGCTGGATCCTCCGAGAATCGAGGTGGC  
 CTCTCCGTGAAGCTGTGCCGGCAAGCAGGCATCCGGGTATCATGATCACTGGGGACAACAAGGGCACT  
 GCTGTGGCCATCTGTGCGCCGATCGGCATCTTCGGGCAGGATGAGGACGTGACGTCAAAAGCTTTACAG  
 GCCGGGAGTTTGAATGAACTCAACCCCTCCGCCAGCGAGACGCCTGCCTGAACGCCCGCTGTTTTGCTCG  
 AGTTGAACCCCTCCACAAGTCTAAAATCGTAGAATTTCTTCAGTCTTTGATGAGATTACAGCTATGACT  
 GGCGATGGCGTGAACGATGCTCCTGCTGAAGAAAGCCGAGATTGGCATTGCTATGGGCTCTGGCACTG  
 CGGTGGCTAAAACCGCTCTGAGATGGTCTGGCGGATGACAACCTCTCCACCATTGTGGCTGCCGTTGA  
 GGAGGGCGGGCAATCTACAACAACATGAAACAGTTTATCCGCTACCTCATCTCGTCCAACGTCCGGGAA  
 GTTGTCTGATTTTCTGACAGCAGCCCTTGGATTTCCCGAGGCTTTGATTCTGTTTCAGCTGCTCTGGG  
 TCAATCTGGTGACAGATGGCCTGCCTGCCACTGCACTGGGGTTCAACCCTCCTGATCTGGACATCATGAA  
 TAAACCTCCCGGAACCCAAAGGAACATTGATCAGCGGGTGGCTCTTTTCCGTTACTTGGCTATTGGC  
 TGTTACGTGCGGCTGCTACCGTGGGTGCTGCTGCATGGTGGTTTATTGCTGCTGACGGTGGTCCAAGAG  
 TGTCTTCTACCAGCTGAGTCATTTCTACAGTGTAAAGAGGACAACCCGACTTTGAAGCGTGGATTG  
 TGCAATCTTTGAATCCCATACCCGATGACAATGGCGCTCTGTTCTAGTAACTATAGAAATGTGTAAC  
 GCCCTCAACAGCTTGCCGAAAACAGTCTTGTGAGGATGCCCCCTGGGAGAACATCTGGCTCGTGG  
 GCTCCATCTGCTGTCATGTCCTCACTCCACTTCTGATCCTCTATGTCGAACCCCTGCCACTCATTTCCA  
 GATCACACCGCTGAACGTGACCCAGTGGCTGATGGTGCTGAAAATCTCCTTGCCCGTATTCTCATGGAT  
 GAGACGCTCAAGTTTGTGGCCCGCAACTACCTGGAACCTGCAATACTGGAG

**ACGCGT**ACGCGGCCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >RG222754 representing NM\_001681  
 Red=Cloning site Green=Tags(s)

MENAHTKTVEEVLGHFGVNESTGLSLEQVKKLKERWGSNELPAEEGKTLLELVIEQFEDLLVRILLAAAC  
 ISFVLAWFEEGEETITAFVEPFVILLILVANAIVGWQERNAENAIEALKEYEPEMGKVYRQDRKSVQRI  
 KAKDIVPGDIVEIAVGDKVPADIRLTSIKSTTLRVDQSILTGESVSVIKHTDPVPDPRAVNQDKKNMLFS  
 GTNIAAGKAMGVVATGVNTEIGKIRDEMVAEQERTPLQKLEDFGEQLSKVISLICIAVWIINIGHFN  
 DPVHGGSWIRGAIYYFKIAVALAVAAIPEGLPAVITTCALGTRRMAKKNAIVRSLPSVETLGCTSVICS  
 DKTGTLTTNQMSVCRMFILDRVEGDTCSLNEFTITGSTYAPIGEVHKDDKPVNCHQYDGLVELATICALC  
 NDSALDYNEAKGVYEKVGATETALTCLVEKMNVDTELKGLSKIERANACNSVIKQLMKKEFTLEFSRD  
 RKSMSVYCTPNKPSRTSMKMFVKGAPGVIDRCTHIRVGSTKVPMTSGVKQKIMSVIREWGS S DTLRC  
 LALATHDNPLRREEMHLEDSANFIKYETNLTFVGCVGMDDPPRIEVASSVKLCRQAGIRVIMITGDNKGT  
 AVAICRRIGIFGQDEDVTSKAFTGREFDELNPSAQRDACLNARCFARVEPSHKSKIVEFLQSFDEITAMT  
 GDGVNDAPALKKAEIGIAMSGTAVAKTASEMVLADDFSTIVAAVEEGRAIYNNMKQFIRYLISSNVGE  
 VVICFLTAALGFPEALIPVQLLWVNLVTDGLPATALGFNPPDLDIMNKPPRNPKEPLISGWLFFRYLAIG  
 CYVGAATVGAAAWFIAADGGPRVSFYQLSHFLQCKEDNPDFEGVDCAIFESPYMTMALSVLVTIEMCN  
 ALNSLSENQSLLRMPWENIWL VGSICLSMSLHFLILYVEPLPLIFQITPLNVTQWLMVLKISLPVILMD  
 ETLKFVARNYLEPAILE

TRTRPLE – GFP Tag – V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM\_001681

ORF Size: 2991 bp

<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
<b>Components:</b>	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001681.4</a>
<b>RefSeq Size:</b>	4359 bp
<b>RefSeq ORF:</b>	2994 bp
<b>Locus ID:</b>	488
<b>UniProt ID:</b>	<a href="#">P16615</a>
<b>Cytogenetics:</b>	12q24.11
<b>Domains:</b>	E1-E2_ATPase, Cation_ATPase_N, Hydrolase, Cation_ATPase_C
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>Protein Pathways:</b>	Alzheimer's disease, Arrhythmogenic right ventricular cardiomyopathy (ARVC), Calcium signaling pathway, Cardiac muscle contraction, Dilated cardiomyopathy, Hypertrophic cardiomyopathy (HCM)

**Gene Summary:**

This gene encodes one of the SERCA Ca<sup>2+</sup>-ATPases, which are intracellular pumps located in the sarcoplasmic or endoplasmic reticula of the skeletal muscle. This enzyme catalyzes the hydrolysis of ATP coupled with the translocation of calcium from the cytosol into the sarcoplasmic reticulum lumen, and is involved in regulation of the contraction/relaxation cycle. Mutations in this gene cause Darier-White disease, also known as keratosis follicularis, an autosomal dominant skin disorder characterized by loss of adhesion between epidermal cells and abnormal keratinization. Other types of mutations in this gene have been associated with various forms of muscular dystrophies. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2019]

**Product images:**


Circular map for RG222754