

Product datasheet for **RG222872**

MST4 (STK26) (NM_001042452) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MST4 (STK26) (NM_001042452) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	STK26
Synonyms:	MASK; MST4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG222872 representing NM_001042452 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCACTCGCCGGTGGCTGTCCAAGTGCCTGGGATGCAGAATAACATAGCTGATCCAGAAGAAGTGT
TCACAAAATTAGAGCGCATTGGGAAAGGCTCATTTGGGAAGTTTTCAAAGGAATTGATAACCGTACCCA
GCAAGTCGTTGCTATTAATCATAGACCTTGAGGAAGCCGAAGATGAAATAGAAGACATTCAGCAAGAA
ATAACTGTCTTGAGTCAATGTGACAGCTCATATGTAACAAAATACTATGGGTCATATTTAAAGGGTCTA
AATTATGGATAAATGAATACCTGGGCGGTGGTTTCAGCACTGGATCTTCTTCGAGCTGGTCCATTGGA
TGAGTTCCAGATTGCTACCATGCTAAAGGAAATTTAAAAGGTCTGGACTATCTGCATTCAGAAAAGAAA
ATTCACCGAGACATAAAAGCTGCCAATGTCTTGCTCTCAGAACAAGGAGATGTTAAACTGCTGATTTTG
GAGTTGCTGGTCAGCTGACAGATACACAGATTAAGAAAATACCTTTGTGGGAACTCCATTTTGGATGGC
TCCTGAAGTTATCAACAGTCAGCTTATGACTCAAACGTCCTACAGCAAAGAAGTCTGAAACACAAA
TTCATTGTAAGAAATCAAGAAGACTTCTTATCTGACTGAACTGATAGATCGTTTTAAGAGATGGAAGG
CAGAAGGACACAGTGATGATGAATCTGATTCGAGGGCTCTGATTCGGAATCTACCAGCAGGGAACAA
TACTCATCCTGAATGGAGCTTTACCACCGTACGAAAGAAGCCTGATCAAAGAAAGTACAGAATGGGGCA
GAGCAAGATCTTGTGCAAACCTGAGTTGTTGTCTATGATAATCACACCTGCAATTTGCTGAACTTAAAC
AGCAGGACGAGAATAACGCTAGCAGGAATCAGGCGATTGAAGAAGTTCGAGAAAAGTATTGCTGTGGCTGA
AGCCCGCTGTCCCGCATCACAGATAAAATGGTGAAGAACTAATTGAAAAATTTCAAAGTGTTCAGCA
GACGAATCCCC

ACCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG222872 representing NM_001042452
 Red=Cloning site Green=Tags(s)

MAHSPVAVQVPGMQNNIADPEELFTKLERIGKGSFGEVFKGIDNRTQQVVAIKIIDLEEADEIEDIQQE
 ITVLSQCDSSYVTKYYGSKLWIIMEYLGGSALDLLRAGPFDEFQIATMLKEILKGLDYLHSEKK
 IHRDIKAANVLLSEQGDVKLADFGVAGQLTDTQIKRNTFVGTFFWMAPEVIQQSAYDSKRPTAKELLKHK
 FIVKNSKKTSYLTELIDRFKRWKAEGHSDDESDSEGSDSESTRENTHPEWSFTTVRKKPDPKKVQNGA
 EQDLVQTLSCLSMIITPAFAELKQDENNASRNQAIEELEKSIAVAEAACPGITDKMVKKLIEKFQKCSA
 DESP


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001042452

ORF Size:	1062 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001042452.2
RefSeq Size:	2875 bp
RefSeq ORF:	1065 bp
Locus ID:	51765
UniProt ID:	Q9P289
Cytogenetics:	Xq26.2
Protein Families:	Druggable Genome, Protein Kinase
Gene Summary:	The product of this gene is a member of the GCK group III family of kinases, which are a subset of the Ste20-like kinases. The encoded protein contains an amino-terminal kinase domain, and a carboxy-terminal regulatory domain that mediates homodimerization. The protein kinase localizes to the Golgi apparatus and is specifically activated by binding to the Golgi matrix protein GM130. It is also cleaved by caspase-3 in vitro, and may function in the apoptotic pathway. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been determined. [provided by RefSeq, Jul 2008]