

## Product datasheet for **RG222909**

### Her2 (ERBB2) (NM\_001005862) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Her2 (ERBB2) (NM_001005862) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ERBB2
Synonyms:	CD340; HER-2; HER-2/neu; HER2; MLN 19; NEU; NGL; TKR1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG222909 representing NM_001005862 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAAGCTGCGGCTCCCTGCCAGTCCCAGACCCACCTGGACATGCTCCGCCACCTCTACCAGGGCTGCC  
AGGTGGTGCAGGGAAACCTGGAACCTCACCTACCTGCCACCAATGCCAGCCTGTCCTTCTGCAGGATAT  
CCAGGAGGTGCAGGGCTACGTGCTCATCGCTCACAAACAGTGAGGCAGGTCCCCTGCAGAGGCTGCGG  
ATTGTGCGAGGCCACCCAGCTCTTTGAGGACAACATGCCCTGGCCGTGCTAGACAATGGAGACCCGCTGA  
ACAATACCACCCCTGTCACAGGGGCTCCCAGGAGCCTGCGGGAGCTGCAGCTTGAAGCCTCACAGA  
GATCTTGAAGGAGGGTCTTGATCCAGCGGAACCCAGCTCTGCTACCAGGACACGATTTGTGGAAAG  
GACATCTTCCACAAGAACAACCAGCTGGCTCTCACTGATAGACACCAACCGCTCTCGGGCCTGCCACC  
CCTGTTCTCCGATGTGTAAGGGCTCCCCTGCTGGGGAGAGAGTTCTGAGGATTGTGAGCCTGACGCG  
CACTGTCTGTGCCGGTGGCTGTGCCCCTGCAAGGGGCCACTGCCACTGACTGTGCCATGAGCAGTGT  
GCTGCCGGCTGCACGGGCCCAAGCACTGACTGCCTGGCTGCCTCCACTTCAACCACAGTGGCATCT  
GTGAGCTGCACTGCCAGCCCTGGTCACTACAACACAGACACGTTTGTAGTCCATGCCAATCCCAGGG  
CCGGTATACATTCGGCGCCAGCTGTGTGACTGCCTGTCCCTACAACACTACCTTTCTACGGAGTGGGATCC  
TGCACCTCGTCTGCCCTGCACAACCAAGAGGTGACAGCAGAGGATGGAACACAGCGGTGTGAGAAGT  
GCAGCAAGCCCTGTGCCGAGTGTGCTATGGTCTGGGCATGGAGCACTTGCAGAGGTGAGGGCAGTTAC  
CAGTGCCAAATATCCAGGAGTTTGTGGTGGCAAGAAGATCTTTGGGAGCCTGGCATTCTGCCGGAGAGC  
TTTGATGGGGACCCAGCCTCCAACACTGCCCGCTCCAGCCAGAGCAGCTCCAAGTGTGAGACTCTGG  
AAGAGATCACAGGTTACCTATACATCTCAGCATGGCCGGACAGCCTGCCTGACCTCAGCGTCTTCCAGAA  
CCTGCAAGTAATCCGGGGACGAATTCTGCACAATGGCGCCTACTCGTGACCCTGCAAGGGCTGGGCATC  
AGCTGGCTGGGGCTGCGCTCACTGAGGGAAGTGGCAGTGGACTGGCCCTCATCCACCATAACCCACC  
TCTGCTTCGTGCACACGGTGCCTGGGACCAGCTTTTCGGAACCCGCACCAAGCTCTGCTCCACTGC  
CAACCGCCAGAGGACGAGTGTGTGGCGAGGGCTGGCTGCCACCAGCTGTGCCCGGAGGGCAGTGC



[View online »](#)

TGGGGTCCAGGGCCACCCAGTGTGTCAACTGCAGCCAGTTCCTTCGGGGCCAGGAGTGCCTGGAGGAAT  
GCCGAGTACTGCAGGGGCTCCCCAGGGAGTATGTGAATGCCAGGCACTGTTTGCCGTGCCACCCTGAGTG  
TCAGCCCCAGAATGGCTCAGTGACCTGTTTTGGACCGGAGGCTGACCAGTGTGTGGCCTGTGCCACTAT  
AAGGACCTCCCTTCTGCGTGGCCCGTCCCCAGCGGTGAAACCTGACCTCTCTACATGCCCATCT  
GGAGTTTCCAGATGAGGAGGGCGCATGCCAGCCTTGGCCATCAACTGCACCCACTCTGTGTGGACCT  
GGATGACAAGGGCTGCCCGCCGAGCAGAGAGCCAGCCCTCTGACGTCCATCATCTCTGCGGTGGTTGGC  
ATTCTGCTGGTGGTCTTGGGGTGGTCTTTGGGATCCATCAAGCGACGGCAGCAGAAGATCCGGA  
AGTACACGATGCCGAGACTGCTGCAGGAAACGGAGCTGGTGGAGCCGCTGACACCTAGCGGAGCGATGCC  
CAACCAGGCGCAGATGCCGATCCTGAAAGAGACGGAGCTGAGGAAGGTGAAGGTGCTTGGATCTGGCGCT  
TTTGGCACAGTCTACAAGGCATCTGGATCCCTGATGGGGAGAATGTGAAAATCCAGTGGCCATCAAAG  
TGTTGAGGAAAAACATCCCCAAAGCCAACAAAGAAATCTTAGACGAAGCATACTGATGGTGGTGT  
GGGCTCCCCATATGTCTCCCGCTTCTGGGCATCTGCCTGACATCCACGGTGCAGCTGGTACACAGCTT  
ATGCCCTATGGTGCCTTTAGACCATGTCGGGAAAACCGGGACGCCTGGGCTCCAGGACCTGCTGA  
ACTGGTGTATGCAGATTGCAAGGGGATGAGCTACCTGGAGGATGTGCGGCTCGTACACAGGACTTGGC  
CGCTCGGAACGTGCTGGTCAAGAGTCCCAACCATGTCAAATACAGACTTCGGGCTGGCTGGGCTGCTG  
GACATTGACGAGACAGATACCATGCAGATGGGGCAAGGTGCCATCAAGTGGATGGCGCTGGAGTCCA  
TTCTCCGCGCGGCTTACCCACAGAGTGATGTGTGGAGTTATGGTGTGACTGTGTGGGAGCTGATGAC  
TTTTGGGGCCAAACCTTACGATGGGATCCAGCCCGGAGATCCCTGACCTGCTGAAAAAGGGGAGCGG  
CTGCCAGCCCCCATCTGCACCATGATGTCTACATGATCATGGTCAAATGTTGGATGATTGACTCTG  
AATGTCGGCCAAGATTCCGGGAGTTGGTGTCTGAATCTCCCGCATGGCCAGGGACCCCCAGCGCTTTGT  
GGTCATCCAGAATGAGGACTTGGGCCAGCCAGTCCCTTGGACAGCACCTTCTACCGTCACTGCTGGAG  
GACGATGACATGGGGGACCTGGTGGATGCTGAGGAGTATCTGGTACCCAGCAGGGCTTCTCTGTCCAG  
ACCTGCCCGGGCGCTGGGGCATGGTCCACCACAGGCACCGCAGCTCATCTACCAGGAGTGGCGGTGG  
GGACCTGACACTAGGGCTGGAGCCCTCTGAAGAGGAGGCCCCAGGTCTCCACTGGCACCTCCGAAGGG  
GCTGGCTCCGATGTATTTGATGGTGACCTGGGAATGGGGCAGCCAAGGGGCTGCAAAGCCTCCCCACAC  
ATGACCCAGCCCTCTACAGCGGTACAGTGAAGACCCACAGTACCCCTGCCCTCTGAGACTGATGGCTA  
CGTTGCCCCCTGACCTGCAGCCCCAGCCTGAATATGTGAACCAGCCAGATGTTGCGCCCCAGCCCCCT  
TCGCCCCGAGAGGGCCCTCTGCCTGCTGCCGACCTGCTGGTCCACTCTGGAAAGGCCAAAGACTCTCT  
CCCCAGGAAGAATGGGGTGTCAAAGACGTTTTTGCCTTGGGGTGGCGTGGAGAACCCCGAGTACTT  
GACACCCAGGGAGGAGCTGCCCTCAGCCCCACCTCCTCTGCCTTACGCCAGCCTTCGACAACCTC  
TATTACTGGGACCAGGACCCACCAGAGCGGGGGCTCCACCCAGCACCTCAAAGGGACACCTACGGCAG  
AGAACCCAGAGTACCTGGTCTGGACGTGCCAGTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG222909 representing NM\_001005862  
 Red=Cloning site Green=Tags(s)


MKLRLPASPETHLDMLRHL YQGCQVVQGNLEL TYLPTNASL SFLQDIQEVQGYV LIAHNQVRQVPLQRLR  
 IVRGTQLFEDNYALAVLDNGDPLNNTTPVTGASPGGLRELQLRSLTEILKGGVL IQRNPQLCYQDTILWK  
 DIFHKNNQLAL TLIDTNRSRACHPCSPMCKGSRGWGESSEDCQSL TRTV CAGGCARCKGPLPTDCCHEQC  
 AAGCTGPKHSDCLACLHFNHSGICELHCPALVTYNTDTFESMPNPEGRYTFGASCVTACPYNYLSTDVGS  
 CTLVCPLHNQEVT AEDGTQRCEKCKPCARVCYGLGMEHLREVRAVTSANI QEFAGCKKIFGSLAFLPES  
 FDGDPASNTAPLQPEQLQVFETLEEITGYLYISAWPDSL PDL SVFQNLQVIRGRILHNGAYSLTLQGLGI  
 SWLGLRSLRELGSLAL IHHNTHL CFVHTVPWDQLFRNPHQALLHTANRPEDECVGEGLACHQLCARGHC  
 WGPPTQCVNCSQFLRGQECVEECRVLQGLPREYV NARHCLPCHPECPQNGSVTCFGPEADQCVACAHY  
 KDPPFCVARCP SGV KPDLSYMPIWKFPDEEGACQPCP INCTHSCVDLDDKGC PAEQRASPLTSII SAVVG  
 ILLVVVLGVVFGILIKRRQKIRKYTMRRLLQETELVEPLTPSGAMPNQAQMRI LKETELRKVKVLGSGA  
 FGTVYKGIWIPDGENVKIPVAIKV LRENTSPKANKEILDEAYVMAGV GSPYVSRLLGICL TSTVQLVTQL  
 MPYGCLLDHVREN RRLGSQDLLNWC MQIAKGMSYLEDVRLVHRDLAARNVLVKSPNHVKITDFGLARLL  
 DIDETEYHADGGKVP IKWMALESILRRRFTHQSDVWSYGVTVWELMTFGAKPYDGI PAREIPDLLEKGER  
 LPQPPICTIDVYIMVKCWMIDSECRPRFREL VSEFSRMARDPQRFVVIQNE DLGPASPLDSTFYRSLLE  
 DDDMGDLVDAE EYLVPQQGFFCPDPAPGAGGMVHHRHSSTRSGGGDL TLGLEPSEEEAPR SPLAPSEG  
 AGSDVFDGDLGMGA AKGLQSLPTHDP SPLQRYSEDPTVPLPSETDGYVAPLTCSPQPEYVNQPDVRPQP  
 SPREGPLPAARPAGATLERPKT LSPGKNGVVKDVF AFGGA VENPEYLTPQGGAAPQHPPPPAFSPA FDNL  
 YYWDQDPPERGAPPSTFKGTPTAENPEYLG LDVVPV


TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



**Plasmid Map:**


**ACCN:** NM\_001005862

**ORF Size:** 3675 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	<a href="#">NM_001005862.3</a>
RefSeq Size:	4816 bp
RefSeq ORF:	3678 bp
Locus ID:	2064
UniProt ID:	<a href="#">P04626</a>
Cytogenetics:	17q12
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Adherens junction, Bladder cancer, Calcium signaling pathway, Endometrial cancer, ErbB signaling pathway, Focal adhesion, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Prostate cancer
Gene Summary:	<p>This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Allelic variations at amino acid positions 654 and 655 of isoform a (positions 624 and 625 of isoform b) have been reported, with the most common allele, Ile654/Ile655, shown here. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized. [provided by RefSeq, Jul 2008]</p>