

## Product datasheet for **RG223032**

### MRP4 (ABCC4) (NM\_005845) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** MRP4 (ABCC4) (NM\_005845) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** MRP4  
**Synonyms:** MOAT-B; MOATB; MRP4  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG223032 representing NM\_005845  
 Red=Cloning site Blue=ORF Green=Tags(s)

GACGTTGTATACGACTCCTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**GGCGCGCC**

ATGCTGCCCGTGTACCAGGAGGTGAAGCCCAACCCGCTGCAGGACGCGAACCTCTGCTCACGCGTGTCT  
 TCTGGTGGCTCAATCCCTTGTAAAATTGGCCATAAACGGAGATTAGAGGAAGATGATATGATTTCAGT  
 GCTGCCAGAAGACCGCTCACAGCACCTTGGAGAGGAGTTGCAAGGGTTCTGGGATAAAGAAGTTTTAAGA  
 GCTGAGAAATGACGCACAGAAGCCTTCTTAACAAGAGCAATCATAAAGTGTACTGGAAATCTTATTTAG  
 TTTTGGGAATTTTACGTTAATTGAGGAAAGTGCCAAAGTAATCCAGCCATATTTTTGGGAAAAATTAT  
 TAATTATTTTGAATAATGATCCCATGGATTCTGTGGCTTTGAACACAGCGTACGCCTATGCCACGGTG  
 CTGACTTTTTGCACGCTCATTTTGGCTATACTGCATCACTTATATTTTTATCACGTTTCAGTGTGCTGGGA  
 TGAGGTTACGAGTAGCCATGTGCCATATGATTTATCGGAAGGCACCTTCGCTTAGTAACATGGCCATGGG  
 GAAGACAACCACAGGCCAGATAGTCAATCTGCTGTCCAATGATGTGAACAAGTTTTCAGTGTGACAGTG  
 TTCTTACACTTCTGTGGGCAGGACCACTGCAGGCGATCGCAGTACTGCCCTACTCTGGATGGAGATAG  
 GAATATCGTGCCTTGTGGGATGGCAGTTCTAATCATTCTCCTGCCCTTGCAAAGCTGTTTTGGGAAGTT  
 GTTCTCATCACTGAGGAGTAAACTGCACTTTACGGATGCCAGGATCAGGACCATGAATGAAGTTATA  
 ACTGGTAAAGGATAATAAAAAATGTACGCCTGGGAAAAGTCATTTTCAAATCTTATTACCAATTTGAGAA  
 AGAAGGAGATTTCCAAGATTCTGAGAAGTTCTGCCTCAGGGGGATGAATTTGGCTTCGTTTTTCAGTGC  
 AAGCAAAATCATCGTGTGTGTGACCTTACCACCTACGTGCTCCTCGGCAGTGTGATCACAGCCAGCCGC  
 GTGTTCTGTGGCAGTGACGCTGTATGGGGCTGTGCGGCTGACGGTTACCCTCTTCTCCCCTCAGCCATTG  
 AGAGGGTGTGAGGCAATCGTCAGCATCCGAAGAATCCAGACCTTTTTGCTACTTGATGAGATATCACA  
 GCGCAACCGTCAGCTGCCGTGATGGTAAAAAGATGGTGCATGTGCAGGATTTTACTGCTTTTTGGGAT  
 AAGGCATCAGAGACCCCAACTCTACAAGCCTTTCCTTACTGTCAGACCTGGCGAATTGTTAGCTGTGG  
 TCGGCCCCGTGGGAGCAGGGAAGTCATCACTGTTAAGTGCCGTGCTCGGGGAATTGGCCCAAGTCAGG  
 GCTGGTCAGCGTGCATGGAAGAATTGCCTATGTGTCTCAGCAGCCCTGGGTGTTCTCGGGAATCTGAGG



[View online »](#)

AGTAATATTTTATTTGGGAAGAAATACGAAAAGGAACGATATGAAAAAGTCATAAAGCCTTGTGCTCTGA  
 AAAAGGATTTACAGCTGTTGGAGGATGGTATCTGACTGTGATAGGAGATCGGGGAACACGCTGAGTGG  
 AGGGCAGAAAGCACGGGTAACCTTGCAAGAGCAGTGTATCAAGATGCTGACATCTATCTCTGGACGAT  
 CCTCTCAGTGCAAGTAGATGCGGAAGTTAGCAGACACTTGTTCGAACTGTGATTTTGTCAAATTTGCATG  
 AGAAGATCACAATTTTAGTGACTCATCAGTTGCAGTACCTCAAAGCTGCAAGTCAAGTTCGATATTGAA  
 AGATGGTAAAATGGTGCAGAAGGGGACTTACACTGAGTTCCTAAAATCTGGTATAGATTTTGGCTCCCTT  
 TTAAGAAGGATAATGAGGAAAGTGAACAACCTCCAGTTCAGGAACCTCCACACTAAGGAATCGTACCT  
 TCTCAGAGTCTTCGGTTTGGTCTCAACAATCTTCTAGACCTCCTTGAAAGATGGTCTCTGGAGAGCCA  
 AGATACAGAGAATGTCCAGTTACACTATCAGAGGAGAACCCTTCTGAAGGAAAAGTTGGTTTTAGGCC  
 TATAAGAATTACTTCAGAGCTGGTCTCACTGGATTGTCTTCATTTTCTTATTCTCCTAAACACTGCAG  
 CTCAGGTTGCCTATGTGCTTCAAGATTGGTGGCTTTCATACTGGGCAAACAAAAGTATGCTAAATGT  
 CACTGTAAATGGAGGAGGAAATGTAACCGAGAAGCTAGATCTTAACTGGTACTTAGGAATTTATTAGGT  
 TTAAGTGTAGCTACCGTCTTTTGGCATAGCAAGATCTCTATTGGTATTCTACGTCCTTGTAACTCTT  
 CACAACTTTGCACAACAAAATGTTTGGTCAATCTGAAAGCTCCGGTATTATTCTTTGATAGAAATCC  
 AATAGGAAGAATTTAAATCGTTTCTCAAAGACATTGGACACTTGGATGATTTGCTGCCGCTGACGTTT  
 TTAGATTTTCATCCAGACATTGCTACAAGTGGTGGTGGTCTCTGTGGCTGTGGCCGTGATTCCTTGGA  
 TCGCAATACCTTGGTTCCTTGGAAATCATTTTCATTTTCTTCGGCGATATTTTTGGAAACGTCAGG  
 AGATGTGAAGCGCCTGGAATCTACAACCTCGGAGTCCAGTGTTCCTCCACTTATCATCTTCTCAGGGG  
 CTCTGGACCATCCGGGCATACAAGCAGAAGAGAGGTGTCAGGAACCTGTTGATGCACACCAGGATTTAC  
 ATTCAGAGGCTTGGTCTTGTGTTTTGACAACGTCCTCGTGGTTTGGCGTCCGCTGGATGCCATCTGTGC  
 CATGTTTGTATCATCGTTGCCCTTGGTCCCTGATTCTGGCAAAAACCTGGATGCCGGCAGGTTGGT  
 TTGGCACTGTCTATGCCCTCACGCTCATGGGGATGTTTCAAGTGGTGTGTTTCGACAAAAGTGTGAAGTTG  
 AGAATATGATGATCTCAGTAGAAAAGGTCATTGAATACACAGACCTTGAAAAAGAAGCACCTTGGGAATA  
 TCAGAAAACGCCACCACCAGCCTGGCCCATGAAGGAGTGATAATCTTTGACAATGTGAACCTCATGTAC  
 AGTCCAGGTGGGCTCTGGTACTGAAGCATCTGACAGCACTCATTAAATCACAAGAAAAGTTGGCATTG  
 TGGGAAGAACCGGAGCTGAAAAAGTTCCTCATCTCAGCCCTTTTAGATTGTCAGAACCCTGAAGGTAA  
 AATTTGGATTGATAAGATCTTGACAACCTGAAATGGACTTCACGATTTAAGGAAGAAGTGTCAATCATA  
 CCTCAGGAACCTGTTTGTCTCACTGGAACAATGAGGAAAAACCTGGATCCCTTTAATGAGCACACGGATG  
 AGGAACCTGTGAATGCCTTACAAGAGGTACAACCTAAAGAAACCATTGAAGATCTTCTGGTAAAATGGA  
 TACTGAATTAGCAGAATCAGGATCCAATTTTAGTGTGGACAAAAGACAACCTGGTGTGCCTTGCCAGGGCA  
 ATTCTCAGGAAAAATCAGATATTGATTATTGATGAAGCGACGGCAAATGTGGATCCAAGAACTGATGAGT  
 TAATACAAAAAAAATCCGGGAGAAATTTGCCACTGCACCGTGTAAACCATTGCACACAGATTGAACAC  
 CATTATTGACAGCGACAAGATAATGGTTTTAGATTGAGGAAGACTGAAAGAAATATGATGAGCCGATGTT  
 TTGCTGCAAAAATAAGAGAGCCTATTTTACAAGATGGTGAACAACCTGGCAAGGCGAGAAGCCGCTGCC  
 TCACTGAAACAGCAAAACAGGTACTTCAAAGAAATATCCACATATTGGTCACACTGACCACATGGT  
 TACAAACACTTCCAATGGACAGCCCTCGACCTTAACTATTTTCGAGACAGCACTG

AGCGGACCGACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG223032 representing NM\_005845  
 Red=Cloning site Green=Tags(s)


MLPVYQEVKPNPLQDANICSRVFFWWLNPLFKIGHKRRLEEDDMYSVLPEDRSQHLGEELQGFWDKEVLR  
 AENDAQKPSLTRAIIKCYWKSYLVLGIFTLIEESAKVIQPIFLGKIINYFENYDPMDSVALNTAYAYATV  
 LTFCTLILAILHHLFYFHVQCAGMRLRVAMCHMIYRKALRLSNMAMGKTTTGQIVNLLSNDVKNFDQVTV  
 FLHFLWAGPLQAI AVTALLWMEIGISCLAGMAVLIILLPLQSCFGKLFSSLRSKTATFTDARIRTMNEVI  
 TGIRI IKMYAWEKSF SNLITNLRKKEISKILRSSCLRGMNLASF SASKIIVFVFTTTYVLLG SVITASR  
 YFVAVTLYGAVRLTVTLFFPSAIERVSEAIVSIRRIQTFLLLDEISQRNRQLPSDGKMMVHVQDFTAFWD  
 KASETPTLQGLSFTVRPGELLAVVGPVAGKSSLLSAVLGELAPSHGLVSVHGRIAYVSQQPWVFSGLTR  
 SNILFGKYEKERYEKVIKACALKKDLQLLEDGDLTVIGDRGTTLSGGQKARVNLARAVYQDADIYLLDD  
 PLSAVDAEVSRLHFELCICQILHEKITILVTHQLQYLKAASQILILKDGKMQKGTYTEFLKSGIDFGSL  
 LKKNDEESEQPPVPGTPTLRNRTFSESSVWSQQSSRPSLKDGALESQDTENVPVTLSEENRSEGVGFQA  
 YKNYFRAGAHWIVFIFILLNTAAQVAYVLQDWLWLSYWANKQSMNLVTVNGGGNVTEKLDLNLWYLG IYSG  
 LTVATVLFGIARSLLVFVYLVNSSQTLHNKMFESILKAPVLFDRNP IGRILNRF SKDIGHLDLPLTF  
 LDFIQTL LQVVGVSVAVAVIPWIAIPLVPLGIIFIFLRRYFLET SRDVKRLESTRSPVFSHLSSSLQG  
 LWTIRAYKAEERCQELFAHQDLHSEAWFLFTTSRWFVRLDAICAMFV IIVAFGSLILAKTLDAGQVG  
 LALSYAL TLMGMFQWCVRQSAEVENMMISVERVIEYTDLEKEAPWEYQKRPPAPWHEGV IIFDNVNFMY  
 SPGGPLVLKHLTALIKSQEKVGI VGRGTGAGKSSLSALFRLSEPEGKIWDKIL TTEIGLHDLRKKMSII  
 PQEPVLF TGTMRKNLDPFKEHTDEELWNALQEVQLKETIEDLPGKMDTELAESGSNF SVGQRQLVCLARA  
 ILRKNQIL IIDEATANVDPRTDEL IQKKIREKFAHCTVLTIAHRLNTIIDSDKIMVLDSGRLKEYDEPYV  
 LLQNKESLFYKMQQLGKAEAAAL TETAKQVYFKRNYPHIGHTDHMTNTSNGQPSTLTI FETAL

SGPTRRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: AscI-RsrII

Cloning Scheme:

Cloning sites used for ORF Shuttling:




ACCN: NM\_005845

ORF Size: 3975 bp

<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_005845.2</a> , <a href="#">NP_005836.1</a>
<b>RefSeq Size:</b>	5871 bp
<b>RefSeq ORF:</b>	3978 bp
<b>Locus ID:</b>	10257
<b>UniProt ID:</b>	<a href="#">O15439</a>
<b>Cytogenetics:</b>	13q32.1
<b>Domains:</b>	ABC_membrane, ABC_tran, AAA
<b>Protein Families:</b>	Druggable Genome, Ion Channels: Other, Transmembrane
<b>Protein Pathways:</b>	ABC transporters

**Gene Summary:**

The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MRP subfamily which is involved in multi-drug resistance. This family member plays a role in cellular detoxification as a pump for its substrate, organic anions. It may also function in prostaglandin-mediated cAMP signaling in ciliogenesis. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Sep 2014]

**Product images:**


Circular map for RG223032